

List of Veterinary Drug Approved by CDSCO From 1969 To 16-04-2026

Marketing Authorization (Form-45/Form-46)

S.No	Name of the Firm	File No.	Permission No.	Date of Approval	Form 45/46/45A/45A	Name of Drugs	Dosage Form	Indication	Species
1	M/s Pfizer Private Limited	1969 April	Pyrantel Tartrate	In the treatment if infestation with G.I round Worm in Sheep, Cattle & swine (Broad Spectrum Anthelmintic)	Sheep Cattle and Swine
2	M/s Roche Products Bombay	1970 April	Injection of Vitamin A, D, B	Vitamin preparation.	Vitamin Preparation.
3	M/s Cyamid India Limited Bombay	1970 April	Disophenol	Each c.c contains, Disophenol-45 mg Injection	Treatment of hook worm in dogs and cats.
4	M/s Pfizer Private Limited Bombay	1970. May	3-Methyl Pyrantel Tartrate	100ml of the oral solution contains 4gm of pyrantel tartrate 4% Oral Solution
5	M/s Pfizer Private Limited Bombay	12-72/1970-DC	1970-December	Beclotiamine hydrochloride and beclotiamine napadisylate	Treatment of coccidiosis in poultry.	Chickens
6	M/s Dow Chemical New Delhi	1972. January	Clopidol	Coccodiosis
7	M/s Dow Chemical New Delhi	1972.January	3,5 Dinitro-O-Toluamide
8	M/s ICI	1972. November	Oxyclozanide
9	M/s The Alkali & Chemical Corporation of India, Calcutta	1973-July	Tetramisole Hydrochloride	Tetramisale Hydrochloride 30%
10	M/s SKF Bangulore	1973-August	Furaltadone	Furaltadone 20% w/w Powder	Poultry Disease only
11	M/s SKF Bangulore	1973-August	Nitrofurazone + Urea	Each bolus Contains, Nitrofurazone 0.06 gm, Urea 6.21 gm Bolus
12	M/s SKF Bangulore	1973-February	Parbendazole (B vet C)	Treatment of Helmenthiasis
13	M/s Hoechst	1973-September	Trimethoprim +Sulphadoxine	Bacterial infections in cattle

14	M/s May & Baber Bombay	1973- December	Thiophanate	Anthelmentic
15	M/s Burroghs wellcare Co., Bombay	1974-July	Trimethoprim+sulphadoxime	Trimethoprim 4% w/v sulphadoxime 20% w/v Injection
16	M/s SKF Banglore	1975-January	Zoalene+ Ethoxyquin	Zoalene-25% Ethoxyquin- 0.125%
17	M/s SKF Banglore	1975-July	Virginiamycin	2% premix contains 40 gm of Virginiamycin 50% granules per kg	Antibiotic- Indicated for growth propotion in poultry pigs and for prevention & treatment of swine dysentery.
18	M/s SKF Banglore	1975- February	Virginiamycin obtained from streptomyces virginiae	Antibiotic-Indicate for growth propotion in poultry pigs and for prevention and treatment of swine dysentery	Chicken Pigs and Swine
19	M/s Pfizer Ltd., Bombay	12-06/1975-DC	1975-July	Carbadox Megadox	Veterinary Use	Antibiotic-Indicated in the treatment of swine dysentery and bacterial enteritis.	Swine
20	M/s May & Baber	1975-August	Dimetridazole	Veterinary Use	Growth promotant in poultry	Chicken
21	M/s SKF Banglore	1976-may	Oxibendazole	Oxibendazole -1.33% w/w	Veterinary anthelmentic- indicated in the treatment of gastro-intestinal nematodes, infections of cattle sheep horses and other domestic animals	Cattle Sheep Horses
22	M/s May & Baber	1977-January	Isometamidium Chloride	Indicated in treatment of cardiac arrhythmias including atrial fibrillation, ventricular tachycardia, arrhythmia.
23	M/s Chandra Bhagat	1977- September	Suramin
24	M/s SKF Bangalore	File No 12- 10/1979-DC	1979-October	Albendazole	Albendazole 2.5% w/v 10% w/v Suspension	Anthelmentic- indicated in the control of gastro- intestinal roundworm, lungworm tapewarm & adult liver flukes in cattle sheep	cattle sheep
25	M/s Hoechst	1979-January	Fenbendazole	Anthelmentic inidcated to treat gastro-intestinal nematodes infections of live stocks.
26	M/s Srimi Biologicals Hyderabad	1980-May	Tylosin Tartrate	Antimicrobial aid in the treatment of chronic respiratory disease in chicken ad for maintaining weight gain and feed efficiency in turkey	Turkey
27	M/s Hoechst Pharmaceuticals Bombay	1980-July	Halofuginone derivative of an alkaloid isolated from plant dichora febrifuga lour)	Poultry feed additive for prvention and treatment of poultry Coccidiosis.

28	M/s Srinivas Biologicals Curewel	1985-September	Monensin sodium premix	Monensin sodium eq.to 100 gm 200 gm of monensin activity per kg	Coccidiosis in the treatment of coccidiosis in chicken and hens.	Chicken
29	M/s Dyner Pharma	1985-October	Ivermectin concentrate solution/injection	Ivermectin concentrate solution 10 % w/v ivermectin injection 1% w/v Injection	Anthelmintic indicated for the control of various helminthic infestations such as round worm lung worm of sheep cattle horse swine sucking lice mange of pigs dogs ticks of sheep and cattle.
30	M/s Hoechst	12-33//1983-DC	1986-October	Buserelin acetate injection	Each ml contains buserelin acetate 4.2mcg eq. to 4mcg of buserelin Injection	Luteinising hormone- Indicated in the treatment of infertility of ovarian organ for the induction of ovulation and improvement of conception rate in cows, mares and rabbits	cows mares and rabbits
31	M/s Alved products	1986-May	Carboprost Tromethamine	Each ml Contains Dinoprost 5 mg Injection	Synchronisation of oestrus and partium in animals and for the treatment of resistant cystic corpus luterum, help in the involution of uterus in prolonged labour and for the removal of dead foetus in cattle mares and sheep.	Cattle Mares & Sheep
32	M/s Infar Calcutta	1986-June	Luprostiol	Each vial contains Luprostiol 7.5 mg Injection	Prostaglandin- indicated in the treatment of corpora lutea, induction of abortion etc
33	M/s Wander Bombay	1986-August	Tiamulin Soluble granules	Tiamulin hydrogen fumarate 45% Soluble Granule	Indicated in the prevention & treatment of mycoplasma induced disease of the respiratory tract including complications due to secondary infections only.
34	M/s Ranbaxy. HMM	1987-October	Cloxacillin Benzathine Intramammary infusion	Each Disposable plastic syringe contains cloxacillin benzathine eq to 500 mg of cloxacillin Injection
35	M/s Rakshak Farm aid, Hyderabad	1987-September	Flumequine	Veterinary Use	Respiratory tract infections
36	M/s Hindustan Ciba Geigy	1988-September	Triclabendazole bolus and suspension	Bolus 250mg 900mg suspension 5% 10% w/v Bolus Suspension	Broad spectrum flubicide indicated in the treatment of chronic fasciola gigantica F hepatica in sheep goats cattle and buffaloes.	sheep goats cattle and buffaloes.

37	M/s Unichem Bombay	01.10.1988	FDC Lincomycin + Spectinomycin sterile solution	Each ml contains Lincomycin hcl 50 mg spectinomycin sulphate 100mg Sterile Solution
38	M/s Pfizer	1988-December	Salinomycin premix	Salinomycin sodium 6% premix	Prevention of coccidiosis
39	M/s Pfizer	1989-January	Salinomycin Bulk
40	M/s Unichem Bombay	1989-March	Lincomycin + Neomycin +Methyl Prednisolone	Each 10ml contains lincomycin hcl monohydrate eq to 300 mg base neomycin sulphate eq. to 200 mg base methyl prednisolone 5 mg Injection
41	M/s Hoechst, India	1989-September	Flavophospholipol Flavomycin	Antibiotic Used as feed additive in farm animals and poultry farm, birds.
42	M/s Hindusan Ciba geigy	01.05.1990	Cosumix Plus Alpha Chloropyridazine Sodium 10gm + trimethoprim 2gm per 100 gm powder for veterinary use	Each 100 gm cosumix plus powder contains alpha chloropyridazine sodium 10g methoprin 2 gm Powder	Each 100 gm cosumix plus powder contains; alpha chloropyridazine sodium-10g, methoprin-2gm
43	M/s Pfizer Pvt Ltd Bombay	1990- May	Oxytetracycline long acting injectable	Each ml contains oxytetracycline dihydrate in 2 pyrrolidone vehicle system 200 mg Injection		In the treatment of anaplasmosis and their annulata
44	M/s Hyeochst Bombay	1990-May	Deltamethrine	Each litre contains delta methrine 12.5gm Liquid

45	M/s Karnataka Antibiotics Bangalore	1990- August	Extract of mycobacterium vaccal	Each injection contains extract of mycobacterium vaccal eq to 100 mg/ml proteins Injection	Indicated in the sterilization castration of male animals dogs cattle buffalo bulls	dogs cattle buffalo bulls
46	M/s Indian Immunological	1990- November	Xylazine hcl	Each ml contains xylazine 20 mg	Used as a sedative analgesic and muscle relaxant properties for use in horses dogs and cattles	horses dogs and cattles
47	M/s Hindusan Ciba Geigy	1990-April	Diazinon Neocidol Liquid	Diazinon 20% w/w Liquid	Indicated in the treatment for the control of ectoparasites in live stock.
48	M/s I.C.I Pharma Calcutta	12-71/1988-DC	1991-April	Buparvaquone soluton for injection contains 5%	Buparvaquone solution for injection contains 5% w/v buparvaquone Solution for injection	Indicated in the treatment of bovine theileriosis
49	M/s Ciba geigy trends pharma	13.05.1992	Cephacetrile sodium intra mammary infusion	Each tube contains cephalacetrile sod eq to 235 mg of cephalacetrile in 10 gm of suspension infusion	Mastitis caused by streptococcus agalactial str dysgalactial str Uberis str Aureus Both penicillin sensitive and resistant strain gram negative bacteril including E Coli and Klebsiella
50	M/s Hindustan ciba geigy Bombay	01.07.1992	Triclobendazole+ Levamisol HCL Suspension Cumophos 5%	Each 100ml of suspension contains triclabendazole 5gm 12.0 gm levamisole 3.75 gm 7.5 gm. Suspension	Indicated in the treatment and control of mature and developing immature infections of haemonchus ostertagia trichostrongylus cooperia nematodinus bunostomum oesophagostomum and dictyocaulus and all form of liver fluke infection early immature immature and adult stage of fasciola hepatica and F gigantica in sheep /cattle.
51	M/s Hyderabad Chemicals supplies Ltd	05.07.1993	Cumophos 50%	Veterinary Use
52	M/s Cadila Veterinary	05.07.1993	Intra uterine infusion Oxytetracycline HCL- 500mg + Furazolidone 500 mg + clioquinol 500mg per 100 gm syringe	Each 100gm syringe contains oxytetracycline hci 500mg furazolidone 500mg clioquinol 500mg injection	Intrauterine infusion for veterinary

53	M/s Cyanamid India	07.07.1993	Maduramicin 1% premix	Each kg of 1% premix contains maduramicin amonium 10 gm maduramicin amonium 0.5%	As an acid for the prevention of coccidiosis In broiler chickens	Chickens
54	M/s S.G Pharmaceuticals	Diclofenac sodium injection	Each ml contains diclofenac sodium 25 mg	for veterinary use
55	M/s Tebma Chemical Industries	29.09.1993	Levamisole +oxyclozanide suspension	Levamisole 1.5% oxyclozanide 3.0% Drug	for veterinary use
56	M/s Hindustan Ciba geigy ltd	18.10.1993	Sulphachloropyrazine sodium 30%	Suspension	for veterinary use
57	M/s Ranbaxy Labs	10.01.1994	Enrofloxacin 5% oral solution and 10% inj	Each ml of inj contains enrofloxacin 100mg 50mg each ml of oral solution contains enrofloxacin 50mg 100 mg Injection Solution	Oral solution for veterinary
58	M/s Cadila Veterinary	03.10.1994	Closantel 15% oral solution	Each 100 ml contains closantel 15.00gm	Mature and immature fasciola species haemonchus species strongyloies species and also for external parasites like oestrus ovis boophilus microplus hyalomma a anaticum in cattle and sheep	cattle and sheep
59	M/s Pfizer Limited	12.08.1995	Danofloxacin Mesylate injection	Each ml contains danofloxacin mesylate eq to 25mg of danofloxacin	Bovine respiratory disease in beef cattle non lactating dairy cattle calves caused by pasteurella haemolytica p multocida and eneric infection caused by E Coli salmonella	Beef cattle
60	M/s Hindustan ciba geigy ltd	19.02.1996	Nitroscanate tablets	Each tablets contains nitroscanate 100mg 500mg	for control eradication of hook worms round worms tape	Puppies and adult dogs

61	M/s Hoechst India Ltd	12-94/1988-DC	06.08.1996	Amitraz emulsifiable concentrate	Each ml emulsifiable concentrate contains amitraz BP 50mg 125 mg	for veterinary use
62	M/s Hindustan ciba geigy ltd	16.09.1996	Cypermethrin high Cis	Each litre contains cypermethrin high cis 100 gm	For the control of tick flies lice and mites on cattle sheep dogs and poultry	cattle sheep dogs and poultry
63	M/s Sarabhai Chemicals	4-53/1996-DC	16.10.1996	Amoxicillin trihydrate bolus	Each bolus contains amoxicillin trihydrate 750 mg
64	M/s Meridian Chemical Pvt Ltd	12.03.1997	Norfloxacin powder 10%	Each gm contains norfloxacin USP 100mg Powder	wide variety of infections caused by susceptible gram +ve and gram -ve organism including mixed infection in poultry	Chicken
65	M/s Pfizer Ltd	17.10.1997	Doramectin 1% Injectable solution	Each ml contains Doramectin 10mg Injection	Treatment and control of gastrointestinal round worms lung worms eye worm screw worms in cattle	sheep and Swine
66	M/s Bayer	29.10.1997	Flumethrin 1% solution	Each 10ml contains flumethrin 1 gm	Management of all tick species on the body of cattle.	cattle
67	M/s Cyanamid India Ltd	16.01.1997	Moxidectin 1% w/v injection	Moxidectin 1% w/v	In the treatment and control of internal and external parasites in cattle.	cattle
68	M/s Bayer	03.02.1997	Kiltix collar Propoxur 1 gm + Flomethrion 0.225 gm per 10 mg of collar for veterinary use	Every 10 gm of collar contains propoxur 1000 gm flumethrin 0.225gm	For protection and control of ticks and fleas on dogs.	dogs

69	M/s Hoechst Marrion rousset Ltd.	19.02.1997	Tiaprost Trometamol injection (Iliren PGF2 alfa Injection)	Tiaprost trometamol 0.196 mg eq to 150mg of tiaprost	In inducing parturition in cows and buffalos	cows and buffalos
70	M/s Western hatchereis	12-72/1995-DC	22.07.1997	Apramycin sulphate	50gm in each 100gm	Bacterial enteritis cellibacillosis salmonellosis in poultry	Chicken
71	M/s Intas Pharma	04.03.1998	Cloxacillin Sodium + Colistine Sulphate intramammmary infusion	Each 10ml syringe contains cloxacillin sodium 200mg colistine sulphate 50000 units Injection
72	M/s Pfizer Ltd	04.03.1998	Semduramicin sodium 5% premix	Each kg of premix contains semduramicin 50gm (eq to semduramicin sod)	for veterinary use
73	M/s Bayer Limited	12-64/1996-DC	04.03.1998	FDC Butafosfane +Cyanocobalamin injection Finished Formulation	Each 100ml solution contains butafosfane 10gm cyanocobalamine 0.005gm	for veterinary use
74	M/s Bayer	30.04.1998	Toltrazuril Solution	Each 100ml solution contains toltrazuril 2.5 gm
75	M/s Rallis India Ltd	23.08.1999	Omniclean	Alkyl dimethyl benzyl ammonium chloride 5% nonyl phenol ethoxide 6% inert ingredient 89%	Disinfectant preclean
76	M/s Rallis India Ltd	24.08.1999	Omnicide	Each litre have composition glutaraldehyde 15% cocobenzyl dimethyl ammonium chloride 10% dye 0.1% perfume 6% softwn water 0.5%	For the control of disease in animal permises
77	M/s Hoechst Marion Roussel Ltd	04.10.1999	Fenbendazole +oxyclozamide Suspension & Bolus	1 ml of suspension fenbendazole 2.5% w/w 1.5% w/v oxyclonazide 7.5% w/v 4.5% w/v each uncoated bolus contains fenbendazole-175 mg oxyclozamide 525 mg	Intreatment of roundworms, lungworms fluke in cattles and sheep only	cattle and sheep only
78	M/s Allied Pharmaceuticals Ltd	07.02.2000	Erythromycin	Single dose pack intramammmary infusion 300mg/6ml	for treatment of mastilis in lactating cows only	Cow

79	M/s Pfizer Limited	03.10.2000	Doramection 1% injectable solution	1% injectable solution	For control of GI round worm eye worm screw worms in sheep and swine	sheep and swine
80	M/s Bayer India Limited	23.03.2001	Imidacloprid cutaneous solution	Each tube contains imidacloprid 40mg 100mg 250mg tube	prevention and treatment of flea infestation on dogs.	Dog
81	M/s Bayer India Limited	23.04.2001	Pyrantel embonate with febantel suspension	Each ml of suspension contains pyrantel embonate 14.4mg febantel 15mg	for treatment of infestation caused by round worms, ascarids hook worms whip worm in puppies and young dogs.	Dog
82	M/s Bayer India Limited	08.06.2001	Toltrazuril 2.5% solution	Each 100ml contains toltrazuril 2.5gm	for treatment of coccidiosis in poultry	Chicken
83	M/s Intas Pharma	02.04.2002	Meloxicam Injection	Each vial contains meloxicam 5mg/ ml	Painful inflammatory conditions including arthritis in animals as well as pyrexia.
84	M/s Bayer India Limited	23.04.2002	Coumaphos +propoxur+sulphanilamide powder	Composition coumaphos-3% propoxur 2% sulphanilamide 5%	for use as larvicidal bacteriostatic wound dressing in cattle sheep pigs and horses	cattle sheep pigs and horses
85	M/s Indo Biocare Pvt Ltd.	23.08.2002	Tilmicosin aqu. Conc. Liquid	Each ml of aq conc liquid contains tilmicosin 250mg	In treatment of chronic respiratory disease in poultry	Chicken
86	M/s Pfizer			03.10.2000		Doramectin 1%	For control of GI round worm, eye worm screw worms in sheep and swine	sheep and Swine

87	M/s Aurobindo Pharma	08.10.2002	Ceftiofur Sodium Inj	Each 1gm and 4gm vial contains on reconstitution with 20ml or 50ml sterile WFI ceftiofur sod eq to ceftiofur 50mg/ml	For treatment of bovine respiratory disease acute bovine interdigital necrobacillosis, bacterial respiratory disease in swine sheeps and horses, canine UTI and for control of mortality associated with E.Coli in day old chickens and day old turkey poultry.
88	M/s Aurobindo Pharma	12-21/2002-DC	08.10.2002	Ceftiofur hcl liquid sterile suspension	Each ml suspension contains ceftiofur hcl eq to ceftiofur 50mg suspension Bolus	For treatment and control of swine and bovine bacterial respiratory disease	Swine
89	M/s Themis Medicare	10.01.2003	Propofol clear soln for i.v inj	Each ml of clear soln for inj contains propofol 50mf 200mg 400mg	For induction in veterinary practise only
90	M/s Shalak Ontop Pharma	01.06.2004	Ivermectin 6mg tablets	6mg Tablets
91	M/s Pfizer Limited	File No 4-151/2004	01.09.2004	Hyperox peracetic acid + hydrogen peroxide liquid	Composition peracetic acid hydrogen peroxide NLT 24.0% peracetic acid NLT 4.5% Liquid Disinfectant	Disinfections of farms for livestock species.
92	M/s Indian Immunological	11.10.2004	Nimesulide IM injection	Each ml Contains Nimesulide 100mg/ml	For the treatment of pyrexia and inflammatory caonditions in live stock.
93	M/s Alembic Limited	12.10.2004	Ceftiofur sod. Inj	Each vial contains ceftiofur sodium sterile powder for injection 500 mg	Additional lower strenght.
94	M/s Alembic Limited	21.11.2005	Aspirin Bolus Vet 6gm Bolus	for vet use Aspirin Bolus Vet. 6 gm bolus	for veterinary use

95	M/s Intervet India Pvt Ltd	12-06/2006 -DC	IMP-631/2006	23.02.2006	Cefquinome Sulphate Injection Vet 2.5 %	Each ml contains cefquinome sulphate equivalent to cefquinome 25 mg ` Injection	For the treatment of infection caused by susceptible organisms in cattle and pigs	cattle and pigs.
96	M/s Panav Bio-Tech,	4/PBT/52/VTVC/2007-DC	IMP-644/2008	02.06.2008	Form-45	Canvac 8 DHPPIinj.secc, ad us.vet	Injection	Active immunization of dogs, canids and stoats except ferets against distemper infectious hepatitis infectious laryngotracheitis parvovitis parainfluenza and leptospirosis	Dogs
96	M/s Panav Bio-Tech,	4/PBT-52/VTVC/2007-DC	IMP-645/ 2008	02.06.2008	Form-45	Canvac R Inj Ad us. Vet injection	Injection each dose contains inactivated rabies virus NLT 2 IU	For Prophylactic immunization of clinically healthy animals against rabies	Dogs
96	M/s S.M Marketing	12-233/2008-DC	IMP-547/2010	07.07.2008	Amoxicillin Trihydrate LA Injection	amoxicillin trihydrate quiv to amoxicillin 150mg Injection	indicated for treatment of infections caused by susceptible germs located in digestive tract, tissues, as well as in disease complicated by bacteria susceptible to amoxicillin in cattle, sheep, swine dogs cats and other animals	dogs cat swine cattle sheep
97	M/s Bayer Health Care, Thane	4-198/2007-DC	16.09.2008	Calcium and magnesium 24% Veterinary Injectable solution	Each ml of injectable solution contains calcium gluconate 190mg calcium glucoheptone 45mg butaphosphan 4.0mg magnesium chloride hexahydrate 60mg	For the treatment of milk fever, hypocalcaemia tetanias and disorders of calcium metabolism in Dairy cattle	Cattle
98	M/s Pfizer Ltd, Mumbai	12-57/2007-DC	01.10.2008	Ceftiofur Crystalline free acid suspension equi to Ceftiofur--- 200 mg vet	Each ml suspension contains ceftiofur crystalline free acid eq. to ceftiofur 200mg Suspension	For treatment of bovine respiratory Disease BRD shipping fever pneumonia associated with Mannheimia Haemolytica Pasteurella multocida and Histophilus somni in beef, non-lactating dary, and lactating dairy cattle.	cattle
99	M/s Pfizer Ltd, Mumbai	01.10.2008	Ceftiofur HCl Suspension as HCl salt ---500 mg vet	Each 10ml syringe contains ceftiofur eq.to as the hydrochloride salt 500mg Suspension	For treatment of clinical mastitis in lactating dairy cattle associated with coagulase-negative staphylococci, Streptococcus dysgalactiae, and Escherichia coli.	cattle
100	M/s Pfizer Ltd, Mumbai	01.10.2008	Ceftiofur HCl Suspension as HCl salt ---125 mg vet	Each 10ml syringe contains ceftiofur eq.to as the hydrochloride salt 125mg Suspension	For treatment of clinical mastitis in lactating dairy cattle associated with coagulase-negative staphylococci, Streptococcus dysgalactiae, and Escherichia coli.

101	M/s Pfizer Ltd, Mumbai	30.09.2008	Paracetamol +Meloxicam Benzyl Alocchol + Lignocaine 5mg /ml+150mg/ml+1%+1% Injection
102	M/s Scientific remedies pvt Ltd, Gujarat	13.10.2008	Tylvalosin tartrate oral soluble granules sachet 62.5% w/w vet	Each sachet contains tylvalosin as tartrate 62.5% w/w.Oral Solution	Fort the prevention and treatment of mycoplasma induced chronic respiratory disease in broilers and breeders, the prevention and treatment of disease due to clostridium perfringens (necrotic enteritis, wet litter, cholangiohepatitis the prevention and treatment of ornithobacterium rhinotacheale (ORT).
103	M/s Orchid Chemicals and Pharmaceuticals chennai	4-132/2007-DC	31.10.2008	Cefquinome sulphate Bulk	Bulk	Veterinary Use
104	M/s Pfizer Ltd., Mumbai	14.01.2009	Selamectin Tropical Solution for veterinary use 60mg /120mg per ml	Selamectin 60mg 120 mg Topical Solution	(I) For the treatment and lasting prevention of flea infestations treatment and control of flea allergy dermatitis prevention of heartworm disease treatment and prevention of ear mites in dogs ad cats (II) for the treatment and prevetyion of sarcoptic mange, roundworms and for contorl of tick infestations in dogs.
105	M/s Sarabhai Zydus animal health Vadodara	06.02.2009	Closantel Injection 100mg/ ml for vet use	Each ml Contains closantel 100mg Injection	For the infestation of trematodes, nematodes, cestodes and arthropods of domestic animals including milch and other food producing animals
106	M/s Pfizer Ltd., Mumbai	12-59/2008-DC	07.10.2009	Cefovecin as sodium 80mg ml Lyophilised powder for injection veterinary	Each ml contains cefovecin sodium eq. to 80.0mg cefovecin	For the treatment of skin bacterial infections in dogs and cats.	Dogs and Cats
107	M/s Pfizer Ltd., Mumbai	03.10.2009	Isoflupredone Acetatsuspension for injection 2mg per ml for Veterinary	For the Glucocorticoid anti inflammatory ofr supportive therapy to cattle suffering from conditions such as (1) Overwhelming infections with severe toxicity (2) Bovine Ketosis (3) Musculoskeltal condtions (4) Shock (5) Parturient Paresis supportive stress therapy for milk fever	Cattle

108	M/s Intervet India Pvt Ltd	04.11.2009	Deltamethrin and Piperonyl Butoxide pour- on solution	Each ml of solution contains deltamethrin 0.50% m/v piperonyl butoxide 2.0% m/v	Ready to use pour on for cattle sheep and goats for use in cattle to control ticks stable flies horn flies cattle louse flies and nuisance flies e.g house flies to kill lice and protection against blackflies for use in sheep and goats for controlling karoo paralysis bont legged and reg legged ticks	Cattle Sheep and goats
109	M/s Bayer polychem ltd thane	20.03.2009	FDC of buphosphan+ methyl hydroxybenzoate +cyanocobolamine power	Each one kg of the formulation contains butaphosphan 100gm methyl hydroxybenzoate 1gm cyanocobolamin 50gm Oral Powder	As Vitamin and phosphorous supplement for livestock shrimp and fish.	shrimp and fish
110	M/s Bayer polychem ltd thane	03.10.2009	Imidacloprid 10% + Moxidectin 1.0% & 2.5% Topical solution vet	Each pipette contains (a) 0.4ml 1.0ml 2.5ml 4ml	For the treatment and prevention of flea infestations prevention of heartworm disease and treatment of infections with gastrointestinal nematodes in dogs and cats.	Dogs and Cats
111	M/s Bayer polychem ltd thane	29.10.2009	Deltamethrin (0.50% m/v) and Piperonyl Butoxide (2.0% m/v) per ml Pour- on Solution	Ready to use pour-on for cattle, sheep and goats. 1 for use in cattle to control ticks stable flies horn flies cattle louse flies and nuisance flies e.g. house flies to kill lice and protection against blackflies. 2 for use in sheep and goats for controlling karoo paralysis bontlegged and red -legged ticks.	cattle, sheep and goats.
112	M/s Bayer Healthcare	30.03.2010		Praziquantel 175mg + Pyrantel 504mg + Febental 525mg Tablets	175mg +504 mg +525 mg	For the Treatment of mixed infections with roundworms and tapeworms in dogs	Dogs
111	M/s Panav Bio-Tech,	12-95/Panav/2010/BD	IMP-1009/2010	22.12.2010	Form-45	Hyperimmune heterogeneous immunoglobulins parvovirus dyntec spol s.r.o. Czech republic injection Canglob D Forte immuvaccine form dyntec	Injection i.v. i.m or s.c each 1 ml of the product contains active ingredient immunoglobulinum anti febris contagiosae canis NLT 320	It is indicated for the treatment and Prophylaxis of Distemper in dogs and canine beasts of prey.	Dogs

113	M/s Panav Bio-Tech,	12-96/Panav/2010-BD	IMP-1010 2010	12/22/2010	Form-45	Hyperimmune heterogeneous immunoglobulins parvovirus dyntec spol s.r.o. Czech republic injection CANLOB P Immuvaccine form dyntec	Each 1 ml of the product contains active ingredient immunoglobulin anti parvovirus canis NLT 1024 HIU	It is indicated for the treatment and prophylaxis of parvovirus in dogs and canine beasts of prey	Dogs
113	M/s Bayer Pharma	05.04.2011	Imidacloprid+ Moxidectin spot on solution	For dogs each pipette containing 0.4ml of 10% imidacloprid and 2.5% moxidectin for cats each pipette containing 0.4ml 0.8ml of 10% imidacloprid and 1.0% moxidectin	For the treatment and prevention of flea infestation treatment of ear mite infestation, prevention of heartworm disease and treatment of infections with gastrointestinal nematodes in dogs and cats.	Dogs & Cats
114	M/s Scientific remedies pvt Ltd, Gujarat	11.11.2011	Diazinon flea drops spot on dogs 30.0% w/w	Each ampoule pipette contains diazinon 30.0% w/w Spot on Solution	For dogs infected with fleas.	dogs
115	M/s Intervet India Pvt Ltd	25.08.2011	Dog Collar band Containing deltamethrin 4% w/w	Each band contains deltamethrin 4%w/w	For control of infestations with ticks for 6 months anti-feeding effect on phlebotomine sand flies for 5 to 6 months prevention of infestations by fleas for 4 months anti-feeding effect on adult mosquitoes for 6 months.	Dog
116		13.12.2011	Cefuroxime sodium 250 mg intramammary infusion for Veterinary (PFS new dosage form)	For the treatment of Clinical mastitis in milk-producing cows.
117		01.07.2012	Clenbuterol Hydrochloride Solution for injection 30 mcg/ml	For the Treatment of equine respiratory disease in horses where airway obstruction due to bronchospasm and/or accumulation of mucus in contributing factor and improved mucociliary clearance is desirable the product should be used alone or as an adjuvant therapy the product is of particular value in cases of acute sub acute and chronic infections where the presence of mucus and/or micro-organism may stimulate bronchospasm e.g. bronchitis broncholitis and Bronchopneumonia Acute sub acute and Chronic respiratory allergies Chronic obstructive pulmonary disease COPD)
118	M/s AHP manufacturing pharma	25-09.2012	Cephapirin Benzathine intramammary infusion	Intramammary infusion	For the treatment of mastitis in dairy cattle during the dry period.	Cattle
119	M/s. Boehringer Ingelheim	07.03.2012	Cephalexin IP (as monohydrate) + Kanamycin IP (as monosulphate)	Cephalexin IP (as monohydrate) + Kanamycin IP (as monosulphate) Suspension	For the treatment of clinical mastitis in lactating dairy cows for bacteria susceptible to the combination of cephalexin and kanamycin such as Staphylococcus aureus, Streptococcus dysgalactiae, Streptococcus uberis and Escheria coli.	Cows

120	M/s Intervet India Pvt Ltd	File No. 12-167/2010-DC	08.04.2013	Cefalonium 250 mg suspension	Each 3G Syringe Contains Cefalonium dihydrate 250mg	For routine dry cow therapy to treat existing sub clinical infections and to prevent new infections which occur during the dry period.	Cow
121	M/s Bayer Pharmaceuticals Pvt Ltd	File No 4-12/2009-DC	IMP-230/2013	25.11.2013	Form-45	Praziquantal 20mg +Pyrantel embonate 230 mg	Tablets pyrantel embonate 20mg praziquantel 20mg	for the treatment mixed infestations with roundworms and tapeworms in dogs	Dog
122	M/s Intervet India Pvt Ltd	01.07.2012	Clenbuterol Hydrochloride Solution for injection 30 mcg /ml	For the treatment of equine respiratory disease in horses infections where the presence of mucus and /or micro-organisms may stimulate bronchospasm e.g. bronchitis broncholitis and Bronchopneumonia acute sub acute and chronic respiratory allergies chronic obstructive pulmonary disease COPD where airway obstruction due to bronchospasm and /or accumulation of mucus is contributing factor and improved muco-ciliary clearance is desirable the product should be use alone or as an adjuvant therapy the procut is of particular value in casesof acute sub acute and chronic
123	M/s. Bayer Healthcare	25.11.2013	Praziquantal 20mg+Pyrantel embonate 230mg Tablet (Veterinary product)	Praziquantal 20mg+Pyrantel embonate 230mg Tablet Oral (Veterinary product)	For the treatment mixed infestations with roundworms and tapeworms in Dogs	Dogs
124	M/s. Virbac Animal Health India	20.01.2014		Each freeze-dried vial contains: Tiletamine (as Hydrochloride) 125 mg/250 mg+ Zolezepam(as hydrochloride) 125 mg/250 mg freeze dried powder for injectable(veterinary product)	Each freeze-dried vial contains: Tiletamine (as Hydrochloride) 125 mg/250 mg+ Zolezepam(as hydrochloride) 125 mg/250 mg freeze dried powder for injectable(veterinary product)	As restrain and general anesthesia for dogs, cats and wild animals	Dogs Cats
125	M/s. Crescent Lab	07.08.2014	Each gram of ointment contains Neomycin Sulphate IP 5 mg (3000 IU) + Bacitracin Zinc IP 500 IU (veterinary product)	Each gram of ointment contains Neomycin Sulphate IP 5 mg (3000 IU) + Bacitracin Zinc IP 500 IU (veterinary product)	Broad spectrum antibiotic skin ointment used for dressing of wounds, yoke gall, ulcers, cuts, abrasions, Foot rot, Udder impetigo, FMD lesions in hoof, post operative lesions & Burns	
126	M/s. Crescent Lab	07.08.2014	Each ml of injection contains: Ivermectin IP 10 mg+ Clorsulon USP 100 mg Injection IV (Veterinary Product)	Each ml of injection contains: Ivermectin IP 10 mg+ Clorsulon USP 100 mg (veterinary product)	For control and treatment of Liver fluke and Endoparasites like gastrointestinal and pulmonary nematodes, eye worms, skin and muscle worms and ectoparasites like ticks, mites, lice and grubs	

127	M/s. Gopaldas & Vishramdas	07.08.2014	Each 10 ml (two teaspoonfuls) of oral dosage form(tonic) contains: 1.25 g of liver fraction derived from 31.25 g of fresh liver yeast Extract 0.4 g + Nicotinic acid IP 24 mg+ Ethanol (95%) IP 1 ml + Alcohol Content 9.4 % v/v Tonic Oral (veterinary product)	Each 10 ml (two teaspoonfuls) of oral dosage form(tonic) contains: 1.25 g of liver fraction derived from 31.25 g of fresh liver yeast Extract 0.4 g + Nicotinic acid IP 24 mg+ Ethanol (95%) IP 1 ml + Alcohol Content 9.4 % v/v (veterinary product)	Indicated for the treatment of anorexia, indigestion and liver disorders in sheep, goat and cattle and for supplementary treatment of Aflatoxicosis, mycotoxicosis and fatty liver Syndrome in poultry.	sheep, goat and cattle
128	M/s. Gopaldas & Vishramdas	07.08.2014	Each 5 ml of the suspension contains: Levamisole HCl IP 112.5 mg eq to levamisole 95.45 mg + Oxyclozanide IP 150 mg + Anhydrous Copper Sulphate BP eq to elemental copper 1.25 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 0.4 mg + Cobalt sulphate eq to elemental cobalt 0.15 mg (veterinary product)	Each 5 ml of the suspension contains: Levamisole HCl IP 112.5 mg eq to levamisole 95.45 mg + Oxyclozanide IP 150 mg + Anhydrous Copper Sulphate BP eq to elemental copper 1.25 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 0.4 mg + Cobalt sulphate eq to elemental cobalt 0.15 mg (veterinary product)	For control and treatment of Gastrointestinal and pulmonary Nematodes, liver Flukes and Amphistomes.
129	M/s. VIBRO PHARMA	17.11.2014	Each uncoated tablet Contains: Ivermectin IP 2 mg + Praziquantel IP 50 mg Tablet oral (veterinary product)	Each uncoated tablet Contains: Ivermectin IP 2 mg + Praziquantel IP 50 (veterinary product)	Broad spectrum anthelmintic for the treatment and control of internal parasites(nematodes and cestodes) in dogs	Dog
130	M/s. Crescent Lab	02.01.2015	Cream contains: Gamma benzene Hexachloride IP 0.10% w/w Proflavin Hemisulphate 0.10%w/w Cetrimide IP 0.45 % w/w (veterinary product)	Cream contains: Gamma benzene Hexachloride IP 0.10% w/w Proflavin Hemisulphate 0.10%w/w Cetrimide IP 0.45 % w/w (veterinary product)	For dressing of maggot wounds, to protect wound from flies.
131	M/s. Crescent Lab	13.02.2015	Each ml contains: Diminazene Diaceturate 70 mg+ Phenazone BP 375 mg + chlorocresol IP 0.1% w/v Injectable dosing form Injection IV (veterinary product)	Each ml contains: Diminazene Diaceturate 70 mg+ Phenazone BP 375 mg + chlorocresol IP 0.1% w/v Injectable dosing form (veterinary product)	For the treatment of: Babesiosis caused by B.bovis, B.bigemina, B.motasi & B.canis. Trypanosomiasis caused by T.congolense, T.vivax, T.brucei & T.evansi. Theileriosis caused by T.annulata & T.mitans. It is to be used with Antibiotic in annulata infection. Especially suitable for mixed infection. Pyrexia of unknown etiology.
132	M/s. Crescent Lab	13.02.2015	Each vial contains: Quinapyramine Sulphate B vet C 1.5 g + Quinapyramine Chloride B vet C 1.0g Injectable dosing Form Injection IV (veterinary product)	Each vial contains: Quinapyramine Sulphate B vet C 1.5 g + Quinapyramine Chloride B vet C 1.0g Injectable dosing Form (veterinary product)	Indicated as a preventive as well as curative in cases of Trypanosomiasis in cattle, buffalos, camel, horses, pigs and sheep.	cattle, buffalos, camel, horses, pigs and sheep.

133	M/s. GMH Organics	13.02.2015	Each Vial contains Sterile Morepenam IP eq. to Anhydrous Sterile Morepenam IP eq. to Anhydrous Sterile Morepenam IP eq. to Anhydrous Meropenam 1000mg +Sterile Sodium Meropenam 1000mg +Sterile Sodium Carbonate IP Eq. to Sodium 90.2 mg +Sterile Sulbactam Sodium USP eq. to Sulbactum 500 mg injection (veterinary product)	Each Vial contains Sterile Morepenam IP eq. to Anhydrous Meropenam 1000mg +Sterile Sodium Carbonate IP Eq. to Sodium 90.2 mg +Sterile Sulbactum Sodium USP eq. to Sulbactum 500 mg injection (veterinary product)	For the treatment of lower respiratory tract infection caused by gram negative bacteria in adults only.
134	M/s. Gopal Das Vishram & Co. Ltd	30.04.2015	Levamisole hydrochloride IP 15.0% w/w Eq. to Levamisole 12.7% w/w + Anhydrous Copper Sulphate BP Eq. to elemental Copper 0.16% w/w + Zinc Sulphate Monohydrate USP Eq. to elemental Zinc 0.05% w/w + Cobalt Sulphate Eq. to elemental Cobalt 0.02% w/w soluble powder for oral use. (veterinary product)	Levamisole hydrochloride IP 15.0% w/w Eq. to Levamisole 12.7% w/w + Anhydrous Copper Sulphate BP Eq. to elemental Copper 0.16% w/w + Zinc Sulphate Monohydrate USP Eq. to elemental Zinc 0.05% w/w + Cobalt Sulphate Eq. to elemental Cobalt 0.02% w/w soluble powder for oral use. (veterinary product)	For control and treatment of gastrointestinal and pulmonary nematodes
135	M/s. Akums Drugs & Pharmaceuticals Ltd	30.04.2015	Enrofloxacin 200 mg + Bromhexine HCl IP 15 mg oral solution. (veterinary product)	Enrofloxacin 200 mg + Bromhexine HCl IP 15 mg oral solution. (veterinary product)	For the treatment of infectious diseases of poultry produced by Gram - positive bacterias, Gram - Negative bacteria and or mycoplasmas.
136	M/s. Gopaldas & Vishramdas	30.04.2015	Ketoconazole IP 1.0 %w/w + Chlorhexidine Gluconate Solution IP Eq. to Chlorhexidine Gluconate 2.1 % w/w shampoo for topical use. (veterinary product)	Ketoconazole IP 1.0 %w/w + Chlorhexidine Gluconate Solution IP Eq. to Chlorhexidine Gluconate 2.1 % w/w shampoo for topical use.	For management of problems related with bacterial and fungal dermatitis of dogs and cats.
137	M/s. Gopaldas & Vishramdas	30.04.2015	Cypermethrin 1.0% w/w + Miconazole Nitrate IP 2.0%w/w shampoo for topical application to hair coat. (veterinary product)	Cypermethrin 1.0% w/w + Miconazole Nitrate IP 2.0%w/w shampoo for topical application to hair coat. (veterinary product)	Controls fungal infections, kills and repels external parasites like ticks, fleas, lice and mites, moisturizes, soothes, removes bad odour without masking perfume and leaves fragrance on dog skin.

138	M/s. Gopaldas & Vishramdas	08.06.2015	Sodium Salicylate IP (Eq. to Salicylic acid IP 0.86% w/w) 1.0% w/w + Zinc Gluconate BP 0.5 % w/w + Pyridoxine HCl IP 0.5% w/w (Shampoo) (veterinary product)	Sodium Salicylate IP (Eq. to Salicylic acid IP 0.86% w/w) 1.0% w/w + Zinc Gluconate BP 0.5 % w/w + Pyridoxine HCl IP 0.5% w/w (Shampoo) (veterinary product)	For the treatment & control of keratoseborrhea in dogs and cats
139	M/s. Akums Drugs & Pharmaceuticals Ltd	08.06.2015	Levamisole HCl IP 2.0gm + Oxcyclozanide IP 4.0gm (veterinary product) (Additional strength)	Each Bolus contains: Levamisole HCl IP 2.0gm + Oxcyclozanide IP 4.0gm (veterinary product) (Additional strength)	For the treatment of all flukes (Fasciola spp) & Tapeworm segmnts (Moniezia spp.) for cattle and sheep. Also for the various species of the nematodes.
140	M/s. VIBRO PHARMA	15.07.2015	Spray dosing form contains: Gamma benzene Hexachloride IP 0.10% w/v Proflavin Hemisulphate 0.10% w/v Cetrimide IP 0.45 % w/v (veterinary product) (Additional dosage form)	Spray dosing form contains: Gamma benzene Hexachloride IP 0.10% w/v Proflavin Hemisulphate 0.10% w/v Cetrimide IP 0.45 % w/v (veterinary product) (Additional dosage form)	To kill maggots, to heal wound, to protect wound from flies.
141	M/s. VIBRO PHARMA	21.08.2015	Each Bolus (Tablet) contains: Levamisole HCl IP 1.5 g eq to levamisole 1.27 g + Oxcyclozanide IP 2.0 g + Anhydrous Copper Sulphate BP eq to elemental copper 18.75 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 6.0 mg + Cobalt sulphate eq to elemental cobalt 2.25 mg (veterinary product)	Each Bolus (Tablet) contains: Levamisole HCl IP 1.5 g eq to levamisole 1.27 g + Oxcyclozanide IP 2.0 g + Anhydrous Copper Sulphate BP eq to elemental copper 18.75 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 6.0 mg + Cobalt sulphate eq to elemental cobalt 2.25 mg (veterinary product)	For control and treatment of Gastrointestinal and pulmonary Nematodes, liver Flukes and Amphistomes.

142	M/s. Sanofi-Synthelabo (India) Ltd.	13.04.2016		Frontline Plus (Cats) contains: Fipronil 9.8% (S)-Methoprene 11.8% Frontline Plus (Dogs) contains: Fipronil 9.8% (S)-Methoprene 8.8% Spot-on-solution (veterinary formulation) Frontline Plus (Cats) contains: Fipronil 9.8% (S)-Methoprene 11.8% Frontline Plus (Dogs) contains: Fipronil 9.8% (S)-Methoprene 8.8% Spot-on-solution (veterinary formulation) Frontline Plus (Cats) contains: Fipronil 9.8% (S)-Methoprene 11.8% Frontline Plus (Dogs) contains: Fipronil 9.8% (S)-Methoprene 8.8% Spot-on-solution (veterinary formulation)	Each Bolus (Tablet) contains: Levamisole HCl IP 1.5 g eq to levamisole 1.27 g + Oxyclozanide IP 2.0 g + Anhydrous Copper Sulphate BP eq to elemental copper 18.75 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 6.0 mg + Cobalt sulphate eq to elemental cobalt 2.25 mg (veterinary product)	In Cats: 1. To be used against infestation with fleas, alone or in association with ticks and/or biting lice. 2 Elimination of fleas (Ctenocephalides spp.). Insecticidal efficacy against new infestations with adult fleas persists for 4 weeks. Prevention of the multiplication of fleas by inhibiting the development of eggs (Ovicidal activity), larvae and pupae (larvicidal activity) originating from eggs laid by adult fleas for six weeks after application. fleas for six weeks after application. 3. Elimination of ticks (Ixodes ricinus, Dermacentor variabilis, Rhipicephalus sanguineus). The product has a persistent acaricidal efficacy for up to 2 weeks against ticks (based on experimental data). 4. Elimination of biting lice (Felicola subrostratus). The product can be used as part of treatment strategy for the control of Flea Allergy Dermatitis (FAD). In Dogs: 1. To be used against infestation with fleas, alone or in association with ticks and/or biting lice. 2. Treatment of flea infestations (Ctenocephalides spp.). Insecticidal
143	M/s Huvepharma SAE Pune Pvt Ltd	12-42/2013-DC	IMP/FF/SND/190/2016	22.12.2016		Tilmicosin 30% Solution for injection vet product	EACH ml Contains Tilmicosin 300mg /ml	for treatment of pasteurella infections in cattle only	Cattle
144	M/s Huvepharma SAE Pune Pvt Ltd	IMP-ND-87/2016	2016	Form-45	Gonadorelin (6-D-Phe) 0.05mg/ml solution for injection (Veterinary)	Each ml contains; 0.05mg gonadorelin (6-D-Phe) eq.to 0.0524mg gonadorelin (6-D-Phe) acetate.	Control and induction procedures in cattle and pig reproduction therapy of ovarian infertility disorders of dysfunctions of the reproductive organs in cattle and horses cattle Ovulation induction in cases of delayed ovulation due to LH deficiency Ovulation induction /synchronization as part of a fixed time insemination program stimulation of the ovaries in puerperium from the 12th day post partum ovarian cysts due to LH deficiency pigs ovulation induction / synchronization within a program of fixed time insemination and synchronized batch farrowing horses centrally dependent LH deficit induced insufficiency of the reproductive cycle anoestrus acycilia).	Cattle and pig
145	M/s. Vibro Pharma	03.02.2017		Amprolium HCl IP 16.67% w/w Sulfaquinoxaline IP 16.67% w/w Powder (veterinary product)	Amprolium HCl IP 16.67% w/w Sulfaquinoxaline IP 16.67% w/w Powder (veterinary product)	For the treatment of Coccidiosis in poultry
146	M/s. Elanco India Pvt. Ltd.	12.09.2017		Milbemycin Oxime2.5mg/12.5mg Praziquantel25mg/125mg Tablets (Veterinary product)	Milbemycin Oxime2.5mg/12.5mg Praziquantel25mg/125mg Tablets (Veterinary product)	Treatment of nematode and cestode infection in dogs.

147	M/s. Virbac Animal Health India	19.03.2019		Each 1ml contains: Hydrocortisone Aceponate1.11mg Gentamicin Sulphate IP.....1505 IU Miconazole Nitrate IP.....15.1mg Oily Suspension (For external use only) For Veterinary Use Only	Each 1ml contains: Hydrocortisone Aceponate1.11mg Gentamicin Sulphate IP.....1505 IU Miconazole Nitrate IP.....15.1mg Oily Suspension (For external use only) For Veterinary Use Only	For the treatment of acute otitis externa, and acute exacerbation of recurrent otitis externa associated with bacteria susceptible to Gentamicin and fungi susceptible to Miconazole in particular Malassezia pachydermatis.
148	M/s. Intracrin Pharmaceuticals	27.06.2019		Injection For (Veterinary Use) Each MI Contains Buparvaquone50mg Furosemide IP55mg Sorbitan mono oleate BP100mg (As preservative) Oil baseq.s	Injection For (Veterinary Use) Each MI Contains Buparvaquone50mg Furosemide IP55mg Sorbitan mono oleate BP100mg (As preservative) Oil baseq.s	For the treatment of theileriosis (east coast fever) particularly for advanced cases with pulmonary oedema.
149	M/s Virbac Animal Healthcare Pharma India pvt ltd	12-103/Virbac/2013-DC	IMP-ND-231/2016	06-01.2017	Form-45	Hydrocortisone Aceponate 0.584 mg/ml cutaneous Spray solution vet	Cutaneous Spray Solution 76 ML	For symptomatic treatment of inflammatory and pruritic dermatosis in dogs	Dogs
150	M/s Sanofi Synthelabo India Pvt Ltd	IMP-ND-25/2017	14-03.2017	Form-45	Eprinomectin 0.5% for beef and dairy cattle	It is indicated for the treatment and control of gastrointestinal roundworm (including inhibited Ostertagia ostertagia ostertagi lungworm grubs sucking and biting lice chloriopic and sarcoptic mange mites and horn flies in beef and dairy cattle of all ages including lactating dairy cattle	Cattle
151	M/s Intervet India Pvt Ltd	12-68/14-DC	IMP-ND-37/2017	30-05.2017	Form-45	Fluralaner Chewable tablets 112.5mg/250mg/500mg/1000 mg/1400mg	For the treatment of tick and flea infestations of dogs for 12 weeks. this veterinary medicinal product is a systemic insecticide and acaricide with a long duration of action that provides immediate and persistent tick adult and juvenile Ixodes ricinus Ixodes hexagonus,

152	M/s Boehringer Ingelheim India Ltd	IMP-ND-21/2017	03-11.2017	Form-45	Benestermycin Intra-mammary Suspension vet	For the treatment of subclinical mastitis at drying off, and the prevention of new bacterial infections of the udder during the dry period in dairy cows caused by bacteria susceptible to penicillin and framycetin	Cows
153	M/s Huvepharma SEA Pune pvt ltd	IMP-ND-08/2018	16-01.2018	Form-45	Denaverine Hydrochloride Injection Vet.	Cattle facilitation of parturition in heifers activation of interrupted parturitions insufficient opening of the soft birth canal narrowness of the cervix of first and second degree after correction of uterine torsions Improvement of the conditions for fototomy regulation of labour contractions of the uterus
154	M/s Virbac Animal Healthcare Pharma India pvt ltd	IMP-ND-27/2018	20-02.2018	Form-45	Fipronil 6.1 % m/v + permethrin 54.5 % m/v spot on solution for Dog Vet.	In dogs to be used against infestations with fleas and /or ticks when repellent anti feeding activity is necessary against sand fleas and /or mosquitoes	
155	M/s Huvepharma SEA Pune pvt ltd	IMP-ND-36/2018	20-02.2018	Form-45	Paziquantel 0.0065 g + Abamectin 0.00025 g tablets for cat vet	In infestation of cats with endoparasites tapeworms teniae flukes roundworms nematodes with ectoparasites lice fleas pasture ticks notodric mange feline scabies walking dandruff cheyletiellosis and other mange and particularly in cases of complex endo and ectoparasitic invasion.	
156	M/s Virbac Animal Healthcare Pharma India pvt ltd	IMP-ND-172/2018	25-01.2018	Form-45	Fipronil 50mg /134mg/268/mg 402mg spot on solution for cats and dogs	50 mg 134 mg 268 mg 402 mg	For treatment of flea and ticks infestation in cats and dogs for veterinary use only	Cats & Dogs

157	M/s Intervet India Pvt Ltd	12-24/Intervet/2016-VD	IMP-242/2018	01.10.2018	Form-45	Nobivac L4 Suspension for injection	Suspension for injection colorless suspension	for active immunization of dogs against L interrogans serogroup canicola serovar portland vere to reduce infection and urinary excretion L interrogans serogroup Icterohaemorrhagie serovar copenhageni to reduce infection and urinary excretion L interrogans serogroup australis serovar bratislava ro reuce infection L kirschneri serogroup griptotyphosa serovar dadas to reduce infection and urinary excretion	Dogs
158	M/s Intervet India Pvt Ltd	IMP-ND-262/2018	22.11.2018	Flunixin Meglumine pour on solution Finadyne Transdermal Solution	Solution	For the reduction of fever and alleviation of clinical signs of inflammation associated with bovine respiratory disease for cattle for the reduction of fever and alleviation of clinical signs iof inflammatory such as pain swelling and firmness associated with mastitis for cattle	
159	M/s Zoetis India Ltd	IMP-22/2019	25-02.2019	Sarolaner Chewable Tablets 40 mg and 80mg SIMPARICA	Chwable Tablets	For the treatment of tick and flea infestations on dogs for 12 weeks. This veerinary medicinal product is a systemic insecticide and acaricide with a long duration of action that provides immediated and persistent tick adult and juvenile Ixodes ricinus, Ixodes Hexagonus, Ixodes scapularis Ixodes holocyclus Dermacentor reticulates dermacentor variabills and rhipicephalus sanguineous and flea Ctenocephalides felis and ctenocephalides canis killing activity for 12 weeks. Fleas and ticks must attach to the host and commence feeding in order to be exposed to the active substance. the onset of effect is within 8 hours of attachment for fleas (C felis) and 12 hours of attachment for ticks (I ricinus) attachment for fleas (C felis) and 12 hours of attachment for ticks (I. ricinus) The product effectively Controls environmental flea population in area to which treated dogs have access The product can be used as part of an treatemnt strategy for the control of flea Allergy Dermatitis (FAD)	
160	M/s Zoetis India Ltd	12-13/2015 -DC	IMP-74/2019	03.06.2019	Oclacitinib maleate 5.4 mg film coated tablets and 16 mg tablets Brand Apoquel Film Coated tablets	Film Coated Tablets	for treatment of pruritis associated with allergic dermatitis in dogs for treatment of clinical manifestations of atopic dermatitis in dogs	Dogs

161	M/s Boehringer Ingelheim India Ltd	IMP-82/2019	17.06.2019	Pimobendan 5mg tablet	Chwable Tablets	for the treatment of canine congestive heart failure originating from dilated cardiomyopathy or valvular insufficiency mitral and /or tricuspid valve regurgitation) for the treatment of dilated cardiomyopathy in the preclinical stage asymptomatic with and increase in left ventricular end systolic and end diastolic diameter following echocardiographic diagnosis of cardiac disease	
162	M/s Zoetis India Ltd	IMP-90/2019	09-07.2019	Carpofen 100 mg tablets Brand Rimadyl Chewable 100 mg	Chewable tablets	For the relief of pain and inflammation associated with osteoarthritis and for the control of postoperative pain associated with soft tissue and orthopedic surgeries in dogs	
163	M/s Boehringer Ingelheim India Ltd	12-14/2015-DC	IMP-104/2019	07-08.2019	Form-45	Afoxolaner 68.0mg and 136.0 mg chewable tablet	Chewable tablets for oral Oral Administration	Treatment and prevention of flea infestation in dogs <i>Ctenocephalides felis</i> and <i>C. canis</i> for at least 1 month the product can be used as part of a treatment strategy for the control of fleas allergy dermatitis FAD treatment and prevention of tick infestation in dogs <i>Ixodes ricinus</i> <i>Rhipicephalus sanguineus</i> <i>Dermacentor reticulatus</i> <i>Dermacentor variabilis</i> <i>Ixodes scapularis</i> <i>Amblyomma americanum</i> <i>Haemaphysalis longicornis</i> <i>Ixodes ricinus</i> one treatment prevents further tick infestation for one month.	Dogs
164	M/s Boehringer Ingelheim India Ltd	IMP-132/2019	09-10.2019	Fipronil 8.3% w/v, (S) Methoprene 10% w/v praziquantel 8.3% w/v Eprinomecton 0.4% w/v spot on solution	Spot on solution 0.3 ml & 0.9 ml dose	This drug is recommended for cats with existing or at risk from mixed parasitic infections Treatment and prevention of infections by fleas and ticks. Elimination of fleas on the cat within 24 hours and of ticks within 48 hours one treatment prevents further infestations for at least one month Prevention of environmental flea contamination by inhibiting the development of flea immature stages eggs larvae and pupae for over a month the product can be used as a part of a treatment strategy for the control of flea allergy dermatitis (FAD) Treatment of notoedric mange (<i>Notoedres cati</i>) Elimination of chewing lice <i>Felicola subrostratus</i> Elimination of infections with tapeworms (cestodes) (<i>Deplidium caninum taenia</i> <i>Taeniaeiformis</i> <i>Echinococcus multilocularis</i> adult <i>Joyeuxiella fuhl</i> , <i>Ammono</i> . <i>Diplopylidium</i> spp) Treatment of infections with vesicular worm <i>Capillaria plica</i> Treatment of lungworm infections (3. L4 Larvae	
165	M/s Zoetis India Ltd,	12-35/2016-DC	IMP-22/2019	25-02.2019	Form-45	Sarolaner Chewable Tablets	chewable tablets 40/80 mg	Sarolaner kills adult fleas and is indicated for the treatment and prevention of flea infestations <i>Ctenocephalides felis</i> and the treatment and control of tick infestations <i>Amblyomma americanum</i> Lone star tick <i>Amblyomma maculatum</i> Gulf Coast tick <i>Dermacentor variabilis</i> American dog tick and <i>Rhipicephalus sanguineus</i> brown dog tick for one month in dogs 6 months of age or older and weighing 2.8 pounds or more	

166	M/s Zoetis India Ltd,	12-35/2016-DC	IMP-22/2019	25-02.2019	Form-45	Sarolaner Chewable Tablets	chewable tablets 40/80 mg	Sarolaner kills adult fleas and is indicated for the treatment and prevention of flea infestations Ctenocephalides felis and the treatment and control of tick infestations Amblyomma americanum Lone star tick amblyomma maculatum Gulf Coast tick dermacentor variabilis american dog tick and rhipicephalus sanguineus brown dog tick for one month in dogs 6 months of age or older and weighing 2.8 pounds or more	Dog
167	M/s Deltech Healthcare Pvt. Ltd.,	01-12/2017-DC PT-Deltech -SND)	IMP-11/2020	27.01.2020	Form-45	Masodine RTU 0.54% teat dip and spray solution	Liquid Solution active substance	As an aid in the control of mastitis in lactating dairy cows and in the prevention and healing of cracked and chapped teats.	Cow
168	M/s Uni-Chemie International	ND/Vet/IMP/20/000 01	Bulk-131/2020	13.07.2020	Form-45A	Tiamulin Fumarate 80% Premix (Vet)
169	M/s STC International LLP	ND/Vet/IMP/20/000 002	Bulk-182/2020	13.08.2020	Bulk	Tylvalosin Tartrate 80 %
170	M/s Uni-Chemie International,	12-02/2019-DC reg-103	Bulk-188/2020	17.08.2020	Form-45A	Zinc Bacitracin IP (Vet)
171	M/s Intervet India Pvt Ltd	12-19/Intervet/2018-VD	IMP-219/2020	15.09.2020	Form-45	Treatment and Control of Poultry Red Mites Dermanyssus Gallinae or northern fowl mite ornothonyssus sylviarum infestation in pullets breeders and layer hens	Fluralaner 10 mg/ml solution exzolt solution	Oral solution light yellowish brown solution for use in drinking water)	Chicken
172	M/s Vetoquinol India Animal Health Pvt. Ltd.,	12-37/Vetiquinol/2019 -VD	IMP-292/2020	14.12.2020	Form-45	This drug used in reproductively mature heifers of cows to induce a superovulation.	Follicle Stimulating Homone Injection (Follitropin –V Dual Pack).	Lyophilized powder for solution for injection. 2x20ml vials, each containing 400mg FSH as freeze dried powder.	Cow

173	M/s Boehringer Ingelheim India Pvt Ltd	12-42/2015-DC (Vet)	IMP-254/2021	27.08.2021	Form-45	Fipronil 0.25g/ml for external use frontline spray for cats and dogs	Solution for external use veterinary formulation	Treatment and control of flea allergy dermatitis FAD dogs and cats. Treatment of biting lice on dogs and cats	Dog
174	M/s Virbac Animal Health India Pvt Ltd	FDC/IMP/19/00000 2 Vet	IMP-274/2021	09.09.2021	Form-45	Fixed dose combination of milbemycin oxime and praziquantel tablets milpro cats	Film coated tablets for oral administration milbemycin oxime 16mg praziquantel 40mg tablets for cats milbemycin oxime 4mg praziquantel 10mg tablets for small cats and kittens	Treatment of mixed infectious by immature and adult cestodes tapeworms and adult nematodes roundworms of the following species cestodes echinococcus multilocularis dipylidium caninum taenia spp nematodes ancylostoma tubeforme toxocara cati	Cat
175	M/s Uni-Chemie International,	ND/Vet/IMP/21/000 004 Vet	Bulk 140/2021	08.06.2021	Form-45A	Tilmicosin Phosphate	Lifesaving or essential drug
176	M/s Gopaldas Visram & co. Ltd.,	FDC/MF?21/00000 1 Vet	MF-203/2021	09.07.2021	Form-46	Disinfectant Glutaraldehyde +Didecyl Dimethyl Ammonium Chloride + Ethylene Dioxy Dimethanol Solution	Liquid disinfectant for external use only 500 ml & 5liter bottle	Liquid Concentrate Having Broad Spectrum Bactericidal, Sporicidal, Fungicidal andviricidal properties for use in poultry	Chicken
177	M/s Intervet India pvt ltd.,	12-18/Intervet/2018-VD	IMP-334/2021	30.11.2021	Form-45	Altrenogest 2.2 mg/ml oral solution for horses	Oral solution 150ml and 1 L bottles	In mares with significant follicular activity during the transitional period between seasonal anoestrus and the breeding season (follicles of at least 20-25 mm present at the beginning of treatment suppression/prevention of oestrus usually after 1 to 3 days of treatment during the prolonged oestrus periods occurring during this period. Control of the time of initiation of oestrus approximately 90 % of mares show signs of oestrus within 5 days following the end of treatment and synchronization of ovulation 60% of mares ovulate between days 11 and 14 following the end of treatment	Horse
178	M/s Virbac Animal Health India pvt ltd.,	FDC/IMP/19/00001 Vet	IMP-342/2021	21.12.2021	Form-45	Milbemycin oxime and praziquantel tablets milpro	Film coated fixed doses combination tablets for oral administration milbemycin oxime 12.5 mg praziquantel 125 mg tablets for dogs milbemycin oxime 2.5 mg praziquantel 25 mg tablets for small dogs and puppies	Treatment of mixed infections by adult cestodes tapeworms an nematodes roundworms of the following species cestodes dipylidium caninum taenia spp echinococcus spp mesocestoides app nematodes ancylostoma canium toxocara canis toxascan leonine trichuris vulpis thelazia callipada, crenosoma angiostrongylus vasorum	Dog

179	M/S Venky's India Limited AHP Division,	FDC/MF/20/000003 (VET)	MF-378/2021	03.01.2022	Form-46	Levofloxacin +Bromhexine Oral Solution	liquid oral each ml contains active ingredient	for treatment of sevre respiratory infections of the poultry caused by bacteria including mycoplasmosis infectious loryza, salmonellosis, Fowl Choldra, for enhanced mucolytic effect.	Chicken
180	M/s Intervet India pvt. Ltd.,	ND/VET/IMP/20/00 0004	IMP- 04/2022	21.01.2022	Form-45	Imidocarb Dipropionate Injection (Imizol)	Solution for injection Presentation: Glass vials of 10ml &100ml.	for the treatment and prevention of Babesiosis in cattle and horses. For the treatment of bovine anaplasmosis. For the treatment of Babesiosis and Ehrlichiosis in Dogs.	Dog
181	M/s Virbac Animal Health India pvt ltd	12-57/14-DC	IMP- 03/2022	21.01.2022	Form-45	Aglepristone 30mg/ml solution for injection for Veterinary use (Alizin)	Injectable dosage form for subcutaneous use only	Dogs: (Pregnant bitches) for the induction of abortion up to 45 days after mating.	Dog
182	M/s Virbac Animal Health India pvt ltd	ND/VET/IMP/21/00 0003	IMP- 06/2022	18.02.2022	Form-45	Deslorelin Acetate 4.7 mg subcutaneous Implant for dogs.,	implant	for the induction of temporary infertility in healthy entire sexually mature male dogs.	Dog
183	M/s Intracin Pharmaceuticals Pvt. Ltd.,	ND/Vet/MF/21/0000 05	MF-09/2022	25.02.2022	Form-46	Imidocarb Dipropionate Aqueous Injection 120 Mg/ml	Injection (for Subcutaneous or intramuscular administration)	For treatment of babesiosis in cattle sheep, horses and dogs and iof anaplasmosis in cattle. Treatemnt of ehrlichiosis in dogs.	Cattle
184	M/s Virbac Animal Health India pvt ltd	FDC/IMP/21/00000 5 Vet	IMP-11/2022	16.03.2022	Form-45	Fipronil and Pyriproxyfen spot on solution for cats (Brant name Effipro™ Duo- Cats	Spot on solution (for topical use) Presentation: Fipronil 10% m/v +pyriproxyfen 12% m/V spot on solution for cats. Fipronil 10% m/V + Pyriproxyfen 12% m/V Spot On Solution for very large cats.	In cats, to be used against infestations with flea alone or in association with ticks. one week. If ticks are present at the time of application, not all ticks may be killed within 48 hours.	Cat
185	M/s Panav Bio-Tech,	12-14/Panav/2022- VD	IMP- 16/2022	20.04.2022	Form-45	Pimobendan chewable tablets 1.25 mg 2.5mg, 5mg and 10mg brand name cardisure Flavoured	Chewable tablets each tablet contains pimobendan	For treatment of canine congestive heart failure originating from valvular insufficiency mitral and /or tricuspid regurgitation or dilated cardiomyopathy	Cattle

186	M/s Virbac Animal Health India pvt ltd	FDC/IMP/21/00004(Vet)	IMP-21/2022	06.05.2022	Form-45	Fipronil and Pyriproxyfen spot on solution for dogs	spot on solution for topical use Presentation: Fipronil 10% m/V + Pyriproxyfen 3% m/V Spot On Solution for small dogs Fipronil 10% m/V + Pyriproxyfen 3% m/V Spot On Solution for Medium dogs. Fipronil 10% m/V + Pyriproxyfen 3% m/V Spot On Solution for Large dogs	to be used against infestations with flea alone or in association with ticks. Against fleas: a) treatment and prevention of infestations by fleas ctenocephalides felis on treatment prevents further infestations for 7 week.s	Dog
187	M/s Aqua Vitoe Laboratories,	SND/MF/21/00004 Vet	MF-25/2022	24.05.2022	Form-46	Cefquinome for injection 500 mg	Injection for intravenous /Intramuscular use)	for the treatment of Bacterial infections.	cattle, pigs, and horses
188	M/s Zoetis India Ltd	FDC/IMP/20/00000 5 Vet	IMP- 29/2022	04.08.2022	Form-45	Sarolaner/Moxidectin/Pyrantel Embonate Chewable Tablets (Simparica Trio).	Chewable tablets each chewable tablets contains:	<p>1. Ectoparasite Treatment of tick infestation. Treatments of flea infestation (ctenocephalides felis and ctenocephalides canis as part of a treatment strategy for the control of flea allergy dermatitis 2. Gastrointestinal Nematodes for the treatment and control of gastrointestinal roundworm and hookworm infections toxocara canis immature adult (L5) and adults. ancylostoma caninum L4 larvae, immature adults (L5) and adults. Toxascaris leonine adults Uncinaria stenocephala adults.</p> <p>3. vascular nematodes for the prevention of heartworm disease (Dirofilaria immitis)</p>	Dog
189	M/s Lanxess India Private Limited	ND/Vet/IMP/22/000 01	IMP-35/2022	17.10.2022	Form-45	Chlorocresol & 2-phenylphenol Disinfectant (VIRKON™ LSP)	Liquid Disinfectant	Virkon™ LSP is broad spectrum disinfectant, with efficacy against viruses, bacteria and fungi in a range of temperatures and in the presence of organic challenge.	Non living surface in poultry farm hatcheries/ livestock farms.
190	M/s International Health Care Limited,	SND/MF/21/000001 Vet)	MF-36/2022	07.11.2022	Form-46	Fipronil Tablets 5mg 10mg, and 20 mg tablets for Veterinary use only)	Tick and Flea infestations in dog, cats and other non-food producing animals	Solid oral dosage form as tablet Compressed form for vet use	dog

191	M/s Boehringer Ingelheim India Pvt. Ltd.,	FDC/IMP/21/00000 2-VD	IMP-02/2023	02.02.2023	Form-45	Afoxolaner and milbemycin Oxime Chewable tablets (Brand name Nexgard Spectra)	Afoxolaner and milbemycin Oxime Chewable tablets (Brand name Nexgard Spectra) 9.375 mg 18.75 mg 37.5 mg 75 mg 150 mg	when the concurrent prevention of heartworm disease (Dirofilaria immitis larvae), angiostrongylosis (reduction in level of immature adults (LS) and of Angiostrongylus vasorum), thelaziosis (adult Thelazia callipaeda) and /or treatment of gastrointestinal nematode infestations is indicated. treatment of gastrointestinal nematode infestations is indicated. Treatment of flea infestations (Ctenocephalides felis and C. canis) in dogs for 5 weeks. Treatment of tick infestations (Dermacentor reticulatus, Ixodes ricinus, Ixodes hexagonus, Rhipicephalus sanguineus) in dogs for 4 weeks. Fleas and ticks must attach to the host and commence feeding in order to be exposed to the active substance. Treatment of infestations with adult gastrointestinal nematodes of the following species: roundworms (Toxocara canis and Toxascaris leonina), hookworms (Ancylostoma caninum, Ancylostoma braziliense and Ancylostoma ceylanicum) and whipworm (Trichuris vulpis) Treatment of demodicosis (caused by	Dog
192	M/s Vetina Healthcare LLP,	12-07/Vetina/2022-VD	IMP-05/2023	24.05.2023	Form-45	Biocan Novel DHPPi/L4R Lyophilisate and solvent for suspension for injection for dogs	1 ml injectable each dose 1 ml contains	To prevent mortality and clinical signs caused by canine distemper virus. To prevent mortality and clinical signs caused by canine adenovirus type 1 To prevent mortality and clinical signs and reduce viral excretion caused by canine adenovirus type 2. To prevent mortality and clinical signs leukopenia and viral excretion caused by canine parvovirus To prevent mortality and clinical signs nasal and ocular discharge and reduce viral excretion caused by canine parainfluenza virus.	Dog
193	M/s Vetina Healthcare LLP,	12-09/Vetina/2022-VD	IMP-07/2023	19.07.2023	Form-45	Lyophilisate and Solvent for Suspension for injection for Dogs Biocan Novel Puppy)	1 ml injectable Each dose 1 ml contains:	Active Immunization of dogs from 6 weeks of age: to prevent mortality and clinical signs caused by canine distemper virus prevent clinical signs, leukopenia and viral excretion caused by canine parvovirus type 2a, 2b and 2c.	Dog
194	M/s Zoetis India Ltd,	ND/Vet/IMP/21/000 009	IMP-08/2023	21.07.2023	Form-45	1) Lokivetmab solution for injection 10mg/ml 2) Lokivetmab solution for injection 20mg/ml 3) Lokivetmab solution for injection 40mg/ml	Solution for injection Presentation: 10mg/ml, 20mg/ml, 40mg/ml	Treatment of clinical manifestations of atopic dermatitis in dogs. Treatment of pruritus associated with allergic dermatitis in dogs.	Dog

195	M/s International Health Care Limited,	SND/MF/21/000001 VET	MF-09/2023	16.08.2023	Form-46	Fipronil Oral Bolus 150 mg for (Veterinary use only)	Solid Oral Dosage form as Bolus (for Veterinary use only)	For the control of endo and Ecto-Parasites very effective to kill flies like Stomoxys calcitrans, Hydrotaea irritans tabanus sp, Mites like Chorioptes bovis, Sarcoptes scabiei, Lice, Blood Sucking Mosquitoes & Sand flies, also controls endoparasites eg. Nematodes like Bunostomum phlebotomum, Cestodes (Tapeworm) and Trematodes like paramphistomum and the liver fluke (Fasciola)	Dog
196	M/s Vetina Healthcare LLP,	12-08/Vetina/2022-VD	IMP-10/2023-VD	28.08.2023	Form-45	Biocan Novel DHPPi/L4 Lyophilisate and Suspension for injection for dogs	1 ml injectable	<p>Active immunization of dogs from 6 weeks of age:</p> <ul style="list-style-type: none"> To prevent mortality and clinical signs caused by canine distemper virus. To prevent mortality and clinical signs caused by canine adenovirus type 1. To prevent clinical signs and reduce viral excretion caused by canine adenovirus type 2. To prevent clinical signs, leukopenia and viral excretion caused by canine parvovirus. To prevent clinical signs (nasal and ocular discharge) and reduce viral excretion caused by canine parainfluenza virus. To prevent clinical signs, infection and urinary excretion caused by L.interrogans serogroup Australis serovars Bratislava. To prevent clinical signs and urinary excretion and reduce infection caused by L.interrogans serogroup Canicola serovar Canicola and L. interrogans serogroup Icterhaemorrhagiae serovar icterohaemorrhagiae. To prevent clinical signs and reduce infection and 	Dog
197	M/s Intas Pharmaceuticals Ltd	12-49/Intas/2022-VD	MF-18/2023-VD	19.12.2023	Form-46	Orbifloxacin Injection 50 mg/ml, 20 ml/vial	Injection 50mg/ml, 20ml vial	Cattle, Buffalo Respiratory Diseases Hemorrhagic Septicemia Pneumonia . Mammary gland affections mastitis. Calf scours. Bacterial Septicemia . Bacterial Diarrhea . Pig: Respiratory disease pleuropneumonia and Mycoplasma . Diarrhoea caused by E.Coli. Dog and Cat:Bacterial Urinary infections. Bacterial skin infection	cattles, Pig, Dogs and Cats
198	M/s Venkateshwara B.V Biocorp Pvt. Ltd.,	VET-11012(11)/1/2024-eoffice	MF-03/2024	25.06.2024	Form-46	New Chemical Disinfectant of Didycyl Dimethyl Ammonium Chloride Alkyl Dimethyl Benzyl Ammonium Chloride Doctyl Dimethyl Ammonium Chloride Octyldecyl Dimethyl Ammonium Chloride Poly Hexamethylenebiganide hydrochloride 3 Trimethoxysilyl propyl Dimethyl Octadecyl Ammonium Choride (Organosilane)	Liquid Disinfectant to be applied on non-living surface.	For Disinfection of inanimate /non living surface in poultry farms / hatcheries/ livestock farms.	Non living surface in poultry farm hatcheries/ livestock farms.

199	M/s Intervet India Pvt. Ltd.	VET-11011(11)/5/2024-eoffice	IMP-06/2024	02.08.2024	Form-45	Fluralaner and Moxidectin 112.5/5.6mg, 250/12.5mg, 500/25 mg spot-on solution	Spot-on solution	<p>infestations by ticks and fleas, gastrointestinal nematodes (4th stage larvae, immature adults and adults of <i>Toxocara cati</i> and <i>Ancylostoma tubaeforme</i>) or heartworm. The veterinary medicinal product is exclusively indicated when use against ticks or fleas and one or more of the other target parasites is indicated at the same time.</p> <ul style="list-style-type: none"> • For the treatment of tick and flea infestations in cats providing immediate and persistent flea (<i>Ctenocephalides felis</i>) and tick (<i>Ixodes ricinus</i>, <i>Ixodes scapularis</i>, <i>Rhipicephalus sanguineus</i>, <i>Haemaphysalis longicornis</i>) killing activity for 12 weeks. Fleas and ticks must attach to the host and commence feeding in order to be exposed to the active substance. • For the treatment of <i>Otodectes cynotis</i> infestations. • For the prevention of heartworm disease caused by <i>Dirofilaria immitis</i> for 12 weeks. • The product can be used as part of a treatment strategy for flea allergy dermatitis (FAD). 	Cat
200	M/s Elanco India Pvt. Ltd.	VET-11011(11)/27/2024-eoffice	IMP-09/2024	02.08.2024	Form-45	“FDC of Lotilaner and Milbemycin Oxime 56.25mg/2.11 mg, 112.5mg/4.22mg, 225mg/8.44mg, 450mg/16.88mg, 900mg/33.75mg chewable tablets for dogs”	Chewable tablets for dogs	<p>For use in dogs with, or at risk from, mixed infestations/infections of ticks, fleas, gastrointestinal nematodes, heartworm and/ or lungworm. This veterinary medicinal product is indicated for use when treatment against ticks/fleas and gastrointestinal nematodes or the treatment against ticks/fleas and prevention of heartworm disease/angiotrypanosomiasis is required concurrently.</p> <p>Ticks and Fleas For the treatment of ticks (<i>Dermacentor reticulatus</i>, <i>Ixodes ricinus</i>, <i>Rhipicephalus sanguineus</i> and <i>I.hexaspinosus</i>) and flea (<i>Ctenocephalides felis</i> and <i>C.canis</i>) infestations in dogs. This veterinary medicinal product provides immediate and persistent killing activity for 1 month for ticks and fleas. The veterinary medicinal product can be used as part of a treatment strategy for the control of flea allergy dermatitis (FAD)</p> <p>Gastrointestinal Nematodes Treatment of gastrointestinal nematodes: hookworm</p>	Dog
201	M/s Lewens Labs Pvt. Ltd.	12-47/Lewens/2022-VD	Bulk-10/2024	02.08.2024	Form-46A	Orbifloxacin EP as API	BULK	BULK
202	M/s Crescent Labs Private Limited	VET-11011(11)/47/2024-eoffice	MF-15/2024	03.10.2024	Form-46	Amoxicillin Oily Injection Long Acting Vet 150mg	Suspension for injection	For the treatment of respiratory infection due to <i>Pasteurella Multocida</i> and <i>Mannheimia haemolytica</i> in cattle and <i>Pasteurella multocida</i> pigs it is indicated for the treatment of the several bacterial diseases in cattle buffalo, sheep, goat, pigs.	Cattle, Buffalo sheep goat pigs.

203	M/s Zoetis India Limited	ND/VET/IMP/21/00006	IMP-18/2024	16.12.2024	Form-45	Bedinvetmab Solution for injection 5mg/ml, 10mg/ml, 20mg/ml, 30mg/ml	Solution for Injection 5,10,20,30 mg/ml	For the treatment of pain associated with osteoarthritis in dogs.	Dog
204	M/s Rely Chem	VET-11011(11)/7/2024-	Bulk IMP-19/2024	16.12.2024	Form-45A	Regularization Eprinomectin USP Vet (API) Veterinary Bulk Drug in Form 45A	Cattle
205	M/s Indian Immunological Limited Rakshapuram, Gachibowli Post Hyderabad 500032 Telanga, India	VET-11012(11)/9/2024-10397	MF-02.2025	27.01.2025	Form 46A	gE Deleted Bovine Herpesvirus-1 (BHV-1) Antigen Inactivated API Bulk Drug Substance	Raw Material New Bulk Drug Substance API NLT 8.0 EU/ml gE Deleted Bovine Herpesvirus -1 (BHV-1) Antigen Inactivated API Bulk Drug Substance	Cattle
206	M/s Intervet India Pvt Ltd.,	VET-11011(11)/4/2025-19062	IMP-06/2025	26.05.2025	Form-45	Regularization Cephapirine Benzathine intrauterine suspension in pre-filled syringe 500mg (Metricef)	Intrauterine suspension pre-filled syringe White, oily, homogeneous intra-uterine suspension.	Treatment of sub-acute & chronic endometritis in cows (at least 14 days after parturition) caused by bacteria sensitive to Cephapirin. Its also used to treat repeat breeder cases (more than three Unsuccessful insemination) if bacterial infectious are suspected to be the cause of the fertility problem.	Cow
207	M/s Boehringer Ingelheim India Pvt Ltd	VET-11011(11)/31/2024-10422	IMP-01/2026	09.03.2026	Form-45	FDC Drug Product Esafoxolaner (1.2% w/v) Eprinomectin (0.4% w/v) and Praziquantel (8.3%) Spot -on Solution Trade Name- Nexgard Combo®)	Spot -on Solution Presentation 0.3mL for 0.8-<2.5 kg body weight of Cat 0.9mL for 2.5-<7.5 kg body weight of Cat The product is for use in kittens above 8 weeks of age	For cats with, or at risk from mixed infections by cestodes, nematodes and ectoparasites Ectoparasites: Treatment and prevention of infestations by fleas (Ctenocephalides felis) for up to 7 weeks. The product kills fleas before egg production and prevents household contamination. The product can be used as part of a treatment strategy for the control of flea allergy dermatitis. Treatment and prevention of infestations by ticks (Rhipicephalus sanguineus, Ixodes ricinus, Ixodes scapularis, Ixodes holocyclus, Amblyomma americanum and Haemaphysalis longicornis). One treatment prevents further infestations for at least 6 weeks for Rhipicephalus sanguineus (at 48h post-treatment) for at least 5	Cats

208	M/s Zoetis India Limited, 31, 3rd Floor, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz (East), Mumbai - 400055	VET-110011(11)/38/2024 -11905	IMP-03/2026	12.03.2026	Form-45	SND Dinoprost Tromethamine Injection 12.5 mg/ml	Solution for injection (vial)	<p>1. For estrus synchronization in beef cows, beef heifers and replacement dairy heifers.</p> <p>2. For unobserved (silent) estrus in lactating dairy cows with a corpus luteum.</p> <p>3. For treatment of pyometra (chronic endometritis).</p> <p>4. For abortion in beef cows, beef heifers and replacement dairy heifers.</p> <p>5. For use with FACTREL (gonadorelin injection) Injection to synchronize estrous cycles to allow fixed- time artificial insemination (FTAI) in lactating dairy cows.</p> <p>6. For use in estrus synchronization with EAZI-Breed CIDR in lactating dairy cows and</p> <p>7. For use with EAZI-Breed CIDR for estrus</p>	
209	M/s Zoetis India Limited, 31, 3rd Floor, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz (East), Mumbai - 400055	VET-110011(11)/21/2024 -7599	IMP-04/2026	13.03.2026	Form-45	Oclacitinib Maleate Chewable tablet 5.4mg & 16 mg	Chewable tablet 5.4 & 16 mg	The treatment of pruritis associated with allergic dermatitis in Dogs. The Treatment of Clinical Manifestations of atopic dermatitis in Dogs.	Dogs
210	M/s Zoetis India Limited, 31, 3rd Floor, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz (East), Mumbai - 400055	VET-110011(11)/66/2024 -15168	IMP-05/2026	14.03.2026	Form-45	Selamectin and Sarolaner Topical Solution for animal use only	Topical Solution (Single Dose Tube) Presentation 0.25ml, 0.5ml, 1.0ml Route of Administration Spot -on use	<p>REVOLUTION PLUS is indicated for the prevention of heartworm disease caused by <i>Dirofilaria immitis</i>. REVOLUTION PLUS kills adult fleas (<i>Ctenocephalides felis</i>) and is indicated for the treatment and prevention of flea infestation, the treatment and control of tick infestation with <i>Ixodes scapularis</i> (black- legged tick), <i>Amblyomma maculatum</i> (Gulf Coast tick) and <i>Dermacentor variabilis</i> (American dog tick), the treatment and control of ear mite (<i>Otodectes cynotis</i>) infestation, and treatment and control of roundworm (<i>Toxocara cati</i>) and intestinal hookworm (<i>Ancylostoma tubaeforme</i>) infection for one month in cats and kittens 8 weeks and older, and weighing 2.8 pounds or greater</p>	Cats

