

List of Veterinary Vaccine Approved by CDSCO From 2010 To 16-04-2026

Marketig Authorization(Form-45/Form-46)

S.No	Name of the Firm	File No.	Permission No.	Permission Date	Form-45/46	Name of the product Approved	Indication	Dosage Form	Source of the strain	Name of the Strain	Species
1	M/s Biomed Pvt Ltd Ghaziabad	12-18/Biomed/2010-BD Vet	MF-868/2010	10.11.2010	Form-46	Rabies Veterinary Vaccine Inactivated Cell Culture I.P	Dog
2	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-110/Boehringer/2010-BD VD	IMP-1013/2010	22.12.2010	Form-45	Infectious Coryza and Newcastle Disease, killed Inactivated vaccine Brand Name: Volvac AC+ND KV	Recommended for the immunization of healthy chickens against Infectious Avian Coryza (AC) and Newcastle Disease (ND)	Dosage form-Liquid injection by SC route
3	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-108/Boehringer/2010-BD Vet	IMP-1006/2010	22.12.2010	Form-45	Volvac ND Lasota Modified Live Virus Vaccine
4	M/s Panav Bio-Tech, New Delhi	12-95/Panav/2010/BD Vet	IMP-1009/2010	22.10.2010	Form-45	Hyperimmune Heterogeneous Immunoglobulins against Distemper Canglob D forte
5	M/s Panav Bio-Tech, New Delhi	12-96/Panav/2010-BD Vet	IMP-1010/2010	22.12.2010	Form-45	Hyperimmune Heterogeneous Immunoglobulins Parvovirus
6	M/s Virbac Animal Healthcare Mumbai	6-8/SV-14/03-DC	17.08.2010	Canigen DHP with Diluent

7	M/s Hester Pharmaceuticals Ltd Gujrat	6-8/SV/47/08-DC	03.08.2010	Marek's Disease Vaccine Serotype 2 & 3 Live Virus
8	M/s Intervet Inida Pvt Ltd Pune	4/IIP-95/EC/08/BD Vet	13.07.2010	Rabies Vaccine Cell Cultured, Inactivated
9	M/s Stallen South Asia Pvt Ltd Pune	6-8/SV-46/08-BD	02.07.2010	Haemophilus Paragallinarum
10	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-111/Boehringer/2010-BD Vet	MF-01/2011	20.01.2011	Form-46	Volvac AC Plus +ND+IB Killed Vaccine Infectious Coryza+ Newcastle+Infectious Bronchitis
11	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-01/Boehringer/2011-BD Vet	MF-03/2011	28.01.2011	Form-46	Volvac® AC plus Bacterin
12	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-04/Boehringer/2011-BD Vet	28.01.2011	Volvac ND Conc. KV Newcastle

13	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-06/Boehringer/2011- BD Vet	IMP-15/2011	01.02.2011	Form-45	Volvac® AC Plus ND+IB +EDA KV
14	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-02/Boehringer/2011- BD Vet	IMP-36/2011	03.03.2011	Form-45	Volvac AC Plus EMUL Bacterin Vaccine Infectious Coryza Oil Emulsion
15	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-118/Boehringer/2010- BD Vet	IMP-103/2011	06.04.2011	Form-45	Celvenza 03 EIV Killed Vaccine Equine Influenza Killed Virus Vaccine
16	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-08/Boehringer/2011- BD Vet	IMP-246/2011	02.06.2011	Form-45	Volvac® IBD MLV Infectious Bursal Disease Modified Live Vaccine
17	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12/Vet/Vac/4/07/DC	MF-70/2011	16.03.2011	Form-46	Cell Associated Frozen Marek's Disease Live Bivalent Viral Vaccine HVt+SBI
18	M/s Pfizer AnimalHealth India Ltd., Mumbai	12-103/Pfizer/2010-BD Vet	IMP-69/2012	30.10.2012	Form-45	Spirovac

19	M/s Pfizer AnimalHealth India Ltd., Mumbai	12-104/Pfizer/2010-BD Vet	IMP-70/2012	30.10.2012	Form-45	Rispoval IBR Marker
20	M/s Intas Pharmaceuticals Ahmedabad	12-28/Intas/2011-BD Vet	IMP-158/2012	31.07.2012	Form-45	Combined Canine Distemper Virus Canine Adenovirus Type 2 Canine parvovirus and canine parainfluenza virus live freeze dried
21	M/s Intas Pharmaceuticals Ahmedabad	12-29/Intas/2011-BD Vet	IMP-230/2012	09.08.2012	Form-45	Combined Canine Parvovirus and canine coronavirus freeze dried
22	M/s Intas Pharmaceuticals Ahmedabad	12-35/Intas/2011-BD Vet	IMP-214/2012	09.08.2012	Form-45	Rabies Veterinary Vaccine Inactivated Freeze dried
23	M/s Intas Pharmaceuticals Ahmedabad	12-30/Intas/2011-BD Vet	IMP-248/2012	19.10.2012	Form-45	Canine Corona Virus Vaccine Inactivate
24	M/s Zydus Animal Health Ltd., Ahmedabad	12-73/Zydus/2012-BD Vet	IMP-322/2012	26.10.2012	Form-45	Infectious Bronchitis H120 Strain Vaccine Live
25	M/s Zydus Animal Health Ltd., Ahmedabad	12-74/Zydus/2012-BD Vet	IMP-323/2012	29.10.2012	Form-45	Newcastle disease vaccine effervescent tab, VH strain live

26	M/s Zydus Animal Health Ltd., Ahmedabad	12-75/Zydus/2012-BD Vet	IMP-324/2012	29.10.2012	Form-45	Infectious Bursal vaccine MB Strain Live Lyophilized
27	M/s Zydus Animal Health Ltd., Ahmedabad	12-76/Zydus/2012-BD Vet	IMP-325/2012	29.10.2012	Form-45	Infectious Bronchitis Vaccine Effervescent tab H120 strain vaccine live Lyophilized
28	M/s Zydus Animal Health Ltd., Ahmedabad	12-77/Zydus/2012-BD Vet	IMP-326/2012	29.10.2012	Form-45	Marek;s disease vaccine Herpes virus Turkey live FC 126 strain serotype 3 lyophilized
29	M/s Zydus Animal Health Ltd., Ahmedabad	12-78/Zydus/2012-BD Vet	IMP-327/2012	29.10.2012	Form-45	Infectious Bursal Vaccine Effervescent tab MB strain live lyophilized
30	M/s Zydus Animal Health Ltd., Ahmedabad	12-79/Zydus/2012-BD Vet	IMP-328/2012	29.10.2012	Form-45	Newcastle disease vaccine VH strain Inactivated Oil emulsion
31	M/s Zydus Animal Health Ltd., Ahmedabad	12-80/Zydus/2012-BD Vet	IMP-329/2012	29.10.2012	Form-45	Combined Newcastle Strain and infectious Brochitis Vaccine M 41 Strains, Inactivated, Oil emulsion

32	M/s Zydus Animal Health Ltd., Ahmedabad	12-85/Zydus/2012-BD Vet	IMP-338/2012	15.11.2012	Form-45	Combined Newcastle disease Vaccine VH Strain and Infectious Bronchitis vaccine H120 strain live Lyophilized
33	M/s Zydus Animal Health Ltd., Ahmedabad	12-86/Zydus/2012-BD Vet	IMP-339/2012	15.11.2012	Form-45	Newcastle disease vaccine VH strain Inactivated Oil emulsion
34	M/s Panav Bio-Tech, New Delhi	12-53/Panav/2011-BD Vet	IMP-357/2012	18.01.2013	Form-45	Bivalent Canine Distemper Live and canine parvovirus inactivated
35	M/s Pfizer AnimalHealth India Ltd.	12-05/Pfizer/2013-BD Vet	IMP-10/2012	18.01.2013	Form-45	Infection coryza vaccine inact.
36	M/s Globion India Pvt Ltd	12-03/Globion/2012-BD Vet	MF-211/2012	09.08.2012	Form-46	Avian Infectious Bronchitis Vaccine Inactivated I.P	For active immunization against Avian Infectious Bronchitis virus infection in poultry and for passive immunization in parent flock by transfer of maternal antibodies to young progeny chicks.	Water in Oil emulsion 1000 Doses packed in HDPE Bottle.	IVRI, Izatnagar,U.P	IB Virus, Massachusetts type	Chicken
37	M/s Globion India Pvt Ltd	12-05/Globion /2012-BD Vet	MF-212/2012	09.08.2012	Form-46	Ranikhet Disease and Avian Infectious ronchitis Vaccine Inactivated

38	Globion India Private Limited Manufacturing Unit: D. No. 4-3, Survey No.321, Biotech Park Phase-III, Karkapatla Village, Markook Mandal, Siddipet District	12-06/Globion /2012-BD Vet	MF-218/2012	21.08.2012	Form-46	Ranikhet Disease vaccine lentogenic tanuvus D58 strain freeze dried live IP	For active immunization of chicken against Ranikhet (Newcastle) disease in poultry.	Lyophilized Vaccine 200, 500, 1000, 2500 Doses packed in Type-1 glass vials.	Tamil Nadu Veterinary and Animal Sciences University (TANUVAS)	ND Virus, TANUVAS D58 Strain	Chicken
39	M/s Globion India Pvt Ltd	12-17/Globion /2012-BD Vet	MF-301/2012	29.10.2012	Form-46	Avian Infectious Bronchitis Vaccine Massachusetts type H120 strain freeze dried
40	M/s Globion India Pvt Ltd	12-19/Globion /2012-BD Vet	MF-302/2012	01.11.2012	Form-46	Newcastle disease living C131 strain
41	M/s Veterinary Biological and Research Institute,hyderabad	12-69/VBRI/2012-BD Vet	MF-313/2012	30.12.2012	Form-46	Haemorrhagic Septicaemia Pasteurella multocida P52 strain vaccine Inact.
42	M/s Veterinary Biological and Research Institute,hyderabad	12-70/VBRI/2012-BD Vet	MF-314/2012	30.12.2012	Form-46	Black Quarter vaccine Clostridium Chauvoei
43	M/s Veterinary Biological and Research Institute,hyderabad	12-71/VBRI/2012-BD Vet	MF-314/2012	30.12.2012	Form-46	Enterotoxaemia Clostridium Perfringens type D vaccine inact

44	M/s Globion India Pvt Ltd	12-20/Globion/2012-BD Vet	MF-330/2012	01.11.2012	Form-46	Infec Bursal Disease Living Intermediate Cu-1M strain
45	M/s Globion India Pvt Ltd	12-02/Globion/2012-BD Vet	MF-382/2012	17.01.2013	Form-46	Ranikhet Disease Avian Infect. Bronchitis and infectious Bursal Disease Inact.
46	M/s Globion India Pvt Ltd	12-18/Globion/2012-BD Vet	MF-380/2012	17.01.2013	Form-46	Comb Newcastle Disease and Avian Infectious Bronchitis Vaccine Living
47	M/s Pfizer AnimalHealth India Ltd.	12-05/Pfizer/2013-BD Vet	IMP-10/2012	18.01.2013	Form-45	Infectious Coryza Vaccine Inactivated
48	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-01/Venkat/2013-BD Vet	MF-01/2012	18.01.2013	Form-46	Inclusion Body Hepatitis Hydropericardium Syndrome Vaccine Inactivated Oil emulsion	For immunization of chickens against Inclusion body hepatitis hydropericardium syndrom (IBH/HPS) infection in Poultry.	Liquid injection for subcutaneous or intramuscular route of administration. Presentation 2500/1000 doses (500ml) I polypropylene (PP) Bottles. 1000/400 doses (200ml) in polypropylene (PP) bottles	Chicken
49	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-06/Venkat/2013-BD Vet	MF-15/2012	18.01.2013	Form-46	Combined Newcastle Disease and Infectious Brusal Disease vaccine inactivated oil emulsion	For immunization of chickens against Newcastle Disease virus and infectious Bursal Disease virus infection in Poultry.	Liquid Injection for subcutaneous or intramuscular route of administration Presentation 1000 doses (500ml) in polypropylene (PP) bottles, 400 doses (200ml) in polypropylene (PP) bottles.	Chicken

50	M/s Panav Bio-Tech, New Delhi	12-53/Panav/2011-BD Vet	IMP-357/2012	18.01.2013	Form-45	Bivalent Canine Distemper Live and canine parvovirus inactivated
51	M/s Zydus Animal Health Ltd., Ahmedabad	12-88/Zydus/2012-BD Vet	IMP-354/2012	18.02.2013	Form-45	Combined Newcastle Castle Disease (VH Strain), and Infectious Bronchitis (M-41 Strain)
52	M/s Zydus Animal Health Ltd., Ahmedabad	12-91/Zydus/2012-BD Vet	IMP-358/2012	18.02.2013	Form-45	Fowl Cholera Vaccine, Inactivated
53	M/s Zydus Animal Health Ltd., Ahmedabad	12-89/Zydus/2012-BD Vet	IMP-355/2012	18.02.2013	Form-45	Infectious Coryza vaccine Inact
54	M/s Zydus Animal Health Ltd., Ahmedabad	12-92/Zydus/2012-BD Vet	IMP-359/2012	18.02.2013	Form-45	Coccidiosis Disease Vaccine Inactivated
55	M/s Zydus Animal Health Ltd., Ahmedabad	12-90/Zydus/2012-BD Vet	IMP-356/2012	18.02.2013	Form-45	Comb Newcastle Disease (VH strain) Infectious Bursal Disease (MB strain) Infectious Bronchitis (M-41 Strain) and Reovirus (S1133 Strain) Vaccine Inactivated

56	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-02/Venkat/2013-BD Vet	MF-02-2013	18.02.2013	Form-46	Infectious Bursal Disease Vaccine Inactivated IP Oil emulsion.	For immunization of chickens against Infectious Bursal Disease Infection in Poultry.	Liquid injection for subcutaneous or intramuscular route of administration. Presentation 1000 doses 500 ml in polypropylene (PP) Bottles, 400 doses 200 ml in polypropylene (PP) bottles 200 doses (100ml) in Polypropylene (PP) bottles	Chicken
57	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-03/Venkat/2013-BD Vet	MF-03/2013	18.02.2013	Form-46	Infectious Bursal Disease Vaccine Inactivated
58	M/s Pfizer AnimalHealth India Ltd.	12-58/Pfizer/2012-BD Vet	IMP-03/2013	19.02.2013	Form-45	Mycoplasma Gallisepticum Vaccine Live
59	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-04/Venkat/2013-BD Vet	MF-04/2013	20.02.2013	Form-46	Comb Newcastle Disease and Avian Infectious Bronchitis Vaccine Inactivated Oil Emulsion	For immunization of chickens against Newcastle Disease Virus and Avian Infectious Brounchitis Vaccine	liquid injection for subcutaneous or intramuscular route of administration presentation 1000 doses 500 ml in polypropylene PP bottles 400 doses 200 mml 200 doses 100ml	Chickens
60	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-07/Venkat/2013-BD Vet	MF-19/2013	22.02.2013	Form-46	Newcastle Disease Vaccine Inactivated IP oil emulsion	for immunization of chickens against newcastle disease infection in poultry.	liquid injection for subcutaneous or intramuscular route of administration	Chickens
61	M/s Globion India Pvt Ltd	12-04/Globion/2012-BD Vet	MF-379/2013	26.02.2013	Form-46	Infectious Bursal Disease Vaccine Inactivated

62	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-09/Venkat/2013-BD Vet	MF-21/2013	01.03.2013	Form-46	Combined Newcastle Disease and Inclusion Body Hepatitis Hydropericardium Syndrome vaccine inactivated Oil emulsion	For immunization of chickens against Newcastle Disease virus and inclusion body hepatitis hydropericardium (IBH/HPS) Syndrome infection in Poultry.	Liquid injection for subcutaneous or intramuscular route of administration presentation 1000 doses (500ml) in polypropylene (PP) bottles, 400 doses (200ml) in Polypropylene (PP) bottles.	Chickens
63	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-08/VENKAT/13BD(VET)	MF20/2013	01.03.2013	Form-45	Infectious Coryza vaccine, Inactivated Comb Newcastle Disease , Avian
64	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-10/VENKAT/13BD(VET)	MF-46/2013	01.03.2013	Form-46	Infectious Bronchitis Vaccine, Inactivated and Infectious Bursal Disease Inactivated
65	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-21/VENKAT/13BD(VET)	MF-45/2013	01.03.2013	Form-46	Fowl cholera vaccine(pasturella multocida org serotype 1 and 4), Inact.
66	M/s Indian Immunologicals Ltd., Hyderabad	4/11L-119/BAS/09DC(VET)	MF-37/2013	05.03.2013	Form-46	Brucella abortus stain-19 reduced dose vaccine, Live
67	M/s Indian Immunologicals Ltd., Hyderabad	4-146/06-DC(VET)	MF-53/2013	07.03.2013	Form-46	Brucella abortus stain-1RB51 vaccine, Live

68	M/s Biovet Pvt Ltd., Karnataka	12-15/Biovet/12BD(VET)	MF-41/2013	07.03.2013	Form-46	Fowl cholera(pasteurella multocida avian species) vaccine, inactivated
69	M/s Biovet Pvt Ltd., Karnataka	12-12/Biovet/12BD(VET)	MF-39/2013	07.03.2013	Form-46	Haemorrhagic Septicaemia , oil, (Pasteurella multocida P52 strain)
70	M/s Biovet Pvt Ltd., Karnataka	12-16/Biovet/12BD(VET)	MF-40/2013	07.03.2013	Form-46	Blackquarter (Clostridiumchauvoei 49 strain) vaccine, Inact(Gel)
71	M/s Veterinary Biological and Research Institute,hyderabad	12-20/VBRI/13BD(VET)	MF-35/2013	08.03.2013	Form-46	Sheep Pox Vaccine, Roumanian strain, Live attenuated	for prophylactic measure to prevent sheep pox disease occurrence in sheep above 4 months	freeze dried vaccine when reconstituted with normal saline for intra drmal route of administration	romanian strain	sheep
72	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-33/Venkat/2013- BD(VET)	MF-55/2013	26.03.2013	Form-46	Salmonella Polyvalent Vaccine, Inactivated, I P
73	M/s Veterinary Biological and Research Institute,hyderabad	12-72/VBRI/2012BD(VET)	MF-64/2013	01.04.2013	Form-46	Peste Des Petits Ruminants (P-61 Sungri Isolate strain) vaccine live attenuated I.P Lyophilized.	For prophylactic easure to prevent Peste Des Petits Ruminatns Disease occurrence in sheep and goats of 4 months of age and above.	Freeze dried vaccine when reconstituted with normal saline for subctaneous route of administration. Presentation 1 ml X100 doses.	sheep and goats

74	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-32/VENKAT/13-BD(VET)	MF-54/2013	26.03.2013	Form-46	Avian Spirochaetis Vaccine, Inactivated, I.P
75	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-29/VENKAT/13-BD(VET)	MF-47/2013	14.03.2013	Form-46	Combined Fowl Chotera & Infectious Coryza Vaccine, Inactivated, Oil emulsion
76	M/s Hester Pharmaceuticals Ltd Gujrat	12-58/Hester/13 -BD(VET)	MF-137/2013	08.07.2013	Form-46	Mareks disease, Live, i.p., Freeze dried
77	M/s Globion India Pvt Ltd	12-07/Globion/13BD(VET))	MF-160/2013	29.07.2013	Form-46	Infectious Bursal Disease Vaccine, Live, Freeze dried, I.P.
78	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-12/VENKAT/2013-BD(VET)	MF-158/2013	29.07.2013	Form-46	Infectious Chicken Anaemia Vaccine, Inactivated, IP.
79	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-11/Venkat/2013-BD Vet	MF-159/2013	29.07.2013	Form-46	Avian Reo Virus Vaccine, Inactivated, I.P

80	M/s Stallen South Asia Pvt Ltd Pune	12-40/Stallen/2013-BD(VET)	IMP-157/2013	29.07.2013	Form-45	Combined Newcastle Disease & Infectious Bursal Disease Vaccine, Inactivated, Oil Emulsion
81	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-47/Boehringer/2011-BD Vet	IMP-167/2013	02.08.2013	Form-45	Volvac® AE+FP MLV
82	M/s Globion India Pvt Ltd	12-08/Globion/2013-BD(VET))	MF-161/2013	02.08.2013	Form-46	Infectious Bursal Disease Vaccine Live Freeze Dried I.P
83	M/s Lalpet Products,	12-45/Lalpet/2013-BD Vet	IMP-163/2013	22.08.2013	Form-45	Rabies Vaccine Inactivated I.P	For the active immunization of target animal species Dogs Cats fur animals cattle horses sheep goats and pigs from the age of 3 months against rabies.	Liquid injection (1ml dose) for subcutaneous (best in the region behind scapula) or intramuscular best to the muscle of the rear limb route of administration. Presentation 10ml X 10 doses.	rabies virus strain SAD Vnukovo 32 inactivated	Dogs , cats, fur animias cattle horse sheep goats and pigs
84	M/s Lalpet Products,	12-42/Lalpet/2013-BD Vet	IMP-190/2013	02.09.2013	Form-45	LeptospirosisVaccine Inactivated I.P	For the active immunization of dogs and fur bearing animals against the most frequently curred leptospira serovars in dogs at the age of 8 weeks & above.	Liquid injection (1 ml dose) for subcutaneous route of administration presentation 20ml X 1 dose	Dogs
85	M/s Lalpet Products,	12-43/Lalpet/2013-BD Vet	IMP-191/2013	02.09.2013	Form-45	Canine Corona Virus Vaccine Inactivated	For the active immunization of dogs from the 5th week of age and above against canine coronavirus.	Liquid injection (1ml dose) for subcutaneous route of administration presentation 1ml X 20 doses	Dogs

86	M/s Lalpet Products,	12-44/Lalpet/2013-BD Vet	IMP-199/2013	10.09.2013	Form-45	Combined Canine Distemper, Infectious Hepatitis Infectious Laryngotracheitis Parvovirus and Parainfluenza Vaccine Live Freeze dried	For The active immunization of dogs against distemper Infectious hepatitis infectious laryngotracheitis parvovirus and parainfluenza.	Lyophilized vaccine when reconstituted with sterile water for injection (1ml dose for subcutaneous Preferably in zone behind the shoulder blade route of administration presentation 1 dose vial x 20 packs.	Dogs
87	M/s Intervet Inida Pvt Ltd Pune	12-51/Intervet/2013-BD Vet	IMP-204/2013	09.10.2013	Form-45	Combined Avian Encephalomyelitis and Fowl pox vaccine live freezedried
88	M/s Stallen South Asia Pvt Ltd Pune	12-39/Stallen/2013-BD Vet	IMP-220/2013	09.10.2013	Form-45	Newcastle disease vaccine inactivated I.P	For the prevention of Newcastle disease in future layers and breeders.	Liquid Injection (0.5ml dose) for intramuscular in the breast or subcutaneously in the back of neck route of administration. Presentation 1000 doses X 500 ml	chickens
89	M/s Stallen South Asia Pvt Ltd Pune	12-24/Stallen/2013-BD Vet	IMP-221/2013	09.10.2013	Form-45	Combined Newcastle Disease Infectious Bronchitis And Infectious bursal disease vaccine inactivated oil emulsion
90	M/s Indian Immunologicals Ltd., Hyderabad	12-80/IIL/2013-BD Vet	MF-211/2013	08.10.2013	Form-46	Peste Des Petis Ruminants Vaccine IP (Raksha -PPR)
91	M/s Indian Immunologicals Ltd., Hyderabad	12-75/IIL/2013-BD Vet	MF-206/2013	09.10.2013	Form-46	Canine Corona Virus Vaccine Inactivated

92	M/s Indian Immunologicals Ltd., Hyderabad	12-78/IIL/2013-BD Vet	MF-209/2013	09.10.2013	Form-46	Rabies Veterinary Vaccine Inactivated
93	M/s Indian Immunologicals Ltd., Hyderabad	12-77/IIL/2013-BD Vet	MF-208/2013	09.10.2013	Form-46	Sheep Pox vaccine live I.P Freeze dried	For prophylactic vaccination against Sheep Pox in sheep.	Freeze dried vaccine (1ml) when reconstituted with sterile diluent for intramuscular route of administration at mid neck region.	Romanian Strain	sheep
94	M/s Indian Immunologicals Ltd., Hyderabad	12-81/IIL/2013-BD Vet	MF-212/2013	09.10.2013	Form-46	Clostridium Perfringens Vaccine Inactivated I.P
95	M/s Indian Immunologicals Ltd., Hyderabad	12-87/IIL/2013-BD Vet	MF-217/2013	08.10.2013	Form-46	Combined foot and mouth disease and Haemorrhagic Septicaemia vaccine Inactivated oil adjuvanted	For prophylactic vaccination against foot and mouth disease and haemorrhagic septicaemia disease in cattle buffaloes and calves.	liquid injection 3ml for deep intramuscular route of administration at mid neck region only	Cattle Buffaloes and Calves
96	M/s Stallen South Asia Pvt Ltd Pune	12-22/IIL/2013-BD Vet	IMP-224/2013	11.10.2013	Form-45	Combined Newcastle Disease and Fowl Cholera and Fowl Cholera Vaccine Inactivated oil Emulsion
97	M/s Pfizer AnimalHealth India Ltd.	12-16/Pfizer/2013-BD Vet	IMP-225/2013	11.10.2013	Form-45	Marek's Disease vaccine Live I.P.

98	M/s Zoetis India Ltd Mumbai	12-26/Pfizer/2013-BD Vet	IMP-235/2013	18.10.2013	Form-45	Mycoplasma Gallisepticum Bacterin Vaccine Inactivated
99	M/s Zoetis India Ltd Mumbai	12-14/Pfizer/2013-BD Vet	IMP-236 /2013	18.10.2013	Form-45	Reo Virus Vaccine Inactivated I.P
100	M/s Zoetis India Ltd Mumbai	12-56/Pfizer/2011-BD Vet	IMP-237/2013	18.10.2013	Form-45	Rabies Veterinary Vaccine Inactivated Cell Culture I.P
101	M/s Zoetis India Ltd Mumbai	12-31/Pfizer/2013-BD Vet	IMP-227 /2013	18.10.2013	Form-45	Marek's Disease Vaccine Live I.P Serotype3	For the vaccination of healthy one day old chicks only to aid in the prevention of the signs and lesions of Marek's Disease.	Lyophilized Vaccine when reconstituted with sterile diluent pfizer Animal Health for subcutaneous route of ad ministration. Presentation: 10x 1000 doses.	Chicken
102	M/s Zoetis India Ltd Mumbai	12-15/Pfizer/2013-BD Vet	IMP-233/2013	18.10.2013	Form-45	Newcastle Disease Vaccine
103	M/s Zoetis India Ltd Mumbai	12-23/Pfizer/2013-BD Vet	IMP-234 /2013	18.10.2013	Form-45	Infectious Bursal Disease Vaccine Live I.P

104	M/s Sanofi Synthelabo India Ltd., Mumbai	12-17/Sanofi/2013-BD Vet	IMP-240/2013	22.10.2013	Form-45	Mareks Disease Vaccine Live I.P
105	M/s Intervet Inida Pvt Ltd Pune	12-60/Intervet/13BD(VET)	IMP-238/2013	22.10.2013	Form-45	Avian Infectious Bronchitis, Inactivated
106	M/s Indian Immunologicals Ltd., Hyderabad	12-86/IIL/2013-BD Vet	MF-216/2013	22.10.2013	Form-46	Foot & Mouth Disease Vaccine, I.P. (Raksha Ovac Trivalent)	For prophylactic vaccination against foot and mouth disease in cattle buffaloes calves sheep and goats.	Liquid injection 2ml dose in cattle buffaloes and calves and 1ml dose in sheep and goats for deep intramuscular route of administration through an area of clean dry skin at mid-neck region with aseptic measures.	Cattle buffaloes calves sheep and gaats
107	M/s Indian Immunologicals Ltd., Hyderabad	12-85/IIL/2013-BD Vet	MF-215/2013	22.10.2013	Form-46	Foot & Mouth Disease Vaccine, I.P (Raksha Trivalent)	For prophylactic vaccination against foot and mouth disease in cattle buffaloes calves sheep and goats.	Liquid injection 3ml dose in cattle buffaloes and calves and 1ml dose in sheep and goats for subcutaneous route of administration	cattle buffaloes calves sheep and goats
108	M/s Zoetis India Ltd Mumbai	12-93/Zoetis/13BD(VET)	IMP-248/2013	08.11.2013	Form-45	Combined Infectious Bursal Disease, Newcastle disease & Infectious Bronchitis Vaccine, Killed virus
109	M/s Zoetis India Ltd Mumbai	12-94/Zoetis/2013BD(VET)	IMP-251/2013	08.11.2013	Form-45	Combined Infectious Bursal Disease, Newcastle disease & Infectious Bronchitis and Reo virus vaccine killed virus

110	M/s Indian Immunologicals Ltd., Hyderabad	12-82/IIL/2013-BD(VET)	MF-213/2013	20.11.2013	Form-46	Theileriosis Vaccine, Live, I.P.
111	M/s Biovet Pvt Ltd., Karnataka	12-13/Biovet/2012-BD	MF-258/2013	18.11.2013	Form-46	Combined Haemorrhagic Septicaemia & Blackquarter Vaccine, Inactivated (Gel)	for active immunization of animals especially cattle buffaloes and calves against clostridium chauvoei and pasturella multocida	Liquid injection 3ml dose for subcutaneous route of administration preferably at chest wall behind the shoulder of cattle buffaloes and calves.	cattle buffaloes and calves
112	M/s Zoetis India Ltd Mumbai	12-46/Pfizer/13BD(VET)	IMP-271/2013	22.11.2013	Form-45	Combined Canine Distemper, Adenovirus Type2, Parainfluenza, Parvovirus Vaccine, Modified Live Virus (Freeze dried) Leptospira Canicola Icterohaemorrhagiae Bacterin, Inactivated (Liquid)
113	M/s Zoetis India Ltd Mumbai	12-95/Zoetis/13BD(VET)	IMP-250/2013	22.11.2013	Form-45	Infectious Bursal Disease Vaccine, Live, I.P.
114	M/s Zoetis India Ltd Mumbai	12-28/Pfizer/13BD(VET)	IMP-270/2013	22.11.2013	Form-45	Equine Rhinopneumonitis Vaccine, Killed Virus
115	M/s Zoetis India Ltd Mumbai	12-98/Zoetis/13BD(VET)	IMP-253/2013	22.11.2013	Form-45	Ranikhet Disease Vaccine, Live, I.P.

116	M/s Zoetis India Ltd Mumbai	12-94/Zoetis/13BD(VET)	IMP-249/2013	22.11.2013	Form-45	Infectious Bursal Disease Vaccine, Live, I.p.
117	M/s Indian Immunologicals Ltd., Hyderabad	12-88/IL/2013-BD vet	MF-218/2013	27.11.2013	Form-46	Combined Foot & Mouth Disease haemorrhagic Septicaemia and Blackquarter Vaccine, Inactivated, Oil adjuvanted	for prophylactic vaccination against Foot and mouth disease and Haemorrhagic septicaemia disease and black quarter disease in cattle buffaloes and calves.	liquid injection 3ml for deep intramuscular route of administration at mid neck region only	cattle buffaloes and calves
118	M/s Zoetis India Ltd Mumbai	12-99/Zoetis/2013-BD Vet	IMP-252/2013	03.12.2013	Form-45	Rabies Veterinary Vaccine, inactivated Cell Culture, I.P.
119	M/s Zoetis India Ltd Mumbai	12-105/Zoetis/2013-BD vet	IMP-278/2013	03.12.2013	Form-45	Fowl Pox Vaccine, Live
120	M/s Indian Immunologicals Ltd., Hyderabad	12-121/IL/2013-BD vet	MF-286/2013	06.12.2013	Form-46	Blackquarter Vaccine, I.P.
121	M/s Indian Immunologicals Ltd., Hyderabad	12-101/IL/2013-BD vet	MF-281/2013	05.12.2013	Form-46	Sheep Pox Vaccine, Live, Attenuated,	For prophylactic vaccination against sheep pox in sheep of 3 months of age and above	Freeze dried vaccine 1ml when reconstituted with sterile diluent for intramuscular route of administration at mid neck region	romanian strain	sheep

122	M/s Indian Immunologicals Ltd., Hyderabad	12-120//IIL/2013-BD vet	MF-282/2013	05.12.2013	Form-46	Haemorrhagic Septicaemia Vaccine, IP	For prevention Haemorrhagic Septicaemia disease in cattle, buffaloes and calves.	Liquid injection (1ml) for intramuscular route of administration. Presentation 50ml x 50 doses.	cattle buffaloes and calves.
123	M/s Indian Immunologicals Ltd., Hyderabad	12-122//IIL/2013-BD vet	MF-280/2013	05.12.2013	Form-46	Rabies Veterinary Vaccine, inactivated Cell Culture, I.P.	For active immunization of dogs and other domestic animals against rabies for prophylaxis and post bite therapy	Liquid Injection (1ml) for intramuscular or subcutaneous route of administration. Presentation: 1 ml pack x 1 dose, 5ml pack x 1 dose, 10 ml pack x 1 dose.	dogs
124	M/s Zoetis India Ltd Mumbai	12-103/Zoetis/2013-BD vet	IMP-285/2013	05.12.2013	Form-45	Combined Avian Encephalomyelitis & Fowl Pox, Live virus
125	M/s Zoetis India Ltd Mumbai	12-104/Zoetis/2013-BD vet	IMP-284/2013	05.12.2013	Form-45	Combined Equine Rhinopneumonitis & Influenza Vaccine, Killed virus
126	M/s Zoetis India Ltd Mumbai	12-118/Zoetis/13BD(VET)	IMP-287/2013	09.12.2013	Form-45	Avian Infectious Bronchitis Vaccine, Live, I.P.
127	M/s Zoetis India Ltd Mumbai	12-116/Zoetis/13BD(VET)	IMP-287/2013	09.12.2013	Form-45	Infectious Coryza Vaccine, I.P.

128	M/s Zoetis India Ltd Mumbai	12-115/Zoetis/13BD(VET)	IMP-288/2013	09.12.2013	Form-45	Infectious Avian Encephalomyelitis Vaccine, Live, I.P.
129	M/s Intervet Inida Pvt Ltd Pune	12-131/Intervet/2013-BD Vet	MF-290/2013	03.01.2014	Form-46	Clostridium Perfringens Vaccine Inactivated I.P
130	M/s Biomed Pvt Ltd Ghaziabad	12-133/Biomed/2013-BD Vet	MF-293/2013	02.01.2014	Form-46	Combined Haemorrhagic septicaemia & Blackquarter Vaccine, Inactivated	for active immunization against Haemorrhagic septicaemia and Blackquarter disease in cattle, buffaloes and calves.	Liquid injection (2ml) for subcutaneous route of administration in the lower neck region. Presentation 25 dose x 50 50ml in polypropylene vial.	Cattle, Buffaloes and calves.
131	M/s Biovet Pvt Ltd., Karnataka	12-14/Biovet 2012-BD	MF-295 2013	19.12.2013	Form-46	Clostridium Perfringens Vaccine Inactivated I.P gel	For active immunization of animals especialy sheep & goats against clostridium perfringens Type D	Liquid Injection (1ml) for subcutaneous route of administration preferably at mid neck region presentation 100 ml vial of Clostridium Perfringens Vaccine Inactivated I.P Get Contains	Sheep & goats
132	M/s Globion India Pvt Ltd	12-133/Globion/2013-BD (Vet)	IMP-197/2015	04.09.2015	Form-45	Chicken Infectious Anaemia Vaccine Live Cux-1 Strain, Freeze dried	For protection through active immunization of the vaccinated breeder against excretion of the chicken anemia virus and transmission of the virus to eggs.	Freeze dried vaccine after reconstitution with drinking water Presentation 1000 doses in EP Type 1 glass vials	Chicken
133	M/s Biomed Pvt Ltd Ghaziabad	12- 135/Biomed/13BD(VET)	MF294/2013	02.01.2014	Form-46	Black quarter Vaccine, Inactivated, I.P.

134	M/s Intervet Inida Pvt Ltd Pune	12-128/Intervet/13BD(VET)	MF-291/2013	02.01.2014	Form-46	Clostridium Perfringens Vaccine, Inactivated, I.P.
135	M/s Biomed Pvt Ltd Ghaziabad	12-134/Biomed/13BD(vet)	MF-292/2013	10.01.2014	Form-46	Haemorrhagic septicaemia, Inactivated, I.P	For active immunization against Haemorrhagic septicaemia disease in cattle, buffaloes ad calves.	Liquid injection (2ml) for subcutaneous route of administrationthe lower neck region.Presentation 50 dose x100 ml in polypropylene vials.	cattle
136	M/s Intervet Inida Pvt Ltd Pune	12-140/Intervet/ 2013 BD(VET)	MF-298/2013	15.01.2014	Form-46	Combined Haemorrhagic Septicaemia and Blackquarter Vaccine, Inactivated, Oil adjuvanted	For the active immunization of cattle, buffalo, sheep and goat against Haemorrhagic septicaemia and black quarter disease.	Liquid vaccine (2ml dose) for intramuscular route of administration Presentation 50ml x 25 doses in polypropylene (PP) vial.	cattle, buffalo, sheep, and goat
137	M/s Biomed Pvt Ltd Ghaziabad	12-06/Biomed/14BD(VET)	MF-09/2014	17.01.2014	Form-46	Ranikhet Disease Vaccine, Live (Lentogenic 'F strain), I.P.
138	M/s Brilliant Biopharma Ltd.,	12-04/Brilliant2014/BD Vet	MF-19/2014	21.01.2014	Form-46	Haemorrhagic septicaemia vaccine Inactivated I.P	For prophylactic measure to protect against infection by Pasteurella multocida in cattle, buffaloes and calves at 6 months of age.	Liquid injection (2ml) for subcutaneous route of administration Presentation 100 ml x 50 doses in Polypropylene bottles.	pasteurella multocida strain p52	cattle
139	M/s Brilliant Biopharma Ltd.,	12-03/Brilliant2014/BD Vet	MF-16/2014	21.01.2014	Form-46	Blackquarter Vaccine, Inactivated I.P	For prophylactic measure to protect Against infection by Clostridium Chauvoei in cattle buffaloes and calves at 6 months of age and above.	Liquid injection 2 ml for subcutaneous route of administration presentation 100ml x50 doses in polypropylene bottles	Clostridium chauvoei strain 49	cattle

140	M/s Brilliant Biopharma Ltd.,	12-01/Brilliant2014/BD Vet	MF-17/2014	22.01.2014	Form-46	Combined Bovine Rota Virus Coronavirus Vaccine Killed Virus E. Coli Bacterin
141	M/s Zoetis India Ltd Mumbai	12-73/Pfizer/2013-BD vet	IMP-312/2013	21.01.2014	Form-45	Coombined Bovine Rota Virus Coronavirus Vaccine Killed Virus E.Coli Bacterin
142	M/s Intervet Inida Pvt Ltd Pune	12-129/Intervet/13BD(VET)	MF-313/2014	22.01.2014	Form-46	Foot and Mouth Disease Vaccine Inactivated I.P	For active immunization of cattle, buffalo, sheep and goat against Foot and Mouth Disease virus serotypes O, A and Asia 1	Liquid vaccine (2ml dose in catle, buffalo and calves and 1 ml dose in sheep and goat) for deep intramuscular route of administration at mid neck area. Presentation 100 ml in polyprpylene type II glass bottles.	cattle, buffalo, sheep, and goat
143	M/s Intervet Inida Pvt Ltd Pune	12-132/Intervet/2013-BD(VET)	MF-03/2014	21.01.2014	Form-46	Combined Canine Distemper and canine parvovirus vaccine live freeze dried	For the active immunization of dogs against canine distemper CDV and canine parvovirus disease CPV	freeze dried vaccine when reconstituted with diluent for subcutaneous route of administration. Presentation 10x 1 doses.
144	M/s Biomed Pvt Ltd Ghaziabad	12-07/Biomed/2014-BD Vet	MF-15/2014	22.01.2014	Form-46	Ranikhet Disease Vaccine Live Lentogenic Lasota Strain I.P
145	M/s Biomed Pvt Ltd Ghaziabad	12-05/Biomed/2014-BD Vet	MF-20/2014	21.01.2014	Form-46	Clostridium Perfringens Vaccine Inactivated I.P

146	M/s Brilliant Biopharma Ltd.,	12-02/Brilliant/2013-BD Vet	MF-29/2014	29.01.2014	Form-46	Combined Haemorrhagic Septicaemia & Blackquarter Vaccine Inactivated
147	M/s Brilliant Biopharma Ltd.,	12-136/Brilliant/2013-BD Vet	MF-28/2014	29.01.2014	Form-46	Clostridium Perfringens Vaccine Inactivated I.P
148	M/s Biomed Pvt Ltd Ghaziabad	12-10/Biomed/2014-BD Vet	MF-31/2014	29.01.2014	Form-46	Ranikhet Disease Vaccine Live Lentogenic Mesogenic Strain I.P
149	M/s Biomed Pvt Ltd Ghaziabad	12-09/Biomed/2014-BD Vet	MF-30/2014	29.01.2014	Form-46	Fowl Pox Vaccine Live I.P
150	M/s Biomed Pvt Ltd Ghaziabad	12-16/Biomed/2014-BD Vet	MF-41/2014	10.02.2014	Form-46	Infectious Bursal Disease Vaccine Live I.P
151	M/s Biomed Pvt Ltd Ghaziabad	12-13/Biomed/2014-BD Vet	MF-39/2014	07.02.2014	Form-46	Foot and Mouth Disease Vaccine Inactivated I.P	for active immunization against Foot and Mouth disease in pig calves sheep and goats	Liqued injection for intramuscular route of administration presentation 20,50, and 100 ml in Polypropylene (PP) vials.	pig, calves, sheep and goats.

152	M/s Biomed Pvt Ltd Ghaziabad	12-15/Biomed/2014-BD Vet	MF-42/2014	10.02.2014	Form-46	Sheep Pox Vaccine Live Attenuated I.P	For active immunization against Sheep Pox disease in adult sheep and lambs above 2 months of age.	Freeze dried vaccine after reconstitution with sterile diluent for subcutaneous route of administration in the skin of external ear flap or any other suitable location	Sheep
153	M/s Biomed Pvt Ltd Ghaziabad	12-18/Biomed/2014-BD Vet	MF-40/2014	10.02.2014	Form-46	Combined Ranikhet Disease & Avian Infectious Bronchitis Vaccine Live
154	M/s Biomed Pvt Ltd Ghaziabad	12-17//Biomed/2014-BD Vet	MF-18//2014	06.02.2014	Form-46	Avian Infectious Bronchitis Live I.P
155	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-19/Venkat/2014-BD Vet	MF-46/2013	14.02.2014	Form-46	Ranikhet Disease Vaccine Live Lentogenic Lasota Strain I.P.
156	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-20/Venkat/2014-BD Vet	MF-47/2014	14.02.2014	Form-46	Ranikhet Disease Vaccine Live Lentogenic B1 strain I.P.
157	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-21/Venkat/2014-BD vet	MF-45/2014	14.02.2014	Form-46	Avian Infectious Bronchitis Vaccine I.P.

158	M/s Biomed Pvt Ltd Ghaziabad	12-28/Biomed/2014-BD vet	MF-59/2014	07.03.2014	Form-46	Ranikhet Disease vaccine inactivated I.P
159	M/s Biomed Pvt Ltd Ghaziabad	12-29/Biomed/2014-BD vet	MF-60/2014	05.03.2014	Form-46	Infectious Bursal Disease Vaccine Inactivated, I.P.
160	M/s Intervet Inida Pvt Ltd Pune	12-31/Intervet/2014-BD Vet	IMP-71/2014	20.03.2014	Form-45	Combined Infectious Bursal Disease And Newcastle Disease Vaccine Inactivated Water in Oil Emulsion	For the vaccination of checkens against disease caused by Newcastle disease virus and Infectious Bursal Disease Virus	Water in oil Emulsion (0.5ml dose) for intramuscular (in the thigh or chest muscle) or subcutaneous (into the lower part of the neck) route of administration Presentation 500 ml type II glass bottle x 1000 doses.	Chicken
161	M/s Intervet Inida Pvt Ltd Pune	12-32/Intervet/2014-BD Vet	IMP-72/2014	20.03.2014	Form-45	Combined Avian Infectious Bronchitis And Newcastle Disease Vaccine Inactivated Water in Oil Emulsion	For the Vaccination of chickens against disease caused by Ifectious Bronchitis Viruses and Newcastle disease Virus.	Water in oil emulsion (0.5l dose) for intramuscular (in the thigh or chest Muscle) or subcutaneous (Into the lower part of the neck) route of administration Presentation 500ml type II glass Bottle x 1000 doses.	K30	Inactivated Infectious Bronchitis Virus Strain M Inactivated Newcastle Disease Virus Strain Clone	Chickens
162	M/s Brilliant Biopharma Ltd.,	12-137/Brilliant/2013-BD Vet	MF-79/2014	28.03.2014	Form-46	Foot & Mouth Disease Vaccine Inactivated I.P	For prophylactic measure against Foot and Mouth disease in cattle, buffaloes, Sheep and goats.	Liquied injection (2ml dose in cattle, buffaloes and calves and 1 ml dose in sheep and goats) for deep intramuscular route of administration.	cattle, buffaloes, sheep, and goats.
163	M/s Intervet Inida Pvt Ltd Pune	12-138/Intervet/2013-BD Vet	IMP-85/2014	02.04.2014	Form-45	Brucella Abortus Strain-19 Vaccine Live Freeze Dried

164	M/s Stallen South Asia Pvt Ltd Pune	12-26/Stallen/2014-BD Vet	IMP-88/2014	04.04.2014	Form-45	Mycoplasma Gallisepticum Bacterin Vaccine Inactivated Oil Emulsion
165	M/s Intervet Inida Pvt Ltd Pune	12-40/Intervet/2014-BD Vet	IMP-89/2014	04.04.2014	Form-45	Combined Leptospirosis Vaccine Inactivated
166	M/s Biomed Pvt Ltd Ghaziabad	12-36/Biomed/2014-BD Vet	MF-95/2014	23.04.2014	Form-46	Mareks Disease Vaccine Live I.P
167	M/s Stallen South Asia Pvt Ltd Pune	12-34/Stallen/2013-BD Vet	IMP-99/2014	06.05.2014	Form-45	Combined Newcastle Disease and Infectious Bronchitis Disease Vaccine Inactivated Oil Emulsion
168	M/s Intervet Inida Pvt Ltd Pune	12-12/Intervet/2014-BD Vet	MF-100/2014	07.05.2014	Form-46	Blackquarter Vaccine Inactivated I.P
169	M/s Intervet Inida Pvt Ltd Pune	12-33/Intervet/2014-BD Vet	IMP-104/2014	15.05.2014	Form-45	Ranikhet Disease Vaccine Live Clone 30 Strain I.P

170	M/s Intervet Inida Pvt Ltd Pune	12-37/Intervet/2014-BD Vet	IMP-105/2014	15.05.2014	Form-45	Combined Canine Distemper Canine Adenovirus Canine Parvovirus and Canine Parainfluenza Vaccine Live Freeze Dried	For The active immunization of dogs against canine distemper virus CDV canine contagious hepatitis caused by canine adenovirus type 1 ICH canine parvovirus CPV and respiratory disease caused by canine parainfluenzavirus CPI and canine adenovirus type 2 CAV2)	Freeze dried vaccine when reconstituted with diluent for subcutaneous route of administration presentation 10x1 doses.	CDV Strain CAV2 Strain CPV Strain Cpi Strain	Dogs
171	M/s Intervet Inida Pvt Ltd Pune	12-52/Intervet/2014-BD Vet	IMP-114/2014	30.05.2014	Form-45	Infectious Coryza Vaccine Inactivated I.P	For the Vaccination against Avibacterium Paragallinarum infections in chickens	Suspension for injection for intramuscular route of administration Presentation 500 ml type 1 glass bottle x 2000 doses and 250 ml polyethylene terephthalate Pet x 1000 doses.	H Paragallinarum strain 083 serotype a strain sross serotype b strain H18 Serotype C	Chicken.
172	M/s Intervet Inida Pvt Ltd Pune	12-44/Intervet/2014-BD Vet	IMP-118/2014	30.05.2014	Form-45	Reo Virus Vaccine Inactivated I.P
173	M/s Intervet Inida Pvt Ltd Pune	12-43/Intervet/2014-BD Vet	IMP-111/2014	28.05.2014	Form-45	Avian Infectious Bronchitis Vaccine Live I.P
174	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-46/Venkat/2014-BD Vet	MF-119/2014	02.06.2014	Form-46	Ranikhet Disease Vaccine Inactivated I.P
175	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-22/Venkat/2014-BD Vet	MF-120/2014	02.06.2014	Form-46	Combined Ranikhet Disease Avian Infectious Bronchitis Disease Infectious Bursal Disease and Avian Reo Virus Vaccine Inactivated Oil Emulsion

176	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-54/Venkat/2014-BD Vet	MF-121/2014	02.06.2014	Form-46	Combined Ranikhet Disease, Lentogenic (Lasota Strain) & Avian Infectious Bronchitis Massachusetts strain Vaccine, Live
177	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-47/Venkat/2014-BD Vet	MF-122/2014	02.06.2014	Form-46	Combined Ranikhet Disease, Lentogenic (B I Strain) & Avian Infectious Bronchitis Massachusetts strain Vaccine, Live
178	M/s Intervet Inida Pvt Ltd Pune	12-34/Intervet/2014BD(VET)	IMP-129/2014	04.06.2014	Form-45	Infectious Bursal Disease Vaccine. Live, I.P.
179	M/s Cadila Healthcare Ltd	12-84/ZYDUS/2012BD(VET)	IMP-136/2014	06.06.2014	Form-45	Fowl Pox Vaccine, Live, I.P., Lyophilized
180	M/s Intervet Inida Pvt Ltd Pune	12-38/Intervet/2014BD(VET)	IMP-131/2014	05.06.2014	Form-45	Ranikhet Disease Vaccine, Inactivated, I.P)
181	M/s Stallen South Asia Pvt Ltd Pune	12-25/Stallen/2013-BD Vet	IMP-147/2014	01.07.2014	Form-45	Infectious coryza Vaccine, Inactivated, I.P

182	M/s Intervet Inida Pvt Ltd Pune	12-53/Intervet/2014(VET)	IMP-169/2014	22.07.2014	Form-45	Mycoplasma Gallisepticum Vaccine, Live
183	M/s Intervet Inida Pvt Ltd Pune	12-59/Intervet/2014BD(VET)	IMP-167/2014	22.07.2014	Form-45	Ranikhet disease Vaccine. Live, I.P. (strain clone 30)
184	M/s Intervet Inida Pvt Ltd Pune	12-63/Intervet/2014-BD(VET)	IMP-168/2014	22.07.2014	Form-45	Ranikhet disease Vaccine. Live. I.P.(Lasota strain)
185	M/s Intervet Inida Pvt Ltd Pune	12-64/Intervet/ 14BD(VET)	IMP-170/2014	22.07.2014	Form-45	Salmonella enteritidis Salmonella typhimurium Vaccine, Inactivated, I.P.
186	M/s Intervet Inida Pvt Ltd Pune	12-67/Intervet/2014-BD(VET)	IMP-171/2014	30.07.2014	Form-45	Canine Leptospirosis Vaccine, Inactivated, I.P
187	M/s Intervet Inida Pvt Ltd Pune	12-58/Intervet/2014-BD (VET)	IMP-172/2014	30.07.2014	Form-45	Avian coli bacillosis Vaccine, Inactivated, Water in Oil Emulsion	For passive immunization against colibacillosis in broiler chickens by vaccination of broiler breeders.	Water for emulsion (0.5 ml dose) for intramuscular (in to the breast muscle) or subcutaneous (into the back of the neck) route of administration.	Chicken

188	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-45/Venkat/2014-BD Vet	IMP-180/2014	08.08.2014	Form-45	Avian Infectious Bronchitis Vaccine. Live, I.P. (Massachusetts strain)
189	M/s Intervet Inida Pvt Ltd Pune	12-65/Intervet/2014-BD(VET)	IMP-183/2014	22.08.2014	Form-45	Mycoplasma Gallisepticum Vaccine, Inactivated
190	M/s Intervet Inida Pvt Ltd Pune	12-72/Intervet/2014BD(VET)	IMP-184/2014	22.08.2014	Form-45	Combined Avian Infectious Bronchitis misease, Intèctious Bursal Disease, Newcastle Disease and Reo virus Vaccine, Inactivated. Water in oil emulsion
191	M/s Intervet Inida Pvt Ltd Pune	12-71/Intervet/2014BD(VET)	IMP-192/2014	28.08.2014	Form-45	Combined Avian Infectious Bronchitis Disease. Infectious Bursal Disease and Newcastle Disease
192	M/s Intervet India Pvt Ltd Pune	12-55/Intervet/2014-BD	IMP-135/2014	09.06.2014	Form-45	Combined Avian Infectious Bronchitis and Ranikhet Disease Vaccine Inactivated Water in oil emulsion	For the booster vaccination of layers and breeding stock for protection against the massachusetts serotype & D207/D 274 Serotype of Infectious Bronchitis Viruses.	Water in oil emulsion 0.5 ml dose for intramuscular (in the thigh or chest muscle) or subcutaneous (into the lower part of the neck) route of administration . Presentation 500 ml type II glass x 1000 doses and 250 ml plyethelene tereftalate pet x 500 doses	Inactivated infectious bronchitis viru strain 149 G M41 Clone 30	Chikens	
193	M/s Intervet Inida Pvt Ltd Pune	12-35/Intervet/2014-BD(VET)	IMP-217/2014	18.09.2014	Form-45	Nobilis Gumboro

194	M/s Institute of Animal Health And Veterinary Biologicals	12/76/IAVB/2014-BD Vet	MF-248/2014	10.11.2014	Form-46	Swine Fever Vaccine Live I.P
195	M/s Intervet India Pvt Ltd Pune	12-41/Intervet/2013-BD(VET)	MF-32/2014	30.01.2014	Form-46	Fowl Typhoid Vaccine (strain 9R), Live, Freeze dried
196	M/s Globion India Pvt Ltd	1 2-90/Globion/2013-BD VET)	Bulk 34/2014	04.02.2014	Bulk	Newcastle disease Virus,Inactivated, Water in Oil Emulsion
197	M/s Globion India Pvt Ltd	12-107/Globion/2013-BD VET)	MF-110/2014	26.05.2014	Form-46	Ranikhet Disease Vaccine Inactivated, I.P., Water in oil emulsion (Lasota strain)	For active immunization against Newcastle Disease Infections in poultry and to reduce losses in performance.	Water in oil emulsion for subcutaneous or intramuscular route of administration Presentation 1000 doses X500 ml HDPE bottles.	Lasota strain	Chicken
198	M/s Zoetis India Ltd Mumbai	12-27/Pfizer/13BD(VET)	IMP-117/2014	02.06.2014	Form-45	Mycoplasma Synoviae Vaccine, Live (strain MS-H)
199	M/s Globion India Pvt Ltd	1 2-108/Globion2013-BD(VET)	MF-112/2014	28.05.2014	Form-46	Fowl Cholera Vaccine. Inactivated,

200	M/s Globion India Pvt Ltd	12-110/Globion/13BD(VET)	MF-128/2014	04.06.2014	Form-46	Infectious Bursal Disease Vaccine, Inactivated, I.P.
201	M/s Globion India Pvt Ltd	12-111/Globion/2013BD(VET)	MF-127/2014	04.06.2014	Form-46	Combined Newcastle Disease and Avian Infectious Bronchitis Vaccine Inactivated, I.P., Water in oil emulsion	For active immunization against Newcastle Disease & Infectious Bronchitis infections in poultry and to reduce losses in performance.	Water in oil emulsion for subcutaneous or intramuscular route of administration Presentation 1000 doses x 500 ml HDPE bottles.	Chicken
202	M/s Globion India Pvt Ltd	12-109/Globion2013-BD(VET)	MF-126/2014	04.06.2014	Form-46	Avian Infectious Bronchitis Vaccine Inactivated, I.P.,
203	M/s Regional Veterinary Biological Unit, Jaipur	12-83/RVBU/2013 BD(VET)	MF-130/2014	05.06.2014	Form-46	Sheep Pox Vaccine, Live, Attenuated, I P.	For prophylactic vaccination against Sheep Pox Disease in sheep.	Freeze Dried vaccine when reconstituted with cold sterile normal saline for intra-dermal (in the caudal fold and can also be inoculated on tip of the ear) route of administration.	sheep.
204	M/s Biovet Pvt Ltd., Karnataka	12-113/Biovet/2013-BD(VET)	MF-115/2014	02.06.2014	Form-46	Johne's disease, Inactivated, Aluminium Hydroxide Gel Adjuvant
205	M/s Biovet Pvt Ltd., Karnataka	12-112/Biovet/2013-BD(VET)	MF-116/2014	02.06.2014	Form-46	Johne's disease, Inactivated. Mineral Oil Adjuvant

206	M/s Biovet Pvt Ltd., Karnataka	12-48/Biovet/2013- BD(VET)	MF-132/2014	05.06.2014	Form-46	Haemorrhagic septicaemia, Inactivated, I.P. (GEL)
207	M/s Sanofi Synthelabo India Ltd., Mumbai	12-114/Sanofi/2013-BD Vet	IMP-134/2014	09.06.2014	Form-46	Rabies Veterinary Vaccine, Inactivated. I.P.	For acting immunization against rabies in dogs, cats, equines, ovines, bovines and ferrets.	Suspension for injection for subcutaneous and intramuscular route of administration. Presentation 10 dose of Rabies Veterinary Vaccine, Inactivated I.P	dogs, cats equines, ovines, bovines, and ferrets.
208	M/s Sanofi Synthelabo India Ltd., Mumbai	12-71/Sanofi/2013-BD Vet	IMP-149/2014	04.07.2014	Form-45	Avian Infectious Bronchitis Disease Vaccine, Live, I.P.
209	M/s Biovet Pvt Ltd., Karnataka	12-139/Biovet/2013-BD Vet	MF-162/2014	18.07.2014	Form-46	Bluetongue Vaccine. Inactivated.I.P	For active immunization active immunization against Bluetongue Virus (BTV-1 BTV-2 Btv-10 btv-16 & btv-23	Liquid Injection (2 ml dose) for subcutaneous route of administration preferably at chest wall behind the shoulder. Presentation 50 doses x 100 ml in polypropylene (PP) vials.
210	M/s Indian Immunologicals Ltd., Hyderabad	12-39/IL/2013-BD Vet	MF-173/2014	30.07.2014	Form-46	Bluetongue Vaccine, Inactivated.I.P
211	M/s Hester Pharmaceuticals Ltd Gujrat	12-123/Hester/2013-BD Vet	MF-178/2014	05.08.2014	Form-46	Newcastle Disease Vaccine, Live, I.P.

212	M/s Globion India Pvt Ltd	12-89/Globion/2013-BD Vet	MF-179/2014	08.08.2014	Form-46	Infectious Coryza Vaccine, Inactivated
213	M/s Globion India Pvt Ltd	12-55/Globion/2013-BD Vet	IMP-225/2014	30.09.2014	Form-45	Infectious Bursal Disease Vaccine I.P
214	M/s Globion India Pvt Ltd	12-91/Globion/2013-BD Vet	MF-181/2014	20.08.2014	Form-46	Ranikhet Disease Vaccine. Inactivated, I.P Water in oil Emulsion (Lasota strain)
215	M/s Hester Pharmaceuticals Ltd Gujrat	12-62/Hester/2014-BD Vet	MF-246/2014	10.11.2014	Form-46	Peste Des Petits Ruminants Vaccine Live I.P 25, doses 50 doses and 100 doses	For prophylactic vaccination against Peste Des Petits RuminanTS DISEASE IN Sheep and goat.	Freeze dried vaccine when reconstituted with diluent for subcutaneous route of administration presentation 25 doses 50 doses and 100 doses.	sheep and goats.
216	M/s Virbac Animal Healthcare Mumbai	12-73/Virbac/2014-BD	IMP-250/2014	10.11.2014	Form-45	Freeze dried Attenuated Canine Distemper Adenovirus 2 Paravovirus Parainfluenza Attenuated virus vaccine & Leptosira Vaccine Inactivated IP	For active immunization of dogs above 8 weeks of age against caine distemper adenovirus 2 parvovirus parainfluenza virus & leptospirosis	Lyophilized vaccine after reconstitution with diluent for intramuscular route of administration	dogs
217	M/s Hester Pharmaceuticals Ltd Gujrat	12-60/Hester/2014-BD Vet	MF-247/2014	10.11.2014	Form-46	Goat pox vaccine live I.P Uttarkashi Strain 25 doses, 50 doses & 100 doses	For prophylactic vaccination against goat pox disease in goat	Freeze dred vaccine when reconstituted with diluent for subctaneous route of administration.	Uttarkashi Strain)	goat

218	M/s Indian Immunologicals Ltd., Hyderabad	4-184/05-DC Vet	MF-270/2014	11.11.2014	Form-46	Canine Distemper virus canine adenovirus 2 canine parainfluenza virus canine parvovirus leptospira canicola canine adenovirus 1 Leptospira Icterohaemorrhagiae I.P. vet
219	M/s Biovet Pvt Ltd., Karnataka	12-50/Biovet/2014-BD Vet	MF-282/2014	24.12.2014	Form-46	Combined Haemorrhagic Septicaemia (Pasteurella Maltocida P-52) and Blackquarter vaccine (Clostridium Chauvoei), Inactivated, Oil adjuvant	Active immunization against Haemorrhagic Septicaemia (Pasteurella maltocida P-52) and Blackquarter (Clostridium Chauvoei) disease.	Liquid vaccine Pre fill vial (Multi dose) for subcutaneous route of administration each 100 ml contains
220	M/s Globion India Pvt Ltd	12-52/Globion/2013-BD Vet	IMP-285/2014	02.01.2015	Form-45	Infectious Bursal Disease Vaccine Intermediate Plus V217 Strain Type Witerfield 2512, Live
221	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-107/Venkat/2014-BD Vet	MF-10/2015	29.01.2015	Form-46	Infectious Avian Encephalomyelitis Vaccine, Live, I.P.
222	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-96/Venkateshwara//2014/	MF-47/2015	19.02.2015	Form-46	Fowl Pox vaccine Live
223	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-104/Venkat/2014-BD Vet	MF-45/2015	19.02.2015	Form-46	Ranikhet Disease Vaccine Live Lentogenic (Lasota) strain and infectious Bursal Disease Vaccine Live Intermediate Type Strain

224	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-106/Venkat/2014-BD Vet	MF-44/2015	19.02.2015	Form-46	Marek's Disease vaccine Live cell Associated (HVT FC-126 & Rispens CVI 988 strain)	Prevention /control of Marek's Disease virus infection in poultry.	Freeze dried vaccine after reconstitution with sterile diluent for subcutaneous route of administration. Presentation: 1000 doses	respens CVI 988 Strain	Chicken
225	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-99/Venkat/2014-BD Vet	MF-52/2015	20.02.2015	Form-46	Marek's Disease Vaccine, Live Cell Associated (HVT FC-126 & SB1 strain)	Prevention /Control of Marek's Disease virus infection in poultry.	Freeze dried vaccine after reconstitution with sterile diluent for subcutaneous route of administration. Presentation 1000 doses	Marek's disease HVT FC126 strain vaccine virus Marek's Disesae SB1 Strain Vaccine virus	Chicken
226	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-95/Venkat/2014-BD Vet	MF-53/2015	21.02.2015	Form-46	Infectious Bursal Disease Vaccine Live
227	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-98/Venkat/2014-BD Vet	MF-54/2015	20.02.2015	Form-46	Marek's Disease Vaccine Live Cell Free (HVT FC-126) strain	Prevention/control of Marek's Disease virus infection in poultry.	Freeze dried vaccine after reconstitution with sterile diluent for subcutaneous route of administration. Presentation: 500, 1000, 2000, and 2500 doses doses	Chicken
228	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-105/Venkat/2014-BD Vet	MF-51/2015	19.02.2015	Form-46	Marek's Disease Vaccine, Live Cell Associated (SB1) strain	Prevention/control of Marek's Disease virus infection in poultry.	Freeze dried vaccine after reconstituion with sterile diluent for subcutaneous route of administration Presentation 1000 doses	cell associated SB1 strain	Chicken
229	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-97/Venkat/2014-BD Vet	MF-50/2015	19.02.2015	Form-46	Marek's Disease Vaccine, Live Cell Associated (HVT FC-126) Strain	Prevention/control of Marek's Disease virus infection in poultry.	Freeze dried vaccine after reconstitution with sterile diluent for parenteral route of administration. Presentation: 1000 doses	HVT FC-126 strain	Chicken

230	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-103/Venkat/2014-BD Vet	MF-49/2015	19.02.2015	Form-46	Marek's Disease vaccine live cell associated (Rispens CVI 988) strain	Prevention /control of Marek's Disease virus infection in poultry.	Freeze dried vaccine after reconstitution with sterile diluent for parenteral route of administration. Presentation: 1000 doses	Chicken
231	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-93/Venkat/2014-BD Vet	MF-48/2015	19.02.2015	Form-46	Infectious Bursal Disease Vaccine live (Plus Type Strain)
232	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-100/Venkat/2014-BD Vet	MF-57/2015	23.02.2015	Form-46	Fowl Pox (Pigeon Pox strain) Vaccine Live
233	M/s Globion India Private Limited	12-18/Globion/2015-BD Vet	MF-103/2015	28.04.2015	Form-46	Fowl Cholera Vaccine, Inactivated, IP	For active immunization against Fowl cholera infections in poultry and to reduce losses in performance.	Water in Oil emulsion 1000 Doses packed in HDPE Bottle.	In-House (R&D-Globion India Pvt Ltd.)	Bacterins of Pasteurella multocida	Chicken
234	M/s Globion India Private Limited	12-19/Globion/2015-BD Vet	MF-100/2015	28.04.2015	Form-46	Inclusion Body Hepatitis (IBD) Vaccine, Inactivated I.P	For active immunization of chicken against Fowl Pox.	Lyophilized Vaccine 500, 1000 and 2000 Doses packed in Type-1 glass vials.	IVRI, Izatnagar,U.P	Fowl Pox virus, IVRI Strain	Chicken
235	M/s Globion India Private Limited	12-21/Globion/2015-BD Vet	MF-102/2015	28.04.2015	Form-46	Fowl Pox Vaccine Live freeze dried, I.P	For active immunization of chicken against Fowl Pox.	Lyophilized Vaccine 500, 1000 and 2000 Doses packed in Type-1 glass vials.	IVRI, Izatnagar,U.P	Fowl Pox virus, IVRI Strain	Chicken

236	M/s Globion India Private Limited	12-17/Globion/2015-BD Vet	MF-99/2015	28.04.2015	Form-46	Ranikhet Disease Vaccine Live Lentogenic Lasota Strain Freeze Dried, I.P	For active immunization of chicken against Ranikhet (Newcastle) disease and to prevent losses in performance	Lyophilized Vaccine 200, 500, 1000, 2500, 5000, 10000 Doses packed in Type-1 glass vials.	IVRI, Izatnagar,U.P	ND Virus, LaSota Strain	chicken
237	M/s Globion India Private Limited	12-20/Globion/2015-BD Vet	MF-101/2015	28.04.2015	Form-46	Ranikhet Disease Vaccine Live Lentogenic F strain, Freeze Dried, I.P	For active immunization of chicken against Ranikhet (Newcastle) disease and to prevent losses in performance	Lyophilized Vaccine 200, 500, 1000, 2500, 5000, 10000 Doses packed in Type-1 glass vials.	IVRI, Izatnagar,U.P	ND Virus, F Strain	Chicken
238	M/s Globion India Private Limited		MF -151/2015	30.06.2015	Form-46	Ranikhet (Newcastle) Disease Vaccine, Inactivated, LaSota Strain, Water in Oil emulsion, I.P.	For active immunization against Ranikhet (Newcastle) disease infections in poultry and to reduce losses in performance	Water in Oil emulsion 1000 Doses packed in HDPE Bottle.	IVRI, Izatnagar,U.P	ND Virus, LaSota Strain	Chickens
239	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-23/Venkat/2014-BD Vet	MF-46/2015	19.02.2015	Form-46	Avian Encephalomyelitis Vaccine, Inactivated
240	M/s Panav Bio-Tech, New Delhi	12-77/Panav/2014-BD Vet	IMP-55/2015	20.02.2015	Form-45	Combined Canine Distemper Canine Contagious Hepatitis, Infectious Laryngotracheitis, Canine Parvovirus and Canine parainfluenza
241	M/s Biovet Pvt Ltd., Karnataka	12-57/Biovet/2014-BD Vet	MF-60/2015	25.02.2015	Form-46	Bluetongue Vaccine Inactivated, Aluminium Hydroxide gel adjuvanted	Active immunization against Bluetongue disease in cattle, sheep & goat.	Liquid vaccine for subcutaneous route of administration in 100 ml Polypropylene bottle.	cattle, sheep & goat

242	M/s Sanofi Synthelabo India Ltd., Mumbai	12-36/Sanofi/2013-BD Vet	IMP-62/2015	03.03.2015	Form-45	Leptospira Canicol- Grippotyphosa Icterohaemorrhagiae Pomona Bacterin Vaccine, Inactivated
243	M/s Globion India Pvt Ltd	12-54/Globion/2013-BD Vet	IMP-75/2015	25.03.2015	Form-45	Avian Encephalomyelitis Vaccine, Calnek 1143 strain, Live aqueous suspension
244	M/s Panav Bio-Tech, New Delhi	12-78/Panav/2014-BD vet	IMP-82/2015	06-04.2015	Form-45	Combined Feline Panleukopenia Calicivirus and Rhinotracheitis vaccine for cat	For treatment of Feline Panleukopenia, Calicivirus and Rhinotracheitis in cat.	Suspension for subcutaneous route of administration Each 11.0 ml of product contains	cats
245	M/s Hipra India Pvt Ltd Pune	12-86/Hipra/2014-BD Vet	IMP-93/2015	21.04.2015	Form-45	Avian Infectious Coryza Vaccine, Live, IP
246	M/s Sanofi Synthelabo India Ltd., Mumbai	12-102/Sanofi/2014-BD Vet	IMP-104/2015	28.04.2015	Form-45	Mycoplasma Gallisepticum
247	M/s Ceva Polchem Pvt Ltd	12-89/Ceva/2014-BD Vet	IMP-107/2015	01.05.2015	Form-45	Ranikhet Disease Vaccine

248	M/s Hipra India Pvt Ltd Pune	12-74/Hipra/2014-BD Vet	IMP-162/2015	13.07.2015	Form-45	Ranikhet Disease vaccine Live Ip
249	M/s Hipra India Pvt Ltd Pune	12-75/Hipra/2014-BD Vet	IMP-161/2015	13.07.2015	Form-45	Combined Ranikhet Disease and Avian Infectious Bronchitis Vaccine, Live
250	M/s Hipra India Pvt Ltd Pune	12-88/Hipra/2014-BD Vet	IMP-168/2015	20.07.2015	Form-45	Avian Salmonella vaccine Inactivated IP
251	M/s Sanofi Synthelabo India Ltd., Mumbai	12-05/Sanofi/2015-BD Vet	IMP-163/2015	13.07.2015	Form-45	Infectious Coryza Vaccine Inactivated
252	M/s Biomed Pvt Ltd Ghaziabad	12-06/Biomed/2015-BD(VET)	MF-166/2015	14.07.2015	Form-46	Peste Des Petits Ruminants Live Attenuated Vaccine IP	For active immunization of Sheep and Goat against PPR	Freeze Dried Vaccine when reconstituted with diluent for subcutaneous route of administration presentation 20 and 100 dose vaccine in glass vial.	Sheep and Goat
253	M/s Hester Pharmaceuticals Ltd Gujrat	12-08/Hester/2015-BD Vet	MF-157/2015	10.07.2015	Form-46	Fowl Typhoid Vaccine Live

254	M/s Hester Pharmaceuticals Ltd Gujrat	12-07/Hester/2015-BD Vet	MF-156/2015	10.07.2015	Form-46	Inclusion Body Hepatitis Vaccine Inactivated IP
255	M/s Sanofi Synthelabo India Ltd., Mumbai	12-42/Sanofi/2014-BD Vet	IMP-201/2015	14.09.2015	Form-45	Fowl pox vaccine live DCEP25 modified strain	Vaccination of the hen species Broilers future layer pullets and futre breeders and turkeys against Fowl pox	injectable suspension for cutaneous route b transfixion into the wing membrane or by scarification on the outer side of the thigh Presentation 1000 doses of freeze dried vaccin in glass vial	DCEP25 modified strain	Turkeys
256	M/s Indovax Pvt Ltd.,	MF-Bulk 18/2016	08.02.2016	Bulk	Ranikhet Disease Vaccine Bulk
257	M/s Hester Pharmaceuticals Ltd Gujrat	IMP-19/2016	09.02.2016	Form-45	Quadrivalent Live Attenuated Coccidiosis Vaccine
258	M/s Indian Immunologicals Ltd., Hyderabad	MF-36/2016	01.03.2016	Form-46	Canine Parovirus Vaccine Live I.P	For active immunization against canine parovirus disease in dogs
259	M/s Zoetis India Ltd Mumbai	MF-69/2016	05.05.2016	Form-46	Combine Canine Distemper, Adenovirus Type 2, Coronavirus, Parainfluenza vaccine modified live and killed virus leptospira canicola gripotyphosa, Ictrehaemorrhagie, pomona bacterin	for vaccination of healthy dogs 6 weeks of age or older as an aid in preventing disease caused by CD virus CAV-1, CAV2, CPI virus CCV, CPV and CPV -2C, Leptospira Canicola L. Grippytyphosa L.icterohaemorrhagiae and L. Pomona

260	M/s Indovax Pvt Ltd.,	MF-Bulk-146/2017	23.08.2016	Bulk	Infectious Bursal Disease Vaccine Bulk, Bursa B2K Strain
261	M/s Indovax Pvt Ltd.,	MF-151/2016	02.09.2016	Form-46	New Castle Disease Vaccine Live, R2B Strain	For revaccination of Chickens above 6 weeks of age by intramuscular or subcutaneous route for prevention of Newcastle Disease. The vaccine is not recommended for administration earlier than the age suggested or for the birds that have not been primed earlier with Lentogenic strain. The vaccine will enhance protective antibodies in healthy birds, if administered at 6 weeks of age. It is recommended that immunity be boosted by repeating the vaccination at 16 weeks of age
262	M/s Zoetis India Ltd Mumbai	IMP-159/2016	22.09.2016	Form-45	Bursal Disease Vaccine, Live Virus,	for vaccination of Healthy Chickens as an aid in preventing infectious bursal disease
263	M/s Indovax Pvt Ltd.,	MF-161/2016	06.10.2016	Form-46	New Castle Disease Vaccine Live Lasota Strain	Vaccine is recommended for vaccination of chickens for prevention of Newcastle
264	M/s Intervet India Pvt Ltd Pune	12-50/Intervet/2015-BD VET	IMP-165/2016	06.10.2016	Form-45	Combined Avian infectious Bronchitis and Ranikhet Disease Vaccine Live, IP	Immunization of healthy chickens against infectious Bronchitis and Ranikhet Disease	Freeze Dried pellet form route of administration spray method drinking water application intranasal/intraocular application presentation glass vials of 1000 doses reconstituted with 36ml diluent and 2500 doses reconstituted with 90 ml diluent	live infectious bronchitis virus strain Ma5	chickens

265	M/s Stallen South Asia Pvt Ltd Pune	IMP-167/2016	17.10.2016	Form-45	Combined Ranikhet Infectious Bronchitis, Infectious Bursal and Avian Reovirus Vaccine, Inactivated	The Vaccine is recommended for the Vaccination of broiler and layer breeders against Newcastle Disease, Infectious Bronchitis, Infectious Bursal Disease and Avian Reovirus Infection.
266	M/s Stallen South Asia Pvt Ltd Pune	IMP-175/2016	28.10.2016	Form-45	Newcastle Disease Vaccine Inactivated	The vaccine is recommended for the active immunization against Newcastle Disease infection in Poultry.
267	M/s Sanofi Synthelabo India Ltd., Mumbai	IMP-182/2016	09.11.2016	Form-45	Newcastle Disease Vaccine, Live, I.P.	The Vaccine Induces an active Immunization of Chickens Against Newcastle Disease.
268	M/s Hester Pharmaceuticals Ltd Gujrat	MF-183/2016	10.11.2016	Form-46	Brucella abortus baccine live i.p S19 strain)	The vaccine is recommended for prophylactic vaccination against brucella abortus infection in female calves.
269	M/s Venkateshwara Hatcheries Pvt Ltd Pune	MF-188/2016	22.11.2016	Form-46	Avian infectious Bronchitis Vaccine Inactivated Massachusetts and Nephropathic Strains	For prevention/ control of avian infectious Bronchitis virus Massachusetts and Nephropathic Strains Infection in Poultry.
270	M/s Vesper Pharmaceuticals	MF-202/2016	06.12.2016	Form-46	Ranikhet disease vaccine inactivated lentogenic strain lasota I.p	To protect the poultry flocks against Ranikhet disease

271	M/s Sanofi Synthelabo India Ltd., Mumbai	IMP-211/2016	14.12.2016	Form-45	Newcastle Disease virus B1 type vaccine lasota strain live	Vaccination of healthy chickens at one day of age or older by eye drop or at two weeks of age or older using the drinking water or coarse aerosol spray method.
272	M/s Indovax Pvt Ltd	12-34/Indovax/2016-BD Vet	MF-212/2016	14.12.2016	Form-46	Fowl cholera vaccine inactivated	Protection of breeders and commercial birds against Fowl Cholera	Oil Emulsion Form Presentation 1000 Doses (500 mL)	Birds
273	M/s Venkateshwara Hatcheries Pvt Ltd Pune	MF-219/2016	21.12.2016	Form-46	Newcastle disease and avian infectious bronchitis Massachusetts and Nephropathic strains vaccine inactivated	For prevention/ control of Newcastle Disease and Avian Infectious Bronchitis Virus Massachusetts and Nephropathic Strains Infection in Poultry.
274	M/s Sanofi Synthelabo India Ltd., Mumbai	IMP-220/2016	21.12.2016	Form-45	Combined Newcastle Disease virus B1 Type Lasota Strain and infectious bronchitis virus mass type live freeze dried	Vaccination of Healthy chickens at 14 days of age or older using the eye dro or drinking water method or for the revaccination at 14 days of age or older using coarse aerosol spray as an aid in infectious bronchitis of the massachusetts serotype	Live Freeze dried for wing web route of administration presentation 500 doses and 1000 doses	Chickens
275	M/s Ceva Polchem Pvt Ltd	12-49/Ceva/2014-BD	IMP-48/2017	06.03.2017	Form-45	Fowl pox- Mycoplasma Gallisepticum Vaccine Live Fowl Pox Vector, Freeze-Dried Vaccine	The vaccine is recommended for the active immunization of chickens at least 8 weeks of age and turkeys at least 4 weeks of age against fowl pox virus and infectious form mycoplasma Gallisepticum. Vaccinate all Birds on a farm at same time do not vaccinate within 21 days of slaughter. product contains Gentamicin and amphotericin B as preservative
276	M/s Hipra India Pvt Ltd Pune	12-18/Hipra/2016-Vet	IMP-53/2017	09.03.2017	Form-45	Live attenuated vaccine against Avion Coccidiosis	For active immunization of chicks to reduce clinical signs. Intestinal lesions and oocysts outputs of coccidiosis caused by elimeria acervulina.	Oral Suspension and Solution Presentation 1000 doses 7ml 5000 doses 35ml and 10000 doses 70 ml	Chickens

277	M/s Zoetis India Ltd Mumbai	12-57/Zoetis/2015-Vet	IMP-57/2017	09.03.2017	Form-45	Feline Rhinotracheitis-calici-panleukopenia vaccine Modified live virus	Vaccination of healthy cats as an aid in preventive feline rhinotracheitis caused by feline herpesvirus 1 feline respiratory disease caused by feline calicivirus FCV and feline panleukopenia FPL caused by feline parvovirus.	Freeze Dried Vaccine Single dose each 1 ml single dose contains	F-9 strain	Cat
278	M/s Indovax Pvt Ltd	12-46/Indovax/2015-Vet	MF-58/2017	16.03.2017	Form-46	New Castle Disease Clone Vaccine Live Lasota Forte B.P	Vaccine is recommended for revaccination of chickens for prevention of Newcastle disease at 2 weeks of age and above the product in the absence of mild lentogenic strain, such as F strain may also be given as the initial vaccination at 5-10 days of age by oculo-nasal route to chicks free from mycoplasma infectious.	Freeze dried pellet form for oral /ocular nasal administration after reconstitution 100, dose 200, dose 500, 1000, 2000, 5000, dose	New castle disease F Strain Virus	Chickens
279	M/s Indovax Pvt. Ltd.,	12-03/Indovax/2017-BD Vet	MF-Bulk 59/2017	16.03.2017	Form-46A	Avian Infectious Bronchitis Vaccine Live Bulk	Name of raw material new bulk drug substance
280	M/s Biomed Pvt Ltd Ghaziabad	12-33/Biomed/2016-Vet	MF-72/2017	05.04.2017	Form-46	Clastidium Perfringens Vaccine, Inactivated, I.P	For active immunization against Enterotoxamia caused by infection with clostridium Perfringens Type D in Sheep, Goat and Pigs.	Liquid Vaccine Presentation 50 doses 100 ml vial	Sheep Goat and pigs.
281	M/s Indovax Pvt. Ltd.,	12-08/Indovax/2017-BD Vet	MF-76/2017	12.04.2017	Form-46	Infectious Brusal vaccine intermediate strain live bp	Vaccine is recommended for primary vaccination and revaccination of chickens for the prevention of infectious bursal disease Gumboro	Freeze dried pellet form for oral /ocular nasal administration after reconstitution 100, dose 200, dose 500, 1000, 200,0 5000, dose presentation along with sterile diluent	Chickens
282	M/s Intervet Inida Pvt Ltd Pune	12-23/Intervet/2016-Vet	IMP-79/2017	19.04.2017	Form-45	Infectious Coryza vaccine I.P	Active immunization of chickens to reduce infection and clinical signs of infectious coryza caused by avibacterium paragllinarum. The protective effects are demonstrated from 3 weeks up to at least 49 weeks post vaccination	Suspension for injection water in oil emulsion subcutaneous route 500 ml 1000 doses	Chickens

283	M/s Indovax Pvt. Ltd.,	MF-86/2017	25.04.2017	Form-46	New Castle Disease (Clone) Vaccine Live Lasota Forte B.P	Vaccine is recommended for revaccination of chickens for prevention of newcastle disease at 2 weeks of age and above the product in the absence of mild lentogenic strain such as F strain may also nbe given as the intital vacciantion at 5-10 days of age by oculonasal route to chicks free from Mycoplasma infections.	Chickens
284	M/s Sanofi Synthelabo India Ltd., Mumbai	12-117/Sanofi/2013-VD	IMP-93/2017	02.05.2017	Form-45	Bursal disease marek's disease vaccine serotype 3 live marek's disease	use in healthy one -day old chickens and healthy 18 to 19 day old chicken embryos as an aid in the prevention of Marek's Disease and Infectious Bursal Disease.	Frozen Vaccine for subcutaneous 0.2 ml dose under loose skin at the back of the neck of chicken or in ovo 0.05 ml dose into each embryonated egg presntation 2000 and 4000 doses	Chickens
285	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-09/Venkat/2017-BD Vet	MF-94/2017	02.05.2017	Form-46	Fowl cholera vaccine inactivated T1, T3 And T4 Serotypes) I.P CH/80 Live cloned vaccine manufactured	Intended for use in commercial and breeder birds for immunity against Fowl Cholera Infection in Poultry.and chicks intended for later use as layers and breeders.	Injectable Bacterial Inactivated Vaccine in oil emulsion form by subcutaneous or intramuscular route presentation 1000 doses	Chickens
286	M/s Hipra India Pvt Ltd Pune	12-68/Hipra/2014-BD Vet	IMP-95/2017	02.05.2017	Form-45	Infectious Bursal Disease IP Cloned Vaccine	chicks intended for later use as layers and breeders	Lyophilisate for suspension for oculonasal drinking water or spray route presentation 200 1000 & 10000 doses	Chickens
287	M/s Ceva Polchem Pvt Ltd	12-92/Ceva/2014-BD	IMP-109/2017	17.05.2017	Form-45	Marek's Disease Newcastle Disease vaccine Serotype 2 & 3, Live Virus, Live Marek's Disease	The Vaccine is recommended in prevention of newcastle disease caused by newcastle disease virus and Marek's diseae caused by very virulent marek's disease virus	Live Frozen vaccine for in ovo subcutaneous route presentation 1000 doses	Chickens
288	M/s Ceva Polchem Pvt Ltd	12-70/Ceva/2014-BD Vet	IMP-110/2017	17.05.2017	Form-45	Infectious Bursal Disease Vaccine Live I.P	The Vaccine is recommended for active immunization of healthy 18 days old embryos and healthy day-old embryos and healthy day-old chicks against the disease caused by classical and very virulent strains of very virulent strains of infectious bursal disease IBD or Gumboro disease virus	Freeze dried for in ovo or subcutaneous route along with diluents Presentation 2000 and 8000 doses	Chickens

289	M/s Venkateshwara Hatcheries Pvt Ltd Pune	MF-132/2017	13.06.2017	Form-46	Infectious Coryza vaccine Inactivated A,B, C2 and C3 Serotype) I.P	For prevention /control of infectious Coryza infection in poultry
290	M/s Ceva Polchem Pvt Ltd	IMP-133/2017	13.06.2017	Form-45	Combined Newcastle Disease and Marek's Disease Vaccine Serotype 3 Live Virus Marek's Disease Vector	The Vaccine is recommended for use in 18 to 19 day old embryonating eggs or in day old chicks as an aid in the prevention of newcastle disease caused by newcastle disease virus and Marek's Disease Caused by marek's disease virus
291	M/s Panav Bio-Tech, New Delhi	IMP-149/2017	03.07.2017	Form-45	Himmvac Hog Cholera (T/C) vaccine	Himmvac Hog Cholera (T/C) Vaccine is for vaccination of healthy pigs, as an aid in the prevention of hog cholera.
292	M/s Veterinary Biological and Research Institute, Andhra Pradesh	12-13/VBRI/2017-Vet	MF-250/2017	20.10.2017	Form-46	Duck Plague Vaccine live attenuated freeze dried of chick embryo origin	For protection against Duck Plague Disease in Ducks	Dose of the vaccine is 0.5 ml presentation 2ml vial of 200 doses	Ducks
293	M/s Ceva Polchem Pvt Ltd	12-30/Ceva/2015-BD Vet	IMP-159/2017	07.07.2017	Form-45	Infectious Bursal Disease live freeze dried Vaccine	for the active immunization of healthy chicken against the disease caused by very virulent strains of infectious bursal disease Gumboro Disease Virus	Live freeze dried vaccine presentation 500 1000 2500 and 5000 doses	Chickens
294	M/s Venkateshwara Hatcheries Pvt Ltd Pune	MF-178/2017	20.07.2017	Form-46	Newcastle Disease	for prevention /Control of

295	M/s Japfa Cmfeed India Pvt Ltd	12-11/Japfa/2016-BD	MF-186 2017	03.09.2017	Form-46	Combined Inactivated Vaccine of Avibacterium Paragallinarum Serotype A 0083 strain serotype B sross strain and V5 Strain and Serotype C Modesto strain in oil emulsion	vaccination in chicken and other birds of all ages to protect them against infectious Coryza by stimulating high immunity against this disease	Inactivated vaccine in oil emulsion in 500 doses /bottle and 1000 doses bottle for subcutaneous or intramuscular injection	Serotype A 0083 Strain Serotype B sross strain Serotype B V5 Strain Serotype C modesto Strain	Chicken
296	M/s Sanvita Biotechnologies Pvt Ltd	12-18/Sanvita/2017-VD	IMP-231/2017	29.09.2017	Form-45	Brucella Abortus Vaccine Live S19	For active immunization fo female cattle and buffaloes calves of age 4-8 months against Brucella abortus infections.	Lyophilized vaccine after reconstitution for subcutaneously route of administration	Cattle and Buffaloes calves
297	M/s Intas Pharmaceuticals Ahmedabad	12-27/Intas/2011-VD	IMP-275/2017	18.12.2017	Form-45	Canishot K5-CV Vaccine Live canine Distemper Virus canine adenovirus type2 canine parvovirus and canine parainfluenza virus combined freeze dried vaccine and killed canine coronavirus in a diluents combined vaccine	An aid for the prevention of canine distemper infection, canine hepatitis canine parvovirus infection canine para influenza infection and Coronavirus infection in dogs	Combined Feeze dried vaccine given by Subcutaneous route around the shoulder area	canine adenovirus type 2 cav 2 strainmanhattan	Dogs
298	M/s Intervet Inida Pvt Ltd Pune	12-04/Intervet/2016-BD Vet	IMP-18/2018	04.01.2018	Form-45	Live Attenuated freeze dried mycoplasma synoviac strain MS1 Nbobilis MS Live	Active Immunization of healthy chickens to reduce the clinical signs and egg production loss by Mycoplasma Synoviac Infection.	Live freeze dried pellet form in pack of 500, 1000 or 2000 doses	Chickens
299	M/s Intervet Inida Pvt Ltd Pune	12-101/Intervet/2014/BD Vet	IMP-23/2018	08.01.2018	Form-45	Mareks Disease Newcastle disease vaccine setotype 3 live mareks disease vector Innovac -ND	Vaccination for healthy 18 day old chicken embryos by the in ovo route or one of the day-old chickens by the subcutaneous route as an aid in the prevention of marek's disease and New castle disease	Frozen cell suspension for subcutaneous or in ovo vaccination	Chickens
300	M/s Intas Pharmaceuticals Ahmedabad	12-34/Intas/2011-BD Vet	IMP-93/2017	09.03.2018	Form-45	Canishot DHPPL Live canine Distemper virus canine adenovirus canine parvovirus canine parainfluenza virus freeze dried solid and leptospira bacterins as a diluent combined vaccine	an aid for the prevention of canine distemper infection, canine hepatitis canine parvovirus infection canine para influenza infection and Coronavirus infection in dogs	Combined freeze dried solid vaccine given by intradermally or intramuscularly	Dogs

301	M/s Globion India Pvt Ltd	12-01/Globion/2017-BD Vet	MF-87/2018	06.03.2018	Form-46	Newcastle Ranikhet Disease inclusion body Hepatitis vaccine combined inactivated vaccine	For active immunization of chickens against ranikhet disease and inclusion body hepatitis disease	Oil in water emulsion in HDPE bottles 500 doses in 250 ml and 1000 doses in 500 ml.	Chickens
302	M/s Globion India Pvt Ltd	12-02/Globion/2017-BD Vet	MF-96/2018	13.03.2018	Form-46	New Castle Ranikhet Disease and Fowl Cholera Vaccine Combined Inactivated	For active immunization Chickens against ranikhet disease and Fowl Cholera	Water in oil emulsion in HDPE bottles of 250 ml in 500 doses and 500 ml in 1000 doses.	Water in oil emulsion in HDPE bottles of 250 ml in 500 doses and 500 ml in 1000 doses	Chickens
303	M/s Intervet India Pvt Ltd Pune	12-56/Intervet/2014-BD Vet	IMP-95/2018	13.03.2018	Form-45	Combined Feline Calicivirus Feline Rhinotracheitis and feline panleucopenia vaccine	active immunization for cats to reduce clinical signs and virus excretion caused by an infection with feline calicivirus feline rhinotracheitis virus	Lyophilisate and solvent for suspension for injection each dose of 0.5 ml Contains	Cats
304	M/s Indian Immunologicals Ltd., Hyderabad	12-01/IIL/2016-BD Vet	MF-106/2018	22.03.2018	Form-46	Brucella abortus strain 19 conjunctival vaccine live freeze dried	Use for the prevention of Bovine Brucellosis in female calves non pregnant non lactating cows and buffaloes Primary prevention of Brucella infection in cattle	Freeze dried vaccine for conjunctival use after reconstitution	Brucella Abortus Cotton Strain 19	Cows and Buffaloes
305	M/s Veterinary Biological and Research Institute, Hyderabad	12-11/VBRI/2017-BD Vet	MF-113/2018	02.04.2018	Form-46	Ranikhet Disease Vaccine Live mesogenic K strain Ip	For Protection against Fowl Pox disease	Dose of the vaccine is 0.5 ml for subcutaneous route of administration
306	M/s Veterinary Biological and Research Institute, Hyderabad	12-12/VBRI/2017-BD Vet	MF-134/2018	01.05.2018	Form-46	Fowl pox vaccine live attenuated freeze dried vaccine	for protection against fowl pox disease in poultry	Lyophilized vaccine dose of the vaccine is 0.025 ml	Chickens

307	M/s Veterinary Biological and Research Institute, Hyderabad	12-10/VBRI/2017-BD Vet	MF-136/2018	03.05.2018	Form-46	Ranikhet disease vaccine lentogenic F strain IP	As per primary vaccination for protection against ranikhet disease in young chicks up to one weeks of age	0.1 mL of the reconstituted vaccine for intra nasal and intra ocular for subcutaneous route of administration	Chickens
308	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-37/Sanofi/2016-BD-vet	IMP-173/2018	12.06.2018	Form-45	Brusal Disease vaccine live virus IP	the vaccine recommended for the healthy chickens as an aid in the prevention of bursal disease via subcutaneous injection of chickens at one day of the age or in ovo vaccination of 18 to 19 days old embryonated eggs.	Freeze dried Vaccine	Chickens
309	M/s Indovax Pvt Ltd	MF-254/2018	20.10.2018	Form-46	New Disease vaccine Lasota Strain Inactivated Encivax	The vaccine is recommended for protection against Newcastle disease by boosting up the immunity of flocks previously vaccinated with the vaccine	Oil Emulsified liquid vaccine inactivated 1000 doses in 500 ml
310	M/s Indian Immunologicals Ltd., Hyderabad	4/IIL-119/BAS/2009-DC	MF-255/2018	29.10.2018	Form-46	Brucella Abortus Strain-19 Vaccine live freeze dried	for the prevention of Bovine Brucellosis in female calves of 4 to 8 months of age	live freeze dried Vaccine to reconstituted with supplied diluent 5 dose vial with 10 ml sterile diluent 10 dose vial with 10 ml sterile diluent 20 dose vial with 10 ml sterile diluent	Calves
311	M/s Intervet Inida Pvt Ltd Pune	IMP-18/2018	04.01.2018	Form-45	Live attenuated freeze dried mycoplasma synoviae strain MS1 Nobilis MS live	Active immunization of Healthy chickens to reduce the clinical signs and egg production lossy by mycoplasma synoviae infection	Live freeze dried pellet form in pack of 500, 1000 or 2000 doses
312	M/s Intervet Inida Pvt Ltd Pune	IMP-23/2018	08.01.2018	Form-45	Mareks disease newcastle disease vaccine serotype 3 live mareks disease vector innovax ND	The vaccine is recommended for the vaccination of healthy 18 day old chicken embryos by the in ovo route or of one day old chickens by the subcutaneous route as an aid in the prevention of mareks disease and newcastle disease	Frozen cell suspension for subcutaneous or in ovo vaccination

313	M/s Intas Pharmaceuticals Ahmedabad	12-34/Intas/2011-BD/Vet	IMP-93/2018	09.03.2018	Form-45	Canishot DHPPL Live canine Distemper virus canine adenovirus canine parvovirus canine parainfluenza virus freeze dried solid and leptospira bacterins as a diluent combined vaccine	Anaid for the prevention of canine distemper infection canine hepatitis canine parovirus infection canine parainfluenza infection and leptospira infection in dogs	Combined freeze dried solid vaccine given by intradermally or intramuscularly
314	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-54/Sanofi/2015-BD Vet	IMP-202/2018	30.07.2018	Form-45	Mareks disease vaccine serotype 2 live virus	The vaccine is recommended for use in healthy one day old chickens and healthy 18 days old chickens embryos as an aid in the prevention of mareks disease	Injectable Each 0.2 ml dose of vaccine contains	Chickens
315	M/s Cadila Healthcare Ltd	12-17/Cadila/2017-BD Vet	IMP-249/2018	15.10.2018	Form-45	Infectious Coryza Inactivated oil emulsion vaccine IC Quardo	The vaccine is intended for use in layers and breeders against infectious Coryza caused by different strains of avibacterium paragallinarum	Water in oil emulsion vaccine subcutaneous route 300 ml bottles in 1000 doses and 600 ml bottles in 2000 doses	Chickens
316	M/s Cadila Healthcare Ltd	12-15/Cadila/2017-BD Vet	IMP-260/2018	05.11.2018	Form-45	Live infectious bursal disease MB Strain vaccine MB1	For the early protection of chicks in the presence of maternally driven antibodies MDA to reduce the mortality and morbidity associated with infection caused by IBDV vaccinated at 1 day of age chicks by subcutaneous SC injection or by in ovo injection 18 days embryonated	Lyophilized for suspension in sterile diluent sterile PBS or sodium lactate or Dextrose 5% or Nss 0.9% For injection to 18 day old embryonated eggs or to 1 day old chicks	MB Strain Vaccine MB1	Chickens
317	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-16/VHPL/2018-VD	MF-36/2019	18.03.2019	Form-46	Fowl Cholera T1 T3 and T4 Serotypes and infectious coryza A, B, C2 and C3 Serotypes Vaccine Inactivated	For immunization of chickens against Fowl Cholera Pasteurella multocida and infectious Coryza avibacterium paragallinarum infections.	Combined injectable inactivated vaccine water in oil emulsion form	Chickens
318	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-21/VHPL/2018-VD	MF-37/2019	18.03.2019	Form-46	Mycoplasma Gallisepticum vaccine Inactivated	For immunization of chickens against mycoplasma gallisepticum infection	Combined injectable inactivated vaccine water in oil emulsion form	Chickens

319	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-14/VHPL/2018-VD	MF-63/2019	20.05.2019	Form-46	Avian Encephalomyelitis and inclusion body hepatitis IBH Hydropericardium Syndrome HPS vaccine Inactivated	for prevention control of avian encephalomyelitis and inclusion body hepatitis virus infection in poultry	Combined injectable inactivated vaccine water in oil emulsion form	Chickens
320	M/s Indian Immunologicals Ltd., Hyderabad	12-09/IIL/2018-VD	MF-64/2019	20.05.2019	Form-46	Classical Swine Fever Vaccine Live IP Lyophilized	Classical swine fever vaccine live is indicated for active immunization of pigs to reduce clinical signs and infection of classical swine fever	Live freeze dried vaccine to be reconstituted with the supplied diluent sterile WFI	Pigs
321	M/s Indian Immunologicals Ltd., Hyderabad	12-02/IIL/2018-BD-VET	MF-134/2019	18.10.2019	Form-46	Canine adenovirus CAV-2 parainfluenza virus vaccine live and bordetella bronchiseptica vaccine in	For active immunization against canine adenovirus CAV2 parainfluenza virus vaccine live and bordetella Bronchiseptica infections in dogs	After reconstitution of freeze dried vial with liquid component vial the vaccine appears in the form of suspension	Dog
322	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-34/VHPL/2019/VD	MF-136/2019	29.10.2019	Form-46	Infectious Bursal Disease Vaccine Live Master Plus Clone IP	Prevention/Control of infectious Bursal virus infection in poultry	Live viral vaccine presented in freeze dried pellet form in type I Glass/Tubular Glass Vials	Chicken
323	M/s Cadila Healthcare Ltd	12-06/Zydus/2018-BD Vet	IMP-106/2019	14.08.2019	Form-45	Combined Newcastle disease VH strain and infectious bursal disease virus vp2 protein inactivated oil emulsion vaccine gumbin vp2	for active immunization of chickens to reduce mortality clinical signs and lesions associated with infections caused by every virulent strains of newcastle disease and infectious bursal disease	water in oil emulsion vaccine 1000 doses in 500 ml Bottle	Chicken
324	M/s Zoetis India Ltd Mumbai	12-48/Zoetis/2015-BD Vet	IMP-123/2019	24.09.2019	Form-45	Canine Distemper adenovirus type2 parainfluenza parvovirus vaccine modified live virus leptospira canicola grippotyphosa icterohaemorrhagiae pomona vacterin	For vaccination of healthy dogs 6 weeks of age or older as an aid in preventing disease caused by CD virus CAV-1, CAV2, CPI virus CPV and CPV -2C, Leptospira Canicola L. Grippotyphosa L.icterohaemorrhagiae and L. Pomona	subcutaneous injection for use in dogs	Dog

325	M/s Brilliant Biopharma Ltd.,	12-26/Brilliant/2019-VD	MF-173/2019	26.12.2019	Form-46	Bluetongue Vaccine Inactivated IP gel Adjuvanted	For prophylactic use against Bluetongue Disease in Sheep and Goats	Biological Vaccine Pack of 20 mL 30 mL 50mL 100 mL and 200 mL	Sheep and Goats
326	M/s Intervet Inida Pvt Ltd Pune	12-23/Intervet/2018-VD	IMP-09/2020	21.01.2020	Form-45	Cell associated live recombinant herpes virus of turkey strain HPV360	For active immunization of one- day old chicks to reduce mortality and clinical signs causes by Newcastle disease ND Virus to prevent mortality and to reduce clinical signs and lesions of infectious bursal disease IBD virus to reduce mortality clinical signs and lesions caused by marek's Disease (MD) virus	Vaccine is frozen cell associated suspension for injection 2000 doses vials	Chicken
327	M/s Ceva Polchem Pvt Ltd	12-01/Ceva/2019-VD	IMP-10/2020	21.01.2020	Form-45	Newcastle Disease Virus and avian infectious bronchitis virus live freeze dried vaccine	For active immunization of healthy day-old chicks against Newcastle disease and infectious bronchitis virus	Live freeze dried vaccine, 1000 and 2000 doses vials	Chicken
328	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-39/VHPL/2019-VD	MF-12/2020	27.01.2020	Form-46	Avian Reo Virus Vaccine Live IP	Prevention/Control of Avian Reo Virus Infection in Poultry.	Live Viral Vaccine Presented in Freeze dried pellet form 1000 doses in glass vial	Chicken
329	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-40/VHPL/2019-VD	MF-13/2020	27.01.2020	Form-46	Chicken Infectious Anaemia Vaccine Live IP	Prevention/Control of Chicken Infectious Anaemia Virus Infection in Poultry.	Live Viral Vaccine Presented in Freeze dried pellet form 1000 doses in glass vial	Chicken
330	M/s Brilliant Biopharma Ltd.,	12-12/Brilliant/2019-VD	MF-21/2020	07.02.2020	Form-46	NSP (Non-structural protein) free foot and Mouth Disease Vaccine Inactivated HIS	For Prophylactic vaccination and DIVA (Differentiating infected from Vaccinated Animals Strategy against Foot and Mouth Disease in cloven hoofed animals such as cattle, buffaloes, pigs, sheep and goats.	Biological Vaccine pack of 20mL, 30mL 100 mL & 200mL	Cattle

331	M/s Lalpet Products,	12-17/Lalpet/2018-VD	IMP-65/2020	23.04.2020	Form-45	Foot and Mouth Disease+ Haemorrhagic Septicaemia Vaccine	Cattle
332	M/s Indovax Pvt Ltd	12-11/Indovax//2018-VD	Bulk-53/2020	18.03.2020	Bulk Drug	Newcastle Disease vaccine bulk live (R2B Strain)
333	M/s Brilliant Biopharma Ltd.,	12-33/Brilliant/2019-VD	MF-79/2020	12.05.2020	Form-46	Foot and mouth Disease+ Haemorrhagic Septicaemia Vaccine	For prophylactic vaccination against both foot and mouth disease and pasteurella multocida in cloven hoofed animals such as cattle buffaloes, sheep and goats.	Biological (Vaccine) Pack of 20MI, 30MI, 50mL, 100mL, & 200 ml.	Goat
334	M/s Japfa Comfeed India Pvt. Ltd,	12-08/Japfa/2016-VD	IMP-89/2020	20.05.2020	Form-45	Combined inactivated vaccine of Newcastle disease of genotype VII and infectious bronchitis multi strains in oil emulsion	Use vaccination in chickens and other birds of all ages to protect them against ND and IB by stimulating high immunity against these disease.	Inactivated vaccine in Oil Emulsion.	Chicken
335	M/s Japfa Comfeed India Pvt. Ltd,	12-09/Japfa/2016-VD	IMP-90/2020	20.05.2020	Form-45	Combined Newcastle Disease Ulster Strain and infectious Bronchitis H 120strain, Live vaccine freeze dried	Use vaccination in chickens and other birds of all ages to protect them against ND and IB by stimulating high immunity against these two disease.	Freeze dried vaccine for eye drop intranasal, drinking water or spray administration	Chicken
336	M/s Japfa Comfeed India Pvt. Ltd,	12-07/Japfa/2016-VD	IMP-91/2020	20.05.2020	Form-45	Combined Inactivated vaccine of Newcastle disease of genotype vial infectious bronchitis multi strains and EDS76 in oil emulsion	Use vaccination in chickens and other birds of all ages to protect them against ND IB and EDS by stimulatoin high immunity against these disease	Inactivated vaccine in oil emulsion. For SC or IM Injection	Chicken

337	M/s Indovax Pvt Ltd	12-24/Indovax/2015-BD Vet	MF-100/2020	01.06.2020	Form-46	Salmonella vaccine inactivated IP	For protection of commercial layers and breeders against Fowl Typhoid Disease.	Oil Emulsified liquid vaccine route of administration for subcutaneous injection 1000 doses	Chicken
338	M/s Indovax Pvt Ltd	12-23/Indovax/2015-BD VET	MF-124/2020	15.07.2020	Form-46	Newcastle Disease Vaccine- Mesogenic Strain, Inactivated IP (Vet)	For protection against Newcastle Disease by boosting up the immunity of flocks previously vaccinated with live vaccines.	Water in oil emulsion vaccine in 1000 doses presentation inject 0.5 ml dose subcutaneously or intramuscularly	Chicken
339	M/s Institute of Animal Health And Veterinary Biologicals	12-45/IAHVB/2019-VD	MF-160/2020	28.07.2020	Form-46	Anthrax Spore Vaccine Live IP	Prophylactic Vaccination of Healthy Animals Like Cattle And Buffalo above six months of age	Live vacterial vaccine for subcutaneous route of administration 100 ml glass vial	Buffalo
340	M/s Institute of Animal Health And Veterinary Biologicals	12-47/IAHVB/2019-VD	MF-161/2020	04.08.2020	Form-46	Ranikhet Disease Vaccine Live (Lentogenic Strain),IP	For Prophylactic Vaccination against Ranikhet Disease in Chickens and/or other avian species.	Live viral vaccine in freeze dried form 200 doses in 5 ml Glass vial	Chicken
341	M/s Institute of Animal Health And Veterinary Biologicals	12-49/IAHVB/2019-VD	MF-166/2020	05.08.2020	Form-46	Peste Des Petits Ruminants Vaccine Live IP	Recommended for active immunization against peste des petits Ruminants in sheep and goats above three months of age	Freeze Dried Vaccine for subcutaneous route of administration	Goat
342	M/s Institute of Animal Health And Veterinary Biologicals	12-44/IAHVB/2019-VD	MF-167/2020	05.08.2020	Form-46	Blackquarter Vaccine ,IP	Recommended for active immunization against black quarter in cattle and buffaloes.	Liquid Vaccine for subcutaneous use 5 ML Glass Vial	Cattle

343	M/s Institute of Animal Health And Veterinary Biologicals	12-48/IAHVB/2019-VD	MF-165/2020	05.08.2020	Form-46	Rabies Veterinary vaccine inactivated (cell culture)IP	For active immunization against rabies in dogs cats and other mammal.	Liquid vaccine for subcutaneous route single dose and 5 doses	Dog
344	M/s Institute of Animal Health And Veterinary Biologicals	12-43/IAHVB/2019-VD	MF-168/2020	05.08.2020	Form-46	Haemorrhagic Septicaemia Vaccine Inactivated IP	Haemorrhagic Septicaemia In cattle and buffaloes	Liquid vaccine for subcutaneous use 5 ml glass vial	Buffalo
345	M/s Institute of Animal Health And Veterinary Biologicals	12-51/IAHVB/2019-VD	MF-172/2020	07.08.2020	Form-46	Enterotoxaemia Vaccine, Inactivated IP	Recommended for active immunization against enterotoxaemia for sheep and goats.	Liquid Vaccine for subcutaneous use 100 Doses in PP vial	Goat
346	M/s Institute of Animal Health And Veterinary Biologicals	12-46/IAHVB/2019-VD	MF-162/2020	07.08.2020	Form-46	Ranikhet Disease Vaccine Live (Mesogenic Strain IP	For Prophylactic Vaccination against Ranikhet Disease in chickens.	Live Viral Vaccine in Freeze Dried Form	Chicken
347	M/s Hester Pharmaceuticals Ltd Gujrat	12-14/Hester/2020-VD	MF-173/2020	07.08.2020	Form-46	Brucella Abortus (Strain- 19) Vaccine,Live Freeze Dried	For prophylactic calf-hood vaccination against Brucella Abortus S19 Strain to Female Calves only.	Freeze Dried Vaccine to be reconstitution with the supplied diluent 5 dose vial	brucella Abortus Bacteria S 19 Strain	Female Calves
348	M/s Biovet Pvt Ltd., Karnataka	12-35/Biovet/2019-VD	MF-179/2020	10.08.2020	Form-46	Brucella abortus (strain 19) vaccine live IP (vet)	For active immunization of animals against brucellosis disease	Freeze dried vaccine for subcutaneous route of administration	Freeze dried Brucella Abortus Live strain S 19	Cattle

349	M/s Brilliant Biopharma Ltd.,	12-60/Brilliant/2019-VD	Bulk-183/2020	11.08.2020	Bulk	Foot and Mouth Disease Concentrated Bulk, Antigen, Inactivated IHS
350	M/s Brilliant Biopharma Ltd.,	12-05/Brilliant/2020-VD	Bulk-209/2020	04.09.2020	Bulk	Rabies Veterinary Concentrated Bulk, Antigen Inactivated, HIS.
351	M/s Cadila Healthcare Ltd	12-04/Zydus/2018-VD	IMP-211/2020	07.09.2020	Form-45	For active immunization of chickens to reduce mortality clinical signs and lesions associated with infections caused by very Virulent strains of Newcastle disease infectious bronchitis infectious bursal disease and viral arthritis reo virus	Combined Newcastle Disease VH Strain Infectious Bronchitis M-41 Strain, Infectious Bursal Disease Virus VP2 Protein and viral arthritis Reo Virus S1133 Strain, Inactivated oil emulsion vaccine	Water in oil emulsion vaccine 500ml HDPE Bottles (1000 doses)	Chicken
352	M/s Sanvita Biotechnologies Pvt Ltd	12-22/Sanvita/2017-VD	MF-215/2020	10.09.2020	Form-46	For immunization against brucellosis disease in cattles.	Brucella Abortus S19 Vaccine Sanbru-O	Freeze dried vaccine for subcutaneous route of administration after reconstitution.	Cattle
353	M/s Biovet Pvt Ltd., Karnataka	12-18/Biovet/2019-VD	MF-192/2020	19.08.2020	Form-46	For active immunization of animals against foot and mouth Disease and haemorrhagic Septicaemia Disease Infection	Combined foot and mouth disease and Haemorrhagic Septicaemia Inactivated, vaccine Oil	Liquid Injection for intramuscular route of administration 30ml:30mlpp vial 10 doses 90ml:100ml pp vial 300 doses	Cattle
354	M/s Hester Pharmaceuticals Ltd Gujrat	12-27/Hester/2019-VD	MF-230/2020	28.09.2020	Form-46	To be used against the marek's disease in day old chicks.	Marek's Disease Vaccine live ip frozen Sb1 strain	Frozen vaccine to be used subcutaneously after reconstitution with diluent.	Chicken

355	M/s Intervet Inida Pvt Ltd Pune	12-01/Intervet/2018-VD	IMP-246/2020	12.10.2020	Form-45	For active immunization of layers in order to induce immunity against salmonella gallinarum infection	Live vaccine against salmonella gallinarum organism strain 9R	live vaccine in freeze dried pellet form for subcutaneous route of administration after reconstitution presentation 1000 doses	Chicken
356	M/s Hester Pharmaceuticals Ltd Gujrat	12-36/Hester/2019-VD	MF-245/2020	12.10.2020	Form-46	To be used in breeder hens to give broad protection against avian encephalomyelitis virus	Infectious avian encephalomyelitis vaccine inactivated van roekel strain	Emulsion for injection water/ oil/ water	Chicken
357	M/s Hipra India Pvt Ltd Pune	12-29//Hipra/2019-VD	IMP-258/2020	21.10.2020	Form-45	Inactivated Vaccine against Newcastle Diseae	To prevent Newcastle Disease in broiler layers and breeders.	Emulsion for injection for intramuscular or subcutaneous route of administration presentation 1000 doses	Chicken
358	M/s Hester Pharmaceuticals Ltd Gujrat	12-12/Hester/2018-VD	MF-275/2020	12.11.2020	Form-46	To be used against Newcastle disease in poultry	Newcastle Disease Vaccine, Live Nano (Lasota Strain)	Calcium phosphate coupled freeze dried vaccine for oculo- nasal route of administration	Chicken
359	M/s Hipra India Pvt Ltd Pune	12-22/Hipra/2018-VD	IMP-279/2020	23.11.2020	Form-45	For active immunization of chicks from 1 day of age against coccidiosis caused by Eimeria acervulina, Eimeria Maxima, Eimeria Mitis, Eimeria Praecox and eimeria tenella to reduce clinical signs,	Live Attenuated Vaccine, Avian Coccidiosis (Evant),	Suspension for Oral Spray. Presentation 1000 doses (7ml), 5000 doses (35ml) and 10,000 doses (70ml)	Chicken
360	M/s Indovax Pvt Ltd	12-10/Indovax/2020-VD	MF-299/2020	18.12.2020	Form-46	Infectious bursal disease (Gumboro) in broiler Chicks.	Infectious Bursal Disease Vaccine Invasive Intermediate Strain, Live IP	Live vaccine in freeze dried pellet form for oral/ocular route of administration after reconstitution.	Chicken

361	M/s Indovax Pvt Ltd	12-12/Indovax/2020-VD	MF-298/2020	18.12.2020	Form-46	Recommended for initial vaccination of chickens for prevention of infectious bronchitis disease.	Avian Infectious Bronchitis Vaccine, Live, IP	Live vaccine in freeze dried pellet form for oral/ocular/nasal route of administration after reconstitution.	Chicken
362	M/s Indovax Pvt Ltd	12-11/Indovax/2020-VD	MF-300/2020	18.12.2020	Form-46	Use in healthy one day old chicks for the prevention of Marek's disease.	Marek's Disease vaccine (turkey herpes virus) live. IP	Live vaccine in freeze dried pellet form for oral/ocular/nasal route of administration after reconstitution.	Chicken
363	M/s Vesper Pharmaceuticals	12-11/Vesper/2019-VD	MF-295/2020	18.12.2020	Form-46	Used to protect the poultry flocks against Ranikhet disease and infectious bursal disease. Combined Vaccine Inactivated	Ranikhet Disease and infectious bursal disease combined vaccine inactivated	0.5mL subcutaneous injection in the back of the neck or intramuscular in the breast muscles.	Ranikhet disease virus inactivated lentogenic strain Lasota	Chicken
364	M/s Vesper Pharmaceuticals	12-07/Vesper/2019-VD	MF-296/2020	18.12.2020	Form-46	Used to protect the poultry flocks against avian infectious bronchitis Disease	Avian Infectious Bronchitis vaccine inactivated IP	0.5 mL Subcutaneous injection in the back of the neck or intramuscular in the breast muscles.	Chicken
365	M/s Vesper Pharmaceuticals	12-10/Vesper/2019-VD	MF-297/2020	18.12.2020	Form-46	Used to protect the poultry flocks against infectious bursal disease.	Infectious Bursal Disease Vaccine Inactivated IP	0.5 mL Subcutaneous injection in the back of the neck or intramuscular in the breast muscles.	Chicken
366	M/s Indian Immunologicals Ltd., Hyderabad	12-17/IIL/2019-VD	MF-305/2020	24.12.2020	Form-46	Goat Pox Vaccine Live I.P Freeze Dried	For prophylactic vaccination against Goat pox in goats	Live attenuated freeze dried vaccine for subcutaneous use after reconstitution with the supplied diluent	Goat

367	M/s Japfa Comfeed India Pvt. Ltd,	12-10/Japfa/2016-BD Vet	IMP-306/2020	24.12.2020	Form-45	Recommended for the vaccination o Polutry to induce long lasting immunity against Newcastle disease.	Inactivated Newcastle Disease of Genotype VII Vaccine in Oil Emulsion I.P.	Inactivated vaccine in oil emulsion. Route of administration for SC or IM injection.	Chicken
368	M/s Japfa Comfeed India Pvt. Ltd,	12-12/Japfa/2016-Vet	IMP-307/2020	24.12.2020	Form-45	Recommended for the vaccination o Polutry to induce long lasting immunity against Newcastle disease.	Inactivated Newcastle Disease of Genotype VII Vaccine in Oil Emulsion I.P.	Inactivated vaccine in oil Emulsion. Rroute of administration for SC or IM Injection.	Chicken
369	M/s Ceva Polchem Pvt Ltd	12-14/Ceval/2019-VD	IMP-310/2020	29.12.2020	Form-45	For active immunization of chickens against variant strain of avian infectious virus	Avian infectious bronchitis virus variant strain live freeze dried vaccine	Live freeze dried vaccine 1000, 2500, 5000, 8000, 10000 doses glass vials	Chicken
370	M/s Intervet Inida Pvt Ltd Pune	12-31/Intervet/2019-VD	IMP-05/2020	08.01.2021	Form-45	Avian Infectious Bronchitis Vaccine, Live I.P	For active immunization of chicken to reduce the respiratory signs of infectious bronchitis caused by the variant strain IB-4-91	Lyophilisate for suspension Presentation Glass Vials 500,1000,2500 and 10000 doses aluminum laminate cup 1000, 2500, 5000, 10000 doses	Chicken
371	M/s Elanco India Pvt. Ltd	12-21/Elanco/2019-VD	IMP-15-2021	22.01.2021	Form-45	Reo Virus Vaccine, Inactivate I.P.	Recommended for the vaccination of breeder hens and replacement pullets as an aid to provide passive protection of progeny against reo virus related malabsorption syndrome.	Subcutaneous injection 1000 doses	Chicken
372	M/s Elanco India Pvt. Ltd	12-07/Elanco/2018-VD	IMP-35/2021	19.02.2021	Form-45	Infectious Bursal Disease Vaccine I.P	For active Immunization of Chickens to reduce clinical disease, weight loss, mortality and acute lesions of the bursa of fabricius associated with infectious bursal disease (IBD) Viruses.	Lyophilizate for suspension 1000,2500 and 5000 doses	Chicken

373	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-53/Sanofi/2013-VD	IMP-41/2021	05.03.2021	Form-45	Canine Distemper Adenovirus Type 2 Parvovirus Vaccine, Modified Live Virus Canary pox Vector Freeze Dried	Recommended for the Vaccination of healthy dogs, 6 weeks of age and older for prevention of disease due to canine distemper virus, canine parvovirus canine adenovirus type -1 and canine adenovirus type- 2	Freeze dried live vaccine for SC or IM use after reconstitution with sterile diluent water.	Dog
374	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-56/Sanofi/2013-VD	IMP-47/2021	19.03.2021	Form-45	Canine Distemper Adenovirus Type 2- Parainfluenza Parvovirus Vaccine, Modified Live Virus, Canary pox Vector, Freeze Dried	Recommended for the vaccination of healthy dogs, 6 weeks of age and older for prevention of disease due to canine distemper virus, canine adenovirus, canine parvovirus and canine parainfluenza virus.	Freeze dried live vaccine for SC or IM use after reconstitution with sterile diluent water.	Dog
375	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-37/Sanofi/2013-VD	IMP-50/2021	01.04.2021	Form-45	Canine distemper- adenovirus type 2 parainfluenza parvovirus vaccine, modified live virus live canary pox vector Leptospira canicola icterohaemorrhagiae bacterin freeze dried	Recommended for the vaccination of healthy dogs, 6 weeks of age and older for prevention of disease due to canine distemper virus canine adenovirus, canine parvovirus and canine parainfluenza virus and bacterial. canicola and L. Icterohaemorrhagiae.	Freeze dried live vaccine each dose 1.0 ml of vaccine contains	Dog
376	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-57/Sanofi/2013-VD	IMP-52/2021	09.04.2021	Form-45	Canine Distemper adenovirus type 2 corona virus parainfluenza parvovirus vaccine modified live virus canarypox vector Leptospira canicola icterohaemorrhagiae bacterin freeze dried	Recommended for the vaccination of healthy dogs, 6 weeks of age and older for prevention of disease due to canine distemper virus canine parvovirus canine adenovirus and canine parainfluenza virus and bacterial canicola and L. Icterohaemorrhagiae.	Freeze Dried Live Vaccine each dose (1.0ml) of vaccine contains	Dog
377	M/s Elanco India Pvt. Ltd	12-08/Elanco/2020-VD	IMP-71/2021	04.05.2021	Form-45	Fowl Cholera Vaccine, Inactivated I.P.	Recommended for the vaccination of chickens and turkeys as an aid in the prevention of fowl cholera caused by pasteurella multocida, type 1 infection in chickens and types 4 and type 3x4 in turkeys.	Subcutaneous injection 2000 doses each dose (0.25 ml) contains	Chicken
378	M/s Huvepharma SEA (Pune) Pvt Limited	12-15/Huvepharma/2018-VD	IMP-99/2021	21.05.2021	Form-45	Coccidiosis Vaccine, Live oocysts, having live oocysts of Eimeria Acerulina, Eimeria Maxima, Eimeria Nectrix, Eimeria Tenella for chickens (Eimeriavax 4 m)	Aids in the control of four major species of eimeria that cause coccidiosis in breeders, broilers and layer chickens.	Vaccine solution for injection, HDPE bottles (1000 & 5000 doses	Chicken

379	M/s Elanco India Pvt. Ltd	12-19/Elanco/2020-VD	IMP-103/2021	25.05.2021	Form-45	Mycoplasma Gallisepticum Bacterin Vaccine, Inactivated	Recommended for the vaccination of chickens as an aid in the control of signs associated with mycoplasma gallisepticum infection by providing a suitable humoral response.	Subcutaneous injection presentation 1000 doses.	Chicken
380	M/s Elanco India Pvt. Ltd	12-03/Elanco/2020-VD	IMP-139/2021	08.06.2021	Form-45	Infectious Coryza, Inactivated Vaccine I.p	Recommended for the vaccination of healthy chickens as an aid in the prevention of infectious Coryza disease due to avibacterium paragallinarum.	Subcutaneous injection 1000 doses	Chicken
381	M/s Ceva Polchem Pvt Ltd	12-15/Ceva/2019-VD	IMP-174/2021	17.06.2021	Form-45	Infectious bursal disease immune complex vaccine live frozen vaccine novamune	For active immunization of future layer chickens against infectious bursal disease.	Live frozen vaccine 1000 or 2000 doses presentation in glass ampoules	Chicken
382	M/s Intervet Inida Pvt Ltd Pune	12-01/Intervet/2020-VD	IMP-210/2021	19.07.2021	Form-45	Coccidiosis Vaccine- Live oocysts of Eimeria species. Trade name Fortegra	For the vaccination of healthy chicken at one-day age be spray cabinet administration as an aid in the prevention of coccidiosis due to E. Mivati and E. Tenella and as an aid in the reduction of lesions related to E. Acervulina and E. Maxima.	Suspension for oral administration 1000 & 10000 doses.	Chicken
383	M/s Hipra India Pvt Ltd Pune	12-22/Hipra/2019-VD	IMP-215/2021	23.07.2021	Form-45	Live vaccine against Newcastle disease strain b1 and infectious bronchitis strain h120 hipravier b1h120	To prevent Newcastle disease and infectious bronchitis	Live freeze dried vaccine 1000 doses 2500 doses ocular	Chicken
384	M/s Intervet Inida Pvt Ltd Pune	12-42/Intervet/2019-VD	IMP-226/2021	29.07.2021	Form-45	Reo virus vaccine live i.p	Intended for prevention of tenosynovitis viral arthritis in chickens of five days or older it is also intended for priming of breeder replacement stock	Lyophilisate and solvent for suspension for injection	Chicken

385	M/s Virbac Animal Healthcare Mumbai	12-06/Virbac/2020-VD	IMP-243/2021	13.08.2021	Form-45	Ranikhet disease vaccine live lentogenic strain i.p kbnpc4152R2L Strain Trade Name Himmvac TM- N+ Live	Vaccine is used for the active immunization of healthy chickens against Newcastle disease caused by Newcastle disease virus	Live freeze dried vaccine 2000 doses	Chicken
386	M/s Ceva Polchem Pvt Ltd	12-59/Ceva/2019-VD	IMP-245/2021	18.08.2021	Form-45	Bursal Disease Marek's Disease Newcastle Disease Vaccine Serotype3 Live marek's disease vector live frozen vaccine brand name ultifend IBD ND	The vaccine has been shown to be effective for the vaccination of healthy embryonated chicken eggs 18 to 19 days of age via the in ovo route and healthy chickens 1 day of age or older via the subcutaneous route against bursal disease Newcastle disease and virulent marek's disease	Live frozen vaccine 1000 2000 or 4000 doses presentation in glass ampoules	Chicken
387	M/s Elanco India Pvt. Ltd	12-10/Elanco/2021-VD	IMP-264/2021	07.09.2021	Form-45	Infectious bursal disease Newcastle disease bronchitis and reovirus vaccine inactivated brand name avipro 431 ND-IB- BD3-REO vaccine	Recommended for the vaccination of breeder hens and replacement pullets as an aid in the prevention of Newcastle disease and infectious bronchitis mass type and to provide maternal antibodies for the early protection progeny against reo virus related malabsorption syndrome tenosynovitis and to type 1 infectious bursal disease standard and variant strains	Subcutaneous injection 1000 doses 500 ml	Chicken
388	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-84/Sanofi/2014-VD	IMP-273/2021	09.09.2021	Form-45	Inactivated vaccine in oil adjuvant against Newcastle disease infectious bronchitis infectious bursal disease and avian viral arthritis brand name galliumne 403 ND+IB+IBD+REO	Vaccine is indicated for active immunization of breeding stocks against Newcastle disease infectious bronchitis infectious bursal disease and avian viral arthritis as a booster for the respective existing vaccines	Water in oil emulsion for injection 1000 doses 300 ml	Chicken
389	M/s Zoetis India Ltd Mumbai	12-16/Zoetis/2020-VD	IMP-308/2021	28.10.2021	Form-45	Marek's Disease Newcastle Disease vaccine serotype 3 live marek's disease vector	For vaccination of healthy chickens as an aid in preventing marek's disease and Newcastle disease it has been recommended for subcutaneous injection of one day old chickens or in ovo vaccination of 18 to 19 days old embryonated chickens egg.	Freeze dried vaccine 2000 and 4000 doses. Packed in 2 ml glass ampoules	Chicken
390	M/s Virbac Animal Healthcare Mumbai	12-07/Virbac/2020-VD	IMP-316/2021	01.11.2021	Form-45	Ranikhet Disease vaccine live lentogenic strain IP lasota strain	For immunization against Newcastle disease in poultry	Live freeze dried vaccine presentation 1000 doses	Chicken

391	M/s Panav Bio-Tech, New Delhi	12-38/Panav/2019-VD	IMP-375/2021	31.12.2021	Form-45	Vaccine against Canine Distemper Parvovirus Parainfluenza Infectious Hepatitis Adenovirus and Leptospirosis	Prphylaxis of canine Distemper Infectious Hepatitis Adenoviruses Parvovirus Parainfluenza and Leptospirosis in dogs	Lyophilized form of a vira suspension and liquid of a bacterial suspension Presentation 1ml (1dose) packed I box containing 1,5,10,20, or 25 ampoules of lyophilized and respective diluents.	Dog
392	M/s Huvepharma SEA (Pune) Pvt Limited	12-26/Huvepharma/2017-VD	IMP-376/2021	31.12.2021	Form-45	Advent Coccidiosis Vaccine	For use in healthy chicks one day of age or older as an aid in the prevention of disease caused by Eimeria Aceruvulina Eimeria maxima and eimeria tenella.	vaccine solution for injection,	Chicken
393	M/s Indovax Pvt Ltd	12-05/Indovax/2021-VD	MF-06/2021	08.01.2021	Form-46	Newcastle Disease (F strain) and Avian Infectious Bronchitis Vaccine Living	For active immunization of chicken to reduce the respiratory signs of infectious bronchitis caused by the variant strain IB-4-91	Lyophilisate for suspension Presentation Glass Vials 500,1000,2500 and 10000 doses aluminum laminate cup 1000, 2500, 5000, 10000 doses	Chicken
394	M/s Indovax Pvt Ltd	12-03/Indovax/2021-VD	MF-07/2021	08.01.2021	Form-46	Fowl Pox Vaccine, Live, IP (Vet)	Recommended for prevention against Fowl Pox Infection in chickens.	Live vaccine in freeze dried pellet form for intramuscular administration after reconstitution.	Chicken
395	M/s Indovax Pvt Ltd	12-04/Indovax/2021-VD	MF-08/2021	08.01.2021	Form-46	Newcastle Disease Lasota Strain) and Avian Infectious Bronchitis Vaccine, Living	Recommended for prevention of Newcastle disease and Avian infectious bronchitis disease in flocks.	Live vaccine in freeze dried pellet form for oral/ocular/nasal route of administration after reconstitution.	Bird
396	M/s Indovax Pvt Ltd	12-02/Indovax/2021-VD	MF-09/2021	08.01.2021	Form-46	Infectious Coryza Vaccine Inactivated IP	Recommended for protection of commercial layers and breeders against Avian infectious Coryza.	Water in oil emulsion form for subcutaneous or intramuscular route of administration.	Chicken

397	M/s Brilliant Biopharma Ltd.,	12-02/Brilliant/2022-VD	MF-12/2021	13.01.2021	Form-46	Peste des petits Ruminants vaccine live I.P	For prophylactic vaccination against PPR Disease in sheep and goats	Freeze dried pellet to be reconstitute with the diluent	Goat
398	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-21/Venkat/2017-VD	MF-242/2021	13.08.2021	Form-46	Infectious Avian Encephalomyelitis Epidemic Tremor and Fowl Pox Vaccine Live	For prevention/control of infectious avian avian encephalomyelitis epidemic tremor and fowl pox virus infection in poultry.	Live viral vaccine presented in freeze dried pellet form after reconstitution with diluent it forms clear/ slightly opalescent liquid.	Chicken
399	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-41/VHPL/2019-VD	MF-302/2021	21.10.2021	Form-46	Infectious bursal disease vaccine live IBD VIPX	Immunization against infectious bursal disease vaccine in commercial brieler farm	Live freeze dried vaccine in pellet form	Chicken
400	M/s Intervet Inida Pvt Ltd Pune	12-13/Intervet/2019-VD	IMP-379/2021	04.01.2022	Form-45	Infectious Chicken Anemia vaccine Live	for passive immunization of chicks, via active immunization of breeders, against afflictions caused by chicken anemia virus	Lyophilisate and solvents for suspension for injection presentation for freeze dried pellet glass vials 1000 doses for diluent Diluent Dilavia 200ml in glass vial or pet vial For diluent Unisove 13ml in glass vial	Chicken
401	M/s Hipra India Pvt Ltd Pune	12-15/Hipra/2020-VD	IMP- 01/2022	21.01.2022	Form-45	IBD Immune-complex vaccine against infectious bursal disease,	For active immunization of 1- day old broiler chicks and embryonated broiler chicken eggs to reduce clinical signs and lesions of the bursa of Fabricius caused by very virulent avian infectious bursal disease virus infection.	Lyophilisate and solvent for suspension for injection. Presentation: 1000 doses (10ml), 2000 doses (10ml), 2500 doses (10ml), 4000 doses (10ml), and 5000 doses (10ml).	Chicken
402	M/s Hipra India Pvt Ltd Pune	12-22/Hipra/2021-VD	IMP- 02/2022	21.01.2022	Form-45	Live Vaccine against laryngotracheitis, I.P,(Hipraviar ILT)	active immunization to prevent infectious laryngotracheitis in broilers and future layers and breeder's chicks.	Lyophilisate for suspension. Presentation: 1000 doses.	Chicken

403	M/s Ceva Polchem Pvt Ltd	12-23/Ceva/2021-VD	IMP- 05/2022	21.01.2022	Form-45	Eimeria Acervulina-Brunetti-maxima-necatrix-tenella vaccine, live oocysts immucox [®]	Aids in development of immunity in chicken against clinical signs of coccidiosis Recommended for the vaccination of healthy chickens at 1 day of age (hatch day) to 3days of age, by gel-droplet as an aid in the prevention of coccidiosis disease caused by Eimeria aceruvulina, Eimeria brunetti, Eimeria maxima, Eimeria necatrix and Eimeria tenella.	Live vaccine, 1000, 2000 or 5000 doses presentation in glass vials	Chicken
404	M/s Vaksindo Animal Health Pvt. Ltd.,	12-33/Vaksindo/2021-VD	IMP- 08/2022	25.02.2022	Form-45	fowl pox beaudette strain, live vaccine liquid form vaksimune [®] Pox	vaccine is used to protect chickens against fowl pox	live vaccine in liquid form presentation 1000 doses vial for wing web stab	Chicken
405	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-23/Boehringer/2019-VD	IMP-07/2022	25.02.2022	Form-45	Avian infectious bronchitis vaccine live i.p gallivac IB88 NEO	active immunization of chickens against infectious bronchitis caused by the coronavirus variant of group CR88	Effervescent tablet. Presentation: 1000 dose tablets packaged in Aluminium blister. 2000 dose tablets packaged in Aluminium blister	Chicken
406	M/s Globion India Pvt Ltd	12-29//Globion/2021-VD	MF-10/2022	25.02.2022	Form-46	Fowl Typhoid Vaccine, Live, 9R strain, Freeze-dried	For active Immunization of chickens against Fowl Typhoid disease.	Live, Freeze dried 1000 doses in glass vial	Chicken
407	M/s Ceva Polchem Pvt Ltd	12-40/Ceva/2021-VD	IMP-12/2022	17.03.2022	Form-45	Infectious Bursal disease immune complex vaccine live frozen Nextmune	for the active immunization of broiler chickens against infectious bursal disease	Live frozen vaccine, 1000, 2000 or 8000 doses presentation in glass ampoules	Chicken
408	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-15/Venkateshwara/2022-VD	MF-13/2022	17.03.2022	Form-46	Avian Infectious Bronchitis Clone Vaccine Mass Ma5 Type Strain	prevention/Control of Avian Infectious Bronchitis Virus Infection in poultry	live viral vaccine presented in freeze dried pellet form 1000 Doses in glass vial	Chicken

409	M/s Institute of Animal Health And Veterinary Biologicals	12-50/IAHVB/2019-VD	MF-14/2022	28.03.2022	Form-46	Sheep Pox Vaccine, Live Attenuated, Ip	Recommended for active immunization against sheep pox in sheep above three months of age.	Live freeze dried vaccine for subcutaneous/Intradermal route. 100 doses in glass vial	Sheep
410	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-16/Venkateshwara/2022-VD	MF-15/2022	11.04.2022	Form-46	Avian infectious Bronnchitis Clone Mass Ma5 Type strain) and Newcastle Disease Master Clone (NDV) strain Vaccine. Live	Prevention/Control of Avian Infectious Bronchitis Virus and Newcastle Disease Virus infection in poultry.	Live viral vaccine presented in freeze dried pellet form 1000 Dose presentation	Chicken
411	M/s Vaksindo Animal Health Pvt. Ltd.,	12-34/Vaksindo/2021-VD	IMP- 17/2022	22.04.2022	Form-45	Combined Inactivated vaccine of newcastle disease and infectious bronchitis in oil Emulsion Vaksimune ND IB inaktif	vaccine is recommended for the vaccination of layers and breeders to induce long lasting immunity against ND and IB	inactivated vaccine in oil emulsion 1000 doses/bottle for subcutaneous or intramuscular injection	Chicken
412	M/s Vaksindo Animal Health Pvt. Ltd.,	12-35/Vaksindo/2021-VD	IMP- 18/2022	27.04.2022	Form-45	Infectious Bronchitis H120 Strain Live Vaccine Freeze Dried I.P,	Vaccine is used to protect chickens against IB.	Freeze dried live vaccine presentation 1000 doses/vial for eye drop or intra ocular drinking water of spray administration.	Chicken
413	M/s Virbac Animal Healthcare Mumbai	12-08/Virbac/2021-VD	IMP- 19/2022	02.05.2022	Form-45	Ranikhet Disease Vaccine Inactivated NDV-KBNP-C4152R2L Strain	For vaccination of healthy chickens, as an aid in the preventing Newcastle disease (The vaccine is indicated for the vaccination of breeding and laying- type chicken flocks pre- immunized against Newcastle disease with live virus vaccines).	Inactivated, oil adjuvant vaccine presentation 1000 doses 500ml	Chicken
414	M/s Virbac Animal Healthcare Mumbai	12-38/Virbac/2021-VD	IMP- 20/2022	05.05.2022	Form-45	Combined Newcastle Disease KBNP C4152r2l Strain and Avian infectious Bronchitis 41 Strain and KM91 Strain inactivated oil vaccine	For vaccination of healthy chickens, as an aid in the preventing infectious bronchitis and newcastle disease.	Inactivated, oil adjuvant vaccine for intramuscular injection. Presentation 1000 doses 500 ml	Chicken

415	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-02/Boehringer/2019-VD	IMP-22/2022	10.05.2022	Form-45	Marek's Disease Vaccine, Serotype 1, live herpesvirus chimera (Prevexion RN)	for the vaccination of healthy 18 to 19-day old embryos and one-day-old chickens against very virulent Marek's disease.	Frozen vaccine.	Chicken
416	M/s Vaksindo Animal Health Pvt. Ltd.,	12-32/Vaksindo/2021-VD	IMP-23/2022	13.05.2022	Form-45	Infectious Bursal Disease Intermediate plus Strain Live Vaccine I.P, Freeze Dried,	Vaccine is used to protect chickens against IBD.	Freeze dried live vaccine. Presentation 1000 doses/vial for drinking water administration.	Chicken
417	M/s Indovax Pvt Ltd	12-22/Indovax/2021-VD	MF-24/2022	18.05.2022	Form-46	Infectious Bursal Disease, Immune Complex Vaccine, Live (G-Plex)	Prevention/Control of Infectious Bursal Virus Infection in poultry.	The product is a sterile preparation of an antibody bound live virus presented in freeze dried pellet for parenteral administration after reconstitution with provided sterile diluent	Chicken
418	M/s Hipra India Pvt Ltd Pune	12-37/Hipra/2021-VD	IMP-26/2022	22.06.2022	Form-45	Inactivated vaccine against Enterotoxaemia blackleg and tetanus Toxipra plus	For the active and passive immunization of bovine goat's swine and rabbits for to prevent enterotoxaemia necrotic hepatitis blackleg and tetanus in cattle and calves bait. To prevent Enterotoxaemia nectotic hepatitis blackleg and tetanus in cattle and calves bait	suspension for injection Presentation 100 ml 250ml	Cattle
419	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-06/Boehringer/2019-VD	IMP-27/2022	28.06.2022	Form-45	Distemper Vaccine, Live Canarypox Vector (Purevax® Ferret Distemper)	The vaccine is recommended for the vaccination of healthy ferrets 8 weeks of age and older for prevention of disease due to canine distemper virus	Lyophilized vaccine. Presentations 10x1-Dose vials	Ferret
420	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-18/Boehringer/2020-VD	IMP- 28/2022	29.06.2022	Form-45	Bursal Disease-Marek's Disease-Newcastle Disease Vaccine, Serotype3, Live Marek's Disease Vector (Vaxxitek HVT+IBD+ND)	This product has been shown to be effective for the vaccination of healthy 18 to 19-day old chicken embryos and one-day old chickens against standard and variant bursal disease, newcastle disease and marek's disease	Frozen vaccine presentations 1000 2000 & 4000 doses	Chicken

421	M/s Hipra India Pvt Ltd Pune	12-14/Hipra/2021-VD	IMP- 30/2022	24.09.2022	Form-45	Inactivated vaccine against new castle disease concentrated Hipraviar ND Broilers	To prevent Newcastle Disease in broilers, layers and breeders.	Emulsion for injection presentation 2500 doses	Chicken
422	M/s Institute of Animal Health And Veterinary Biologicals	12-58/IVB/2019-VD	MF-31/2022	06.10.2022	Form-46	Blackquarter Vaccine (I.P.)	For prophylactic vaccination against Black Quarter Disease in cattle sheep goat and buffalo milder from) and provide immunity for one year.	Injectable multidose-250 ml vial 250ml vial	cattle
423	M/s Institute of Animal Health And Veterinary Biologicals	12-55/IVB/2019-VD	MF-32/2022	06.10.2022	Form-46	Classical Swine Fever Vaccine Live I.P	For prophylactic vaccination in Swine against classical swine fever disease and provide immunity for one year.	Injectable Freeze Dried 1ml vial	Pig
424	M/s Institute of Animal Health And Veterinary Biologicals	12-57/IVB/2019-VD	MF-33/2022	06.10.2022	Form-46	Enterotoxaemia Vaccine Inactivated I.P	For prophylactic vaccination against Entrotoxemia Pulpy kidney disease in Sheep and goat and provide immunity for one year	Injectable multidose 250ml vial	Sheep
425	M/s Institute of Animal Health And Veterinary Biologicals	12-05/IVB/2019-VD	MF-34/2022	06.10.2022	Form-46	Haemorrhagic Septicaemia Vaccine-Alum Treated I.P.)	For prophylactic vaccination against Haemorrhagic septicaemia disease in cattle, buffalo, sheep and goat and provide immunity for six months.	Injectable multidose 250ml vial	Cattle
426	M/s Zenex Animal Health India Pvt Ltd,	12-13//Zenex/2022-VD	IMP-37/2022	18.11.2022	Form-45	Combined Newcastle Disease virus VH strain, Infectious Bronchitis Virus M 41 Strain & Infectious Bursal Disease virus VP2 protein Inactivated oil emulsion vaccine (ND+IB+VP2)	For active immunization of Chickens to reduce mortality clinical signs and lesions associated with infections caused by ery virulent strains of Newcastle Disease virus Infectious Bronchitis virus and infectious Bursal Disease Virus.	Water in oil emulsion vaccine 500ml/1000 doses	Chicken

427	M/s Kemin Industries South Asia Pvt. Ltd.,	12-24/Kemin /2021-VD	IMP-01/2023	02.02.2023	Form-45	Mevac ND Broiler Generic Name Newcastle Disease vaccine, Genotype II Lasota IP (Mevac ND Broiler)	For the booster vaccination of commercial poultry for protection against Newcastle Disease	Inactivated oil emulsified monovalent virus vaccine administered through intramuscular or subcutaneous route of administration	chicken
428	M/s Stallen South Asia Pvt Ltd Pune	12-18/Stallen/2021-VD	IMP-03/2023	09.02.2023	Form-45	Inactivated oil emulsified vaccine against Newcastle Disease, Infectious bronchitis and Infectious coryza (OLVAC B+HG)	This Vaccine is for prophylaxis vaccination against Newcastle Disease, Infectious bronchitis ad infectious Coryza.	Inactivated oily emulsion vaccine for injection 500 ml (1000 doses)	chicken
429	M/s Stallen South Asia Pvt Ltd Pune	12-19/Stallen/2021-VD	IMP-04/2023	09.02.2023	Form-45	Inactivated oil emulsified vaccine against Newcastle Disease, and avian coryza (HG-OLVAC).	This Vaccine is for prophylaxis Immunization Coryza and Newcastle Disease.	Inactivated oily emulsion vaccine for injection 500 ml (1000 doses)	chicken
430	M/s Ceva Polchem Pvt Ltd	12-44/Ceva/2021-VD	IMP-06/2023	24.05.2023	Form-45	Vectormune ND Generic Name recombinant HVT Virus with inserted F gene of NDV live frozen vaccine.	For active immunization of chickens against Newcastle and Marek's disease.	Live. Forzen vaccine in ovo or subcutaneous injection. Sales presentation 1000, 2000 or 4000 doses in glass ampoules.	chicken
431	M/s Zoetis India Ltd Mumbai	12-17/Zoetis /2020-VD	IMP-12/2023	31.10.2023	Form-45	Live conjugated vaccine with antibodies against infectious bursal disease IBD Virus V877"	For Immunization of healthy bird in the prevention of Infectious Bursal Disease	Vaccine	bird
432	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-15/Sanofi/2015-VD	IMP-11/2023	31.10.2023	Form-45	Avian Encephalomyelitis Fowl Pox Vaccine Live Virus Gallivac™ AE+FP	This vaccine is recommended for vaccination of commercial layer or breeder replacement pullets between ten weeks of age and four weeks before production by wing web stab as an aid in the prevention of avian encephalomyelitis and fowl pox.	Freeze-dried vaccine	chicken

433	M/s Kemin Industries South Asia Pvt. Ltd.,	12-41/Kemin/2021-VD	IMP-13/2023	03.11.2023	Form-45	Inactivated Monovalent oil emulsified virus vaccine against Newcastle Disease I.P	Immunizing the commercial chickens and turkeys against Newcastle Disease Virus Infection.	Inactivated monovalent oil emulsified virus vaccine against newcastle disease.	chicken
434	M/s Ceva Polchem Pvt Ltd	12-33/Ceva/2022-VD	IMP-14/2023-VD	17.11.2023	Form-45	Salmonella Gallinarum Strain 9R, Live, Freeze-dried vaccine.-regarding.	Active immunization of chickens in order to reduce mortality and clinical symptoms due to infections caused by Salmonella Gallinarum. Active immunization of chickens as a support to control of Salmonella Enteritidis.	Live, freeze-dried	chicken
435	M/s Biovet Pvt Ltd., Karnataka	12-20/Biovet/2019-VD	MF-15/2023-VD	19.12.2023	Form-46	Rabies Veterinary Vaccine (Inactivated) IP.	For active immunization of animals against Rabies disease infection. Dog	Liquid Injection for intramuscular or subcutaneous route Presentations 1 ml single dose Vial 5ml and 10ml Multi dose Vial.	Dog
436	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-11/Venkateshwara/2023-VD	MF-16/2023	19.12.2023	Form-46	Newcastle Disease Vaccine Inactivated (LaSota & Genotype VII) IP/BP	Prevention /control of Newcastle Disease (LaSota & Genotype VII) Infection in Poultry	Injectable viral inactivated vaccine presented in oil emulsion form 1000 dose/500ml	Chicken
437	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-12/Venkateshwara/2023-VD	MF-17/2023	19.12.2023	Form-46	Newcastle Disease Vaccine Inactivated (LaSota & Genotype XIII) IP/BP	Prevention /control of Newcastle Disease (LaSota & Genotype XIII) Infection in Poultry	Injectable viral inactivated vaccine presented in oil emulsion form 1000 dose/500ml	Chicken
438	M/s Stallen South Asia Pvt Ltd Pune	12-21/Stallen/2021-VD	IMP-01 /2024	16.01.2024	Form-45	Live attenuated Vaccine against Fowl Typhoid In Chickens.	For active immunization of pullets in order to reduce mortality symptoms leions and the decrease in egg production due to fowl typhoid caused by salmonella/gallinarum and to reduce infection and persistence in the internal organs and ovary of Salmonella Enteritidis. Immunity develops within 3 weeks of a single vaccination and persists for at least 3 months after application of recommended vaccination programme.	Freeze-dried vaccine for oral suspension Presentation in 1000 doses/vial, 2000 doses/vial & 2500 doses/vial.	Chicken

439	M/s Biovet Pvt Ltd., Karnataka	12-50/Biovet/2022-VD	MF-02/2024	22.03.2024	Form-46	Lumpy Skin Disease Vaccine Live Attenuated Freeze dried BV117 and Sterile Diluent	For active immunization of animals against LSD Virus Infection	Liquid Injection (1.0 mL dose) for subcutaneous route of administration	Cattle
440	M/s Ceva Polchem Pvt Ltd	12-52/Ceva/2022-VD Vet-11011(11)/34/2024	IMP-04/2024	01.07.2024	Form-45	New Castle Disease infectious Bronchitis Egg Drop Syndrome 76 and Swollen Head Syndrome (ND- IB-EDS-SHS Killed Vaccine)	Recommended for the vaccination of layer and breeder type chicken flocks, in order To reduce mortality clinical signs lesions and virus shedding caused by newcastle disease virus To reduce egg drop respiratory signs and virus shedding caused by the massachusetts and QX-Like serotypes of infectious bronchitis virus To reduce egg drop caused by the Egg drop syndrome virus To reduce respiratory signs e.g. signs linked to Swollen Head Syndrome and Virus Shedding Caused by Avian metapneumovirus.	Injection suspension	Chicken
441	M/s Boehringer Ingelheim India Pvt Ltd Mumbai	12-38/Boehringer/2022- VD Vet-11011(11)/32/2024-	IMP-05/2024	01.07.2024	Form-45	Avian Infectious Bronchitis Disease Vaccine, Live, I.P.	Active immunization against Avian Infectious Bronchitis.	Effervescent Tablets	Chicken
442	M/s Zoetis India Ltd Mumbai	12-25/Zoetis/2021-VD VET-11011(11)/16/2024	IMP-07/2024	02.08.2024	Form-45	Bursal Disease-Marek's Disease Vaccine, serotype 3, Live Marek's Disease Vector.	For vaccination of healthy chickens as an aid in preventing infectious bursal disease and Marek's disease. It has been recommended for subcutaneous injection of one-day-old chickens or in ovo vaccination of 18- to19-day-old embryonated chicken eggs.	Vaccine is a frozen, cell associated, live virus vaccine that contains the recombinant serotype 3 turkey Herpesvirus with the VP2 gene from infectious bursal disease virus. Packaged in 2ml glass ampoules, five ampoules per cane, and one cane per package.	Chicken

443	M/s Hipra India Pvt Ltd Pune	12-16/Hipra/2019-VD VET-11011(11)/3/2024-	IMP-08/2024	02.08.2024	Form-45	Bursal Disease-Marek's Disease Vaccine, serotype 3, Live Marek's Disease Vector.	For the active immunization of chickens to reduce clinical signs intestinal lesions and oocysts output associated with coccidiosis caused by <i>Eimeriaacervulina</i> , <i>Eimeria maxima</i> , <i>Eimeria praecox</i> and <i>Eimeriatenella</i> .	<ul style="list-style-type: none"> • 6ml (1,000 doses) with 200 ml solvent • 24ml (4,00 doses) with 500ml solvent • 30ml (5,000 doses) with 800ml solvent • 60ml (10,000 doses) with 1000ml solvent 	Chickens
444	M/s Hipra India Pvt Ltd Pune	12-15/Hipra/2021-VD VET-11011(11)/14/2024	IMP-11/2024	02.08.2024	Form-45	Inactivated vaccine against Turkey Rhinotracheitis and Swollen Head Syndrome in Broilers and Hens	For active immunization of chicken and turkey to prevent the turkey Rhinotracheitis and swollen Head Syndromes	Injectable Emulsion (1000 doses)	Chickens
445	M/s Indian Immunologicals Ltd., Hyderabad	VET-11011(11)/11/2024	MF-12/2024	16.08.2024	Form-46	Infectious Bovine Rhinotracheitis Recombinant Vaccine (Inactivated)	Infectious Bovine Rhinotracheitis Vaccine (inactivated) is recommended for prophylactic vaccination against Infectious Bovine Rhinotracheitis in bovines.	Inactivated liquid vaccine	Cattle
446	M/s Institute of Animal Health And Veterinary Biologicals	12-51/AHVB/2022-VD VET-11012(11)/21/2024	MF-13/2024	28.08.2024	Form-46	Goat pox Vaccine, Live, IP	Intended for active immunization against Goat Pox in goats above 3 months of age	1ml reconstituted vaccine for subcutaneous or intradermal use.	Goat
447	M/s Venkateshwara Hatcheries Pvt Ltd Pune	12-18/Venk/2023-VD VET-11012(11)/5/2024	MF-14/2024	11.09.2024	Form-46	Avian Infectious Bronchitis Vaccine Live IBV 4/91 Type Strain IP	Prevention Control of Avian Infectious Bronchitis Virus Infection in Poultry.	Product is live vial vaccine presented in freeze dried pellet form. It is used for immunization of chicken against avian infectious bronchitis infection in poultry.	Chicken
448	M/s Venkateshwara Hatcheries Pvt Ltd Pune	VET-11012(11)/8/2024-9729	MF-16/2024	03.10.2024	Form-46	Low Pathogenic Avian Influenza H9N2 Vaccine Inactivated	Prevention control of Low Pathogenic Avian Influenza Viral Infection in Poultry	Injection Vial Water in oil emulsion vaccine.	Chicken

449	M/s Ceva Polchem Pvt Ltd	12-13/Ceva/2023-VD Vet-11011(11)/50/2024-	IMP-17/2024	23.10.2024	Form-45	Newcastle Disease and Infectious Bronchitis Vaccine Inactivated	Recommended for the vaccination of breeder and lying type chicken flocks previously immunized against infectious bronchitis (IB) and Newcastle Disease (ND) with attenuated live virus vaccines.	Injectable emulsion 500 dose in plastic bottles closed rubber stoppers and plastic aluminum caps.	Chicken
450	M/s Vaksindo Animal Health Pvt. Ltd.,	12-26/Vaksindo/2023-VD VET-11011(11)/59/2024	IMP-20/2024	16.12.2024	Form-45	(A Paragallinarum serotype A 0083 Strain, serotype B V5 Strain, serotype C Modesto and V26 Strain and E. coli Serotype O1k1 O2k1 and O78K80 Inactivated Vaccine, Oil Emulsion (W/O/W), IP	Recommended for the vaccination of layers and breeders to induce long lasting immunity against Coryza and E. coli Infectious.	Inactive vaccine in 1000 does /bottle for injection	Chicken
451	M/s Biovet Pvt Ltd.,	Sugam	VET/Form44/24/000001	18.12.2024	Form-46A	Foot & Mouth Disease Vaccine Inactivated, I.P, Bulk Drug Substance	Bulk Drug Substance (API)
452	M/s Sanvita Biotechnologies Pvt Ltd	12-21/Sanvita/2023-VD Vet-11012(11)/32/2024-17409	MF-21/2024	08.01.2025	Form-46	NSP Free Foot and Mouth Disease Trivalent Vaccine Inactivated IP	Against Foot and mouth Disease in Cattle, Buffaloes and Calves-2mL per Dose. Sheep and Gat 1 mL per dose.	The Vaccine is in liquid form Presentation Multi Dose 5 Doses 15 doses 25 doses and 50 doses in each vial	Cattle and goat Buffaloes
453	M/s Huvepharma SEA (Pune) Pvt Limited	VET-11012(11)/24/2024-14357	MF-22/2024	08.01.2025	Form-46	Ranikhet Disease Vaccine Inactivated (Lentogenic Strain Lasota I.P.	To protect the poultry flocks against Ranikhet Disease	0.5 mL subcutaneous Injection in the back of the neck or intramuscular in the breast muscles presentation 1000 doses	Chicken
454	M/s Brilliant Biopharma Ltd.,	12-01/Brilliant/2021-VD VET-11012(11)/20/2024-13428	MF-23/2024	08.01.2025	Form-46	Sheep Pox Vaccine Live Attenuated I.P	Sheep Pox Vaccine is used for prophylactic vaccination against sheep pox disease in sheep	Freeze dried vaccine	Sheep

455	M/s Hester Pharmaceuticals Ltd Gujrat	12-29/Hester/2023 Vet-11012(11)/22/2024-14223	MF-01/2025	24.01.2025	Form-46	Newcastle Disease and Infectious Bursal Disease Vaccine Live Lasota Strain and Intermediate Type Strain	It is live freeze dried vaccine the vaccine provides active immunity against Newcastle Disease and Infectious Bursal Disease in Poultry to prevent mortality, clinical signs & /or lesions of the disease and infection caused by against newcaste disease and infectious brusal virus it is recommended for inital vaccination and re vaccination	Freeze dried vaccine ready for constitution with diluent injection vials	Lasota and intermediate strain	Chicken
456	M/s Vaksindo Animal Health Pvt. Ltd.,	12-24/Vaksindo/2023 Vet-11011(11)/58/2024-14311	IMP-03/2025	02.05.2025	Form-45	Fowl Adenovirus Serotype and 11 Inactivated Vaccine Oil Emulsion IP	For the Vaccination of Layers and Breeders to Induce long lasting immunity against Inclusion Body Hepatitis (IBH)	Inactive vaccine in 1000 doses/Bottle for injection	Chicken
457	M/s Ceva Polchem Pvt Ltd	12-48/Ceva/2022-VD VET-11011(11)/1/2023-1963	IMP-04/2025	14.05.2025	Form-45	Infectious Coryza-Salmonella Enteritidis Inactivated Vaccine	Recommended for the vaccination of breeder ad laying type chicken flocks against infectious coryza caused by Avibacterium Paragallinarum and Salmonella enteritidis Infection in order to reduce clinical signs and lesions of the disease.	Injectable Suspension Presentation 500ml /1000 dose)	Chickens
458	M/s Ceva Polchem Pvt Ltd	12-14/Ceva/2023-VD VET-11011(11)/60/2024-14385	IMP-05/2025	14.05.2025	Form-45	Infectious Chicken Anemia Vaccine Live IP	The Vaccine is recommended for healthy breeder chickens to provide maternal antibodies to progency to aid in the prevention of chicken infectious anemia due to chicken in fectious anemia virus.	Suspension for injection Pack size 1000 Doses/10ml	Chickens
459	M/s Institute of Veterinary Biological Products	Sugam VET/25/000047	VET/Form-44/25/00002	16.12.2025	Form-46	Goat Pox Vaccine, Live Attenuated , Freeze dried Vaccine I.P	For the prophylactic vaccination of healthy goat against Goat Pox	Live attenuated freeze dried Vaccine for subcutaneous route after reconstitution with sterile Normal Saline Diluent	Goat
460	M/s Hester Biosciences Limited	Sugam VET/25/000007	VET/Form44/25/000001	12.09.2025	Form-46	Low Pathogenic Avian Influenza Vaccine Inactivated H9N2 Strain	Prophylactic Vaccination for protection against Low pathogenic Avain Influenza Virus Indicated for poultry.	Emulsion for injection Route of administration Subcutaneous		H9N2 Strain	Chickens

461	M/s Indovax Private Limited	VET-11012(11)/2/2024-4672	MF-07/2025	31.12.2025	Form-46	Avian Influenza Vaccine Inactivated Low Pathogenic Avian Influenza A vaccine Trade Name LP Vax	IndicationsThe Preventive Vaccination of Chicks Growers Layers and breeders against Low pathogenic avian influenza vaccinate birds at the first week or thereafter two vaccinations are recommended initial and booster vaccination at a gap of 3-4 weeks. A third vaccination may be required at the point of lay and mid-lay depending on antibody titers.	Water in oil emulsion vaccine pack presentation 1000 doses 500mL Route of administration inject 0.2 to 0.5 ml of vaccine subcutaneously in the back of the neck or intramuscularly in the leg of each bird depending on age and body weight.	Inactivated bulk antigen mean ha titer of inactivated bulk $\geq 2.8.0$ strain a/chicken /india /22213/2006(H9N2) of low pathogenic avian influenza virus h9N2	Chickens
462	M/s Boehringer Ingelheim India Pvt Ltd	Vet-11011(11)/12/2024-3654	IMP-08/2025	27.01.2026	Form-45	Newcastle Disease Vaccine Inactivated I.P.	Active Immunization against Newcastle Disease in Chickens and pullets.	Emulsion for injection Intramuscular Each dose of 0.3 mL vaccine contains	Ulster 2C Strain	Chickens and Pullets.
463	M/s Zoetis India Limited,	VET-11011(11)/13/2024-7011	IMP-02/2026	12.03.2026	Form-45	Bursal Disease-Marek's Disease-Newcastle Disease Vaccine Serotype 3, Live Marek's Disease Vector" Trade Name Poulvac Procerta HVT-IBD-ND)	For the vaccination of healthy one-day old chickens and 18 to 19-day -old embryonated chicken eggs against standard infectious bursal disease, and Marek's and Newcastle Diseases.	Vaccine Freeze Dried Frozen Packaged in 2mL glass ampoules, five ampules per cane and one cane per package. Presentation 2000 Doses and 4000 doses in ovo and subcutaneous		Chickens
464	M/s Zoetis India Limited	VET-11011(11)/38/2025-28257	IMP/06/2026	16.03.2026	Form-45	Bordetella Bronchiseptica Bacterin Cellular Antigen Extract (Trade Name Vanguard B Inejctable)	For Vaccination of Healthy Dogs 8 weeks old of age or older against Bordetella Bronchiseptica.	Liquid Vaccine Route of administration Subcutaneous Injection Dose:1 dose (50 vial pack) & 10dose (5 vial pack)		Dogs
465	M/s Hipra India Pvt. Ltd., M. No. 1/0361 First Floor, Gat No 1337/1 Waghohli Tal-Haveli Pune India,	VET-11011(11)/29/2024-8468	IMP-07/2026	16.03.2026	Form-45	Live Vaccine Against Canine Parvovirus and Canine Distemper (Hipradog DP	Live Vaccine against Canine Parvovirus and Canine Distemper	Ten-dose pack Box with 10 vials with a single dose of freeze-dried injectable and 10 vials with 1 ml of suspension.	Live Canine Distemper Virus, Strain Lederle	Dogs

466	M/s Hipra India Pvt. Ltd., M. No. 1/0361 First Floor, Gat No 1337/1 Wagholi Tal-Haveli Pune India,	VET-11011(11)/4/2024-4624	IMP-08/2026	16.03.2026	Form-45	Infectious Bursal Disease Vaccine, Live, I.P. Trade Name Hipragumboro GM 97	For active immunisation of broilers with insignificant levels of maternally derived antibodies (ELISA of 500 or below) to reduce mortality, clinical signs and bursal lesions of Gumboro disease. Such birds can be vaccinated from one day of age. The onset of immunity is 14 days post vaccination and the duration 43 days post vaccination.	Oral Freeze dried Tablet Route of Administration Oral in the drinking water Presentation Pack with of 10 vials of 1000, 2500, 5000, Doses,	Strain GM97 Intermediate Plus Strain	Birds
467	M/s Boehringer Ingelheim India Pvt. Ltd.,	VET-11011(11)/10/2025-21450	IMP-09/2026	16.03.2026	Form-45	Feline Rhinotracheitis Calici Panleukopenia Vaccine Modified Live Virus (PureVax Feline 3)	PureVax Feline 3 is recommended for the vaccination of healthy cats, 6 weeks of age or older to prevent disease caused by feline rhinotracheitis, Calicivirus and Panleukopenia Viruses.	Lyophilized Live Vaccine Subcutaneously or Intramuscularly Pack Presentation 0.5mL and 1 mL	Feline Rhinotracheitis Virus F-2 Strain	Cats
468	M/s Biovet Private Limited	Sugam VET/25/000088	VET/Form44/26/000001	06.02.2026	Form-46	Sheep Pox Vaccine, Live Attenuated I.P. Freeze Dried (BV120) and Sterile Diluent	For active immunization of animals against Shep Pox Virus Infection.	Vaccines (Lyophilized)		Sheep Pox Virus Infection.
469	M/s Indian Immunologicals Ltd., Hyderabad	Sugam VET/25/000137	VET/Form44/26/000002	06.02.2026	Form-46	Lumpy Skin Disease Live Attenuated	For Prophylactic Vaccination against Lumpy Skin Disease in Cattle and buffaloes of more than 3 months' age for immunogenicity upto 120 days.	Live attenuated freeze-dried vaccine Route of Administration fro subcutaneous use after reconstitution with the supplied diluent	Cattle and Buffaloes
470	M/s Ceva Polchem Pvt Ltd	VET-11011(11)/57/2024-14288	IMP-10/2026	27.03.2026	Form-45	Reovirus Vaccine Inactivated I.P Trade Name Reomune 3 Avian Reovirus Vaccine Killed Virus)	The Vaccine is recommended for the vaccination of healthy chickens at least 18 weeks of age. Breeder vaccination provides maternal antibodies to progeny of breeder hens as an aid in the prevention of tenosynovitis and malabsorption caused by reovirus of the standard and SS412 types.	Inactivated virus suspended in an oil emulsion for injection. Subcutaneously presentation 1000 doses (500 ml)		Reovirus S1133 Strain 2408 Strain SS412 Strain	Chickens