

**List of drugs approved from SND Division from 01.01.2020 to 31.12.2020**

<b>S. No</b>	<b>Drug Name</b>	<b>Composition</b>	<b>Indication</b>	<b>Date of Approval</b>
1	Betahistine Dihydrochloride Orally Disintegrating Strips 16mg /24 mg <b>(New Dosage form)</b>	Each Orally Disintegrating Strips contains:  Betahistine Dihydrochloride .....16mg/24 mg	Indicated in the treatment of Menier's syndrome, Characterized by unilateral or bilateral tinnitus, vertigo, sensorineural hearing loss	02-01-2020
2	Posaconazole Gastro-Resistant Tablet 100 mg <b>(Modified Release dosage form)</b>	Each-Gastro-Resistant Tablet Contains: Posaconazole.....100 mg	For Prophylaxis of invasive Aspergillus and Candida infections in patients who are at high risk of developing these infections due to being severely immunocompromised, such as hematopoietic stem cell transplant (HSCT) recipients with graft-versus-host disease (GVHD) or those with hematologic malignancies with prolonged neutropenia from chemotherapy.  Posaconazole Gastro Resistant tablets are indicated in patients 13 years of age and older  <b>Warning: To be sold by retail on the prescription of Specialist only.</b>	03-01-2020
3	Pirfenidone tablet 600 mg <b>(Additional strength)</b>	Each Film coated Tablet contains: Pirfenidone....600mg	For the Treatment of idiopathic pulmonary fibrosis  <b>Warning: To be sold by retail on the prescription of Pulmonologist only.</b>	08-01-2020

4	Saroglitazar Tablet 2mg/4 mg <b>(Additional indication)</b>	Each uncoated tablet contains: Saroglitazar..... 2/4 mg	Type 2 Diabetes mellitus- as an add-on therapy to metformin	13-01-2020
5	Enzalutamide Soft Capsule 40 mg <b>(Additional indication)</b>	Each soft capsules contains Enzalutamide...40 mg	In the treatment of adult men with metastatic castration-resistant prostate cancer who are asymptomatic or mildly symptomatic after failure of androgen deprivation therapy in whom chemotherapy is not yet clinically indicated  <b>Warning: To be sold by retail on the prescription of Oncologist only.</b>	23-01-2020
6	Canagliflozin 100 mg and 300 mg Tablet <b>(Additional Indication)</b>	Each film coated tablet contains:  Canagliflozin 100mg/300mg	To reduce the risk of major adverse cardiovascular events (cardiovascular death, nonfatal myocardial infarction and nonfatal stroke) in adults with type 2 diabetes mellitus and established cardiovascular disease.	17-02-2020
7	Norethisterone Acetate Controlled Release Tablet 10 mg <b>(Additional Dosage form &amp; Indication)</b>	Each film coated controlled release tablet contains:  Norethisterone Acetate 10mg	To arrest bleeding in women with dysfunctional uterine bleeding due to hormonal imbalance.	24-02-2020
8	Lidocaine Hydrochloride 2% Solution <b>(Additional Dosage Form)</b>	Each ml contains:  Lidocaine Hydrochloride 20mg	<b>Indicated in adults:</b> • For the production of topical anesthesia of irritated or inflamed mucous membranes of the mouth and pharynx. • For reducing gagging during the taking of X-ray pictures and dental impressions.	25-02-2020
9	Saroglitazar Tablets 4mg	Each uncoated tablet contains:	Noncirrhoic Non-Alcohol Steatohepatitis	02-03-2020

	<b>(Additional Indication)</b>	Saroglitazar 4 mg		
10	Itraconazole Capsule 200 mg <b>(Additional Strength)</b>	Each capsule contains: Itraconazole 200 mg	For the treatment of onychomycosis of the toenail due to <i>Trichophyton rubrum</i> or <i>T. mentagrophytes</i> in non-immunocompromised patients  <b>Warning: To be sold by retail on the prescription of a Specialist only.</b>	03-03-2020
11	Nepafenac Ophthalmic suspension 0.3% w/v <b>(Additional Indication)</b>	Each ml contains: Nepafenac 3mg	Reeducation in the risk of postoperative macular oedema associated with cataract surgery in diabetic patients  <b>Warning: To be sold by retail on the prescription of a Ophthalmologists only.</b>	03-03-2020
12	Bisoprolol Fumarate tablet 1.25 mg <b>(Additional strength)</b>	Each film coated tablet contains: Biosoprolol Fumarate 1.25 mg	For the treatment of congestive heart failure (CHF)	04-03-2020
13	Pirfenidone Tablets 267 & 801 mg <b>(Additional Strength)</b>	Each film coated tablet contains: Pirfenidone 267mg/801 mg	For the treatment of idiopathic pulmonary fibrosis  <b>Warning: To be sold by retail on the prescription of a Pulmonologist only.</b>	04-03-2020
14	Pegaspargase Injection 3750 IU/5ml <b>(Additional Indication)</b>	Each 5ml vial contains: Pegaspargase Injection 3750 IU	Injection as first-Line chemotherapeutic agent for treatment of patients with acute Lymphoblastic Leukemia (ALL)  <b>Warning: To be sold by retail on the prescription of a Oncologist only.</b>	04-03-2020

15	Norethisterone Acetate Controlled Release Tablet 15 mg <b>(Additional Strength)</b>	Each film coated controlled release tablet contains Norethisterone Acetate 15 mg	To arrest bleeding in women with Heavy Menstrual Bleeding (HMB)/abnormal Uterine Bleeding (AUB) due to hormonal imbalance  <b>Warning: To be sold by retail on the prescription of a Gynaecologist/Obstetrician only.</b>	09-03-2020
16	Estriol Tablets 1mg/2mg <b>(Additional strength)</b>	Each uncoated Tablet contains: Estriol 1mg/2mg	Estrogen deficiency symptoms due to menopause  <b>Warning: To be sold by retail on the prescription of a Gynaecologist only.</b>	09-03-2020
17	Busulfan Injection 60 mg/10ml <b>(Additional Strength)</b>	Each 10 ml vial contains: Buslfan 60mg	In combination with cyclophosphamide as a conditioning regimen prior to allogenic hematopoietic progenitor cell transplantation for chronic myelogenous leukemia  <b>Warning: To be sold by retail on the prescription of a Oncologist only.</b>	09-03-2020
18	Ulipristal Acetate Tablet 30 mg <b>(Additional strength &amp; indication)</b>	Each film coated tablet contains Ulipristal acetate 30 mg	Emergency contraception within 120 hrs (5 days) of unprotected sexual intercourse or contraceptive failure  <b>Warning: To be sold by retail on the prescription of a Gynaecologist only.</b>	11-03-2020
19	Canagliflozin Tablet 100/300 mg <b>(Additional Indication)</b>	Each film coated tablet contains: Canagliflozin 100/300 mg	To reduce the risk of end-stage kidney disease (ESKD), doubling of serum creatinine, cardiovascular (CV) death, and hospitalization for heart failure in adults with type 2 diabetes mellitus and diabetic	11-03-2020

			nephropathy with albuminuria 300mg/day	
20	Nintedanib Soft Gelatin Capsules 100/150 mg  <b>(Additional Indication)</b>	Each soft gelatin capsule contains: Nintedanib Ethanesulfonate equivalent to Nintedanib 100/150 mg	For the treatment of systemic sclerosis associated interstitial Lung Disease (SSc-ILD)  <b>Warning: To be sold by retail on the prescription of a Pulmonologist only.</b>	20-03-2020
21	Oxaliplatin Injection 50 mg/vial & 100 mg/val  <b>(Additional Dosage Form)</b>	Each Vial contains:  Sterile Solution of Oxaliplatin 50mg and 100mg	For the treatment of advanced colorectal cancer.  <b>Warning: To be sold by retail on the prescription of an oncologist only.</b>	29-04-2020
22	Metformin Hydrochloride Prolonged Release Tablets 500mg  <b>(Additional Indication)</b>	Each Prolonged Release Tablets contains: Metformin Hydrochloride 500mg	For the treatment of Polycystic Ovary Syndrome (PCOS) with established insulin resistance  <b>WARNING: To be sold by retail on the prescription of a RMP only</b>  In the package insert - Special warnings and precautions: Pregnancy: “There are no adequate and well-controlled studies in pregnant women with Metformin and Metformin should not be used during pregnancy unless clearly needed”	05-05-2020
23	Olaparib 100 mg and 150 mg Tablets  <b>(Additional Indication)</b>	Each Film coated tablet contains: Oloaparib...100mg/150 mg.	Olaparib is indicated as monotherapy for the Maintenance treatment of adult patients with germline BRCA-mutated	06-05-2020

			<p>metastatic adenocarcinoma of the pancreas whose disease has not progressed on first-line platinum-based chemotherapy</p> <p><b>“WARNING: To be sold by retail on the prescription of Oncologist only”</b></p>	
24	<p>Bortezomib For injection 2.5mg/ml</p> <p><b>(Additional Pack Size)</b></p>	<p>Each Vial Contains: Bortezomib 2.5 mg</p>	<ul style="list-style-type: none"> <li>• For the treatment of patients with multiple myeloma</li> <li>• For the treatment of patients with mantle cell lymphoma who have received at least one prior therapy.</li> </ul> <p><b>WARNING: To be sold by retail on the prescription of Oncologist only” which shall be in red box;</b></p>	12-05-2020
25	<p>Sodium Fluoride varnish (50mg/ml) (Dental Suspension)</p> <p><b>(New Dosage Form)</b></p>	<p>Each ml of Dental Suspension contains: Sodium Fluoride.....50 mg</p>	<ul style="list-style-type: none"> <li>• For the prevention of caries in children and adults as part of a comprehensive control programme, for the: <ul style="list-style-type: none"> <li>- prevention of recurring (or marginal) caries</li> <li>- prevention of progression of caries</li> <li>- prevention of decalcification around orthodontic appliances</li> <li>- prevention of pit and fissure (occlusal) caries.</li> </ul> </li> <li>• For the desensitisation of hypersensitive teeth as part of a treatment</li> </ul>	05-06-2020

			<p>regimen which includes the daily use of a suitable toothpaste.</p> <p><b>Warning: "To be sold by retail on the prescription of a Dentist only"</b></p>	
25	<p>Paclitaxel Lipid Suspension for injection 100 mg/vial</p> <p><b>(Additional Strength)</b></p>	<p>Each vial contains: Paclitaxel ..... 100 mg</p>	<ol style="list-style-type: none"> <li>1. For the treatment of breast cancer after failure of combination chemotherapy for metastatic disease or relapse within 6 months of adjuvant chemotherapy. Prior therapy should have included an anthracycline unless clinically contraindicated.</li> <li>2. For the adjuvant treatment of node-positive breast cancer administered sequentially to standard doxorubicin-containing combination chemotherapy.</li> <li>3. As first-line and subsequent therapy for the treatment of advanced carcinoma of the ovary. As first-line therapy, it is indicated in combination with cisplatin.</li> <li>4. In combination with cisplatin, is indicated for the first-line treatment of non-small cell lung cancer in patients who are not candidates for potentially curative surgery and/or radiation therapy.</li> </ol>	16-06-2020

			<p>5. For the second-line treatment of AIDS-related Kaposi's sarcoma</p> <p><b>Warning: "To be sold by retail on the prescription of a Oncologist only"</b></p>	
26	<p>Itraconazole Oral Solution 10 mg/ml <b>(New Dosage Form)</b></p>	<p>Each ml Contains: Itraconazole.....10 mg</p>	<p>For the Treatment of Oropharyngeal and Esophageal candidiasis</p> <p><b>Warning: "To be sold by retail on the prescription of a Specialist only"</b></p>	25-06-2020
27	<p>Bilastine Orodispersible Tablet 10 mg <b>(New Dosage Form)</b></p>	<p>Each uncoated orodispersible tablet contains: Bilastine..... 10 mg</p>	<p>For symptomatic treatment of allergic rhinoconjunctivitis (seasonal and perennial) and urticarial. Bilastine is indicated in children aged 6 to 11 years with a body weight of at least 20 kg</p>	25-06-2020
28	<p>Itraconazole 50 mg Capsule <b>(Modified Dosage Form)</b></p>	<p>Each capsule contains: Itraconazole.....50 mg</p>	<p>for the treatment of Systematic aspergillosis, candidiasis, cryptococcosis, sportrichosis, paracoccidioidomycosis, blastomycosis and other rarely occurring systemic or tropical mycosis</p> <p><b>"WARNING: To be sold by retail on the prescription of a Specialist only".</b></p> <p><b>Caution: "This Itraconazole Capsules 50mg has equivalent bioavailability with that of itraconazole capsules 100mg. One capsule of this Itraconazole Capsule 50mg is therapeutically equivalent to one 100mg capsule of conventional Itraconazole capsules100mg. The recommended dose of this Itraconazole Capsules 50mg is therefore half the</b></p>	30-06-2020

			<b>recommended dose for conventional itraconazole capsules 100 mg. This Itraconazole Capsules 50mg and conventional Itraconazole Capsules 100mg are not interchangeable”.</b>	
29	Meropenem dry powder for injection 2000 mg	Each Vial Contains Meropenem Trihydrate Equivalent to Meropenem 2000mg Sodium Carbonate Equivalent to sodium (Na+0 180.4mg	<ul style="list-style-type: none"> <li>• Nosocomial Pneumonia like Hospital Acquired Pneumonia (HAP)/Ventilator Associated Pneumonia</li> <li>• Urinary Tract Infections like Complicated Urinary Tract Infections</li> <li>• Intra-Abdominal infection like Complicated Intra-Abdominal Infection</li> <li>• Meningitis like Acute Meningitis</li> <li>• Septicemia</li> <li>• Empiric Treatment of Presumed infection in Adult Patients with Febrile Neutropenia</li> </ul>	02-07-2020
30	Dapagliflozin 10 mg	Each Film coated tablet contains: Dapagliflozin Propanediol Monohydrate equivalent to Dapagloflozin..... 10 mg	<b>6.</b> Dapagliflozin is indicated in adults for the treatment of heart failure with reduced ejection fraction.	03-07-2020
31	Ceftaroline fosamil powder for concentrate for solutin for infusion	Each Vial Contains: Ceftaroline Fosamil.....600mg L-Arginine.....395mg	For the tratment of the adults with complicated skin and soft tissue infections (Cssti)	06-07-2020
32	Nintedanib 100mg/150mg	Each soft Gelatin capsule contains: Nintedanib Ethanesulfonate equivalent to	For the treatment of other chronic fibrosing interstitial Lung Diseases (ILDs) with a Progressive phenotype	09-07-2020

		Nintedanib.....100mg/150mg		
33	Vildagliptin Sustained Release tablet 50mg	Each film coated sustained release tablet contains : Vildagliptin .....50mg	As an adjunct to diet and exercise to improve glycemic control in patients with type - II diabetes mellitus (T2DM)	09-07-2020
34	Ivabradine PR Tablets 10/15mg	Each film coated prolonged release tablet contains: Ivabradine hydrochloride equivalent to Ivabradine.....10 mg / 15 mg.	For the treatment of chronic stable angina pectoris in patients with coronary artery disease and treatment of chronic heart failure.	14-07-2020
35	Paracetamol Orally Disintegrating 60/120 mg	Each Orally Disintegrating Strip Contains: Paracetamol..... .....60mg / 120 mg	For use in pediatric age group, for symptomatic treatment of pain and fever	14-07-2020
36	Sodium Citrate Granules 4.0 gm	Each sachet (5.6g) Contains: Sodium Citrate 4.0 g	As an alkalinising agent in cystitis in women	16-07-2020
37	Bedaquiline Tablet 100 mg	Each uncoated tablet contains: Bedaquiline fumarate equivalent to.....100 mg of Bedaquiline	In adult (>18 years) and pediatric patients (12 years to less than 18 years of age and weighing at least 30 kg) as part of combination therapy of pulmonary tuberculosis (TB) due to multi-drug resistant Mycobacterium tuberculosis.	16-07-2020
38	Trimetazidine Hydrochloride Extended Release Capsules 80mg	Each hard gelatin capsule contains: Trimetazidine hydrochloride (as extended release pellets)... 80 mg	For the treatment of Ischaemic heart disease (angina pectoris, sequelae of infarction).	21-07-2020
39	Budesonide Tablets 9 mg	Each film coated Tablet contains: Budesonide.....9 mg Excipients.....q. s.	Indicated in adults for induction of remission in patients with mild to moderate active ulcerative colitis (UC)	31-07-2020
40	Regorafenib Tablet 40 mg <b>(Additional Indication)</b>	Each film coated tablet contains: Regorafenib.....40 mg	For the treatment of patients with hepatocellular carcinoma (HCC) who	03-08-2020

			<p>have been previously treated with Sorafenib</p> <p><b>Warning “To be sold by retail on the Prescription of an Oncologist only</b></p>	
41	<p>Baclofen Extended Release tablet 30mg</p> <p><b>(Additional dosage &amp; Strength)</b></p>	<p>Each uncoated extended release tablet contains: Baclofen....30 mg</p>	<p>For the symptomatic treatment of neuronal spasticity due to multiple sclerosis, spinal chord, pathology &amp; injury</p>	04-08-2020
42	<p>Tofacitinib Tablet 5 mg</p> <p><b>(Additional Indication)</b></p>	<p>Each film coated tablet contains: Tofacitinib citrate equivalent to tofacitinib.....5 mg</p>	<p>For the treatment of adult patients with active psoriatic arthritis (PsA) who have had an inadequate response or intolerance to methotrexate or other non-biologic disease modifying antirheumatic drugs (DMARDs)</p> <p><b>Warning “To be the prescription of a Rheumatologist or Specialist in Internal Medicine only”</b></p>	04-08-2020
43	<p>Enzalutamide 80 mg capsules</p> <p><b>(Additional strength)</b></p>	<p>Each hard gelatin capsule contains: Enzalutamide....80mg</p>	<p>For the treatment adults with metastatic castration-resistant prostate cancer (mCRPC) whose disease has progressed on or after Docetaxel therapy.</p> <p><b>Warning “To be sold by retail on the Prescription of an Oncologist only”</b></p>	06-08-2020
44	<p>Oxaceprol Sustained Release Tablet 600 mg</p> <p><b>(Additional strength)</b></p>	<p>Each film coated SR tablet contains: Oxaceprol.....600 mg</p>	<p>Treatment of pain associated with osteoarthritis of knee in adult patients</p>	07-08-2020
45	<p>Olaparib 100/150 mg</p> <p><b>(Additional Indication)</b></p>	<p>Each film-coated tablets contains: Olaparib..... 100mg/150 mg</p>	<p>Olaparib is indicated as monotherapy for the treatment of adult patients with metastatic castration-resistant prostate cancer and</p>	17-08-2020

			<p>homologous recombination repair gene mutations (germline and/or somatic) who have progressed following a prior new hormonal agent.</p> <p><b>Warning “To be sold by retail on the Prescription of an Oncologist only”</b></p>	
46	<p>Levofloxacin Dispersible Tablets 100 mg</p> <p><b>(New Dosage Foam)</b></p>	<p>Each dispersible tablet contains: Levofloxacin hemihydrate Equivalent to Levofloxacin .....100 mg</p>	<p>Indicated in combination with other anti-tuberculosis agents, for the treatment of tuberculosis caused by Mycobacterium tuberculosis in children.</p> <p><b>Warning “To be sold by the prescription of a Medical Specialist only”</b></p>	18-08-2020
47	<p>Trihexyphenidyl Hydrochloride 1 mg</p> <p><b>(Additional strength)</b></p>	<p>Each uncoated tablet contains: Trihexyphenidyl hydrochloride ..... .....1 mg</p>	<p>It is indicated in all forms of Parkinsonism (postencephalitic, arteriosclerotic and idiopathic). It is often useful as adjuvant therapy when treating these forms of Parkinsonism with levodopa.</p> <p>Trihexyphenidyl is also indicated to control extrapyramidal disorders due to central nervous system drugs such as reserpine and the phenothiazines.</p> <p><b>Warning “To be sold by the prescription of Neurologist only”</b></p>	18-08-2020
48	<p>Olaparib 100/150 mg</p> <p><b>(Additional Indication)</b></p>	<p>Each film-coated tablets contains:  Olaparib.....100mg/150 mg</p>	<p>Olaparib in combination with bevacizumab is indicated for the Maintenance treatment of adult patients with advanced high-grade epithelial ovarian, fallopian tube or primary peritoneal</p>	21-08-2020

			<p>cancer who are in response (Complete response or partial response) to first-line platinum-based chemotherapy with bevacizumab.</p> <p><b>Warning “To be sold by retail on the Prescription of an Oncologist only”</b></p>	
49	<p>Ferric Carboxymaltose Solution for Injection/Infusion 20mg/vial</p> <p><b>(Additional Pack Size)</b></p>	<p>Each ml contains: Ferric Carboxymaltose equivalent to Elemental Iron....50 mg.</p>	<p>For the treatment of iron deficiency in adults when oral iron preparations are ineffective or cannot be used.</p>	27-08-2020
50	<p>Lipid Based Tacrolimus Ointment 0.1% w/w</p> <p><b>(Additional indication)</b></p>	<p>Each gram contains: Tacrolimus Monohydrate Equivalent to Tacrolimus.....0.1% w/w</p>	<p>For the short-term and non-continuous chronic treatment of symptomatic lichen planus (oral and mucosal forms) in non-immunocompromised patients</p> <p><b>Warning “To be the prescription of a Dermatologists only”</b></p>	28-08-2020
51	<p>Moxifloxacin Dispersible Tablets 100 mg</p> <p><b>(New Form dosage)</b></p>	<p>Each dispersible tablet contains: Moxifloxacin Hydrochloride Equivalent to Moxifloxacin 100 mg</p>	<p>Indicated in combination with other antituberculosis agents for the treatment of tuberculosis caused by Mycobacterium tuberculosis. as a second-line anti-mycobacterial drug when use of first line drugs is not appropriate due to resistance or intolerance</p>	02-09-2020
52	<p>Tapentadol Hydrochloride Nasal Spray 225 mg/ml</p>	<p>Each Spray (0.1 ml) contains: Tapentadol Hydrochloride 22.5 mg Benzalkonium chloride (50%) 0.02%w/v</p>	<p>For treatment of moderated to severe post-operative pain in hospital admitted patients</p>	02-09-2020

	( New Form dosage)	(As Preservative)		
53	Favipiravir 800mg Tablet  (Additional strength)	Each film coated tablet contains: Favipiravir 800 mg	For the treatment of patients with mild to moderate Covid-19 disease, in light of Covid 19 outbreak, for restricted emergency use in the country.  <b>“WARNING: To be sold on the prescription of medical specialist”</b>	24-09-2020
54	Isotretinoin Capsules 8/16/24 mg  (Additional Strength & Indication)	Each soft gelatin capsule contains: Isotretinoin...8mg /16mg/24mg	For the treatment of severe recalcitrant nodular acne in non-pregnant patients 12 of age and older with multiple inflammatory nodules with a diameter of 5 mm or greater. Because of significant adverse reactions associated with its use, it is reserved for patients with severe nodular acne who are unresponsive to conventional therapy, including systemic antibiotics.  <b>“Warning: To be sold by retail on the prescription of Dermatologist only”</b>	29-09-2020
54	Brivaracetam Tablets  (Additional Strength)	Each film coated tablet contains:  Brivaracetam 25mg	As adjunctive therapy in the treatment of partial-onset seizures in patients 16 years of age and older with epilepsy	01-10-2020
55	Perampanel Tablets 2 mg/4mg /6 mg/8 mg/12 mg  (Additional Indication)	Each film coated tablet Contains:  Perampanel 2mg/4mg/6mg/8mg/10 mg/12mg	As an adjunctive treatment of partial-onset seizures with or without secondarily generalized seizures in patients with epilepsy 4 years of age and older  <b>“Warning: To be sold by retail on the prescription of Neurologist only”</b>	01-10-2020

56	Acotiamide 300 mg Tablet  <b>(Additional dosage foam)</b>	Each film coated Extended release tablet contains: Acotiamide Hydrochloride Hydrate 300mg	For the treatment of bloating after meals, epigastric bloating and early satiety in functional dyspepsia	05-10-2020
57	Azathioprine 75 mg Tablet  <b>(Additional Strength)</b>	Each film coated tablet contains:  Azathioprine 75 mg	Indicated for facilitating the survival and function of organ transplants  <b>“Warning: To be sold by retail on the prescription of Medical Specialist only”</b>	14-10-2020
58	Travoprost Eye Drops 0.004% w/v  <b>(Preserved with an ionic buffer system)</b>	Each ml contains Travoprost .0.004% w/v	For the reduction of elevated intraocular pressure in patients with open angle glaucoma or ocular hypertension  <b>“Warning: To be sold by retail on the prescription of Ophthalmologist only”</b>	16-10-2020
59	Remdesivir for Injection 100 mg/vial (lyophilized)  (Expansion of Indication)	Each vial Contains: Remdesivir 100 mg (lyophilized)	For treatment of suspected or laboratory confirmed corona virus disease 2019 (COVID- 19) in adults and children hospitalised with moderate to severe disease. In light of Covid 19 outbreak, for restricted emergency use in the country. <b>“Warning: To be sold by retail on the prescription of specialist for use in Hospital/Institutional Setup only”</b>	19-10-2020
60	Lidocaine Spray 10% w/v  <b>(Additional Strength)</b>	Each ml Contains: Lidocaine ..... 100 mg Ethanol..... 30.4% v/v Flavored Base ..... q .s.	Lidocaine Spray 10% w/v is indicated for the prevention of pain associated with the following procedures: Otorhinolaryngology: Anesthesia prior to minor non-invasive procedures in the nasal cavity, pharynx and	02-11-2020

			<p>epipharynx including rhinoscopy and laryngoscopy.</p> <p>Obstetrics: During the final stages of delivery and before episiotomy and perineal suturing as supplementary pain control.</p> <p>Insertion of instruments and catheters into the respiratory and digestive tract: Provides surface anesthesia for the oropharyngeal and tracheal areas to reduce reflex activity, attenuate hemodynamic response and to facilitate insertion of the catheter or the passage of instruments during endotracheal intubation, laryngoscopy, bronchoscopy, esophagostomy and gastroscopy.</p> <p>Dental practice: Before minor dental procedures where local anesthesia is desired.</p>	
61	<p>Combipack OF Favipiravir Tablets</p> <p><b>(Combipack)</b></p>	<p>Each Combipack contains:</p> <p><b>Favipiravir Tablets 200 mg (2 tablets)</b>  Each film coated tablets contains:  Favipiravir  .....20  0mg</p> <p><b>Favipiravir Tablets 800 mg (16 tablets)</b>  Each film coated tablets contains:  Favipiravir  .....80  0mg</p>	<p>For restricted emergency use for the treatment of patients with mild to moderate Covid-19 disease</p> <p>“  <b>“WARNING: To be sold on the prescription of medical specialist”</b>  which shall be in box with red background.</p>	27-11-2020
62	Vildagliptin Sustained Release Tablets 100 mg (OROS)	Each film coated sustained release bi-layered tablet contains:	As an adjunct to diet and exercise to improve glycemic control in patients with type-II	15-12-2020

		Vildagliptin..... .....100mg	diabetes mellitus (T2DM)	
63	Thyroxine Sodium Tablets 112 mcg  (Additional Strength)	Each uncoated tablet contains: Thyroxine Sodium..... .....11 2 mcg	For the treatment of hypothyroidism	17-12-2020
64	Triamcinolone Acetonide Cream 0.1% w/w  (New Dosage Foam)	Each gm contains: Triamcinolone Acetonide..... .....1mg Benzyl alcohol (as preservative)..... .2% w/w In a cream base..... .....q.s.	Inflammatory and pruritic manifestations of corticosteroid responsive dermatoses  <b>"WARNING: To be sold by retail on the prescription of Dermatologist only"</b>	22-12-2020
65	Palbociclib Tablets 75/100/125 mg	Each film coated tablet contains:  Palbociclib..... .....75mg/100mg/1 25 mg	1. Palbociclib is a kinase inhibitor indicated for the treatment of hormone receptor (HR) positive, human epidermal growth factor receptor 2 (HER2) - negative advanced or metastatic breast cancer in combination with fulvestrant in women with disease progression following endocrine therapy. 2. Palbociclib is a kinase inhibitor indicated in combination with Letrozole for the treatment of postmenopausal women with	22-12-2020

			<p>estrogen receptor (ER) positive, human epidermal growth factor receptor 2 (HER2)-negative advanced breast cancer as initial endocrine based therapy for their metastatic disease.</p> <p><b>"WARNING: To be sold by retail on the prescription of an Oncologist only"</b></p>	
66	<p>Lurasidone Hydrochloride Tablets 20mg</p> <p><b>(Additional Strength)</b></p>	<p>Each film coated tablets contains: Lurasidone Hydrochloride..... ..... ....20 mg</p>	<p>For treatment of patients with Schizophrenia</p> <p><b>"WARNING: To be sold by retail on the prescription Neurologist only"</b></p>	24-12-2020
67	<p>Hydrocortisone Sodium Succinate Injection</p> <p><b>(Additional Strength)</b></p>	<p>Each vial contains: Hydrocortisone Sodium Succinate (Buffered) Eq. to Hydrocortisone ..... .....200 mg</p>	<p>Allergic states: Control of severe or incapacitating allergic conditions intractable to adequate trials of conventional treatment in asthma, atopic dermatitis, contact dermatitis, drug hypersensitivity reactions, perennial or seasonal allergic rhinitis, serum sickness, transfusion reactions.</p> <p>Dermatologic diseases: Bullous dermatitis herpetiformis, exfoliative erythroderma, mycosis fungoides, pemphigus, severe erythema multiforme (Stevens-Johnson syndrome).</p> <p>Endocrine disorders: Primary or secondary</p>	28-12-2020

			<p>adrenocortical insufficiency (hydrocortisone or cortisone is the drug of choice; synthetic analogs may be used in conjunction with mineralocorticoids where applicable; in infancy, mineralocorticoid supplementation is of particular importance), congenital adrenal hyperplasia, hypercalcemia associated with cancer, nonsuppurative thyroiditis.</p> <p>Gastrointestinal diseases: To tide the patient over a critical period of the disease in regional enteritis (systemic therapy) and ulcerative colitis.</p> <p>Hematologic disorders: Acquired (autoimmune) hemolytic anemia, congenital (erythroid) hypoplastic anemia (Diamond-Blackfan anemia), idiopathic thrombocytopenic purpura in adults (intravenous administration only; intramuscular administration is contraindicated), pure red cell aplasia, selected cases of secondary thrombocytopenia.</p> <p>Miscellaneous: Trichinosis with neurologic or myocardial involvement, tuberculous meningitis with subarachnoid block or impending</p>	
--	--	--	--	--

			<p>block when used concurrently with appropriate antituberculous chemotherapy.</p> <p>Neoplastic diseases: For the palliative management of leukemias and lymphomas.</p> <p>Nervous System: Acute exacerbations of multiple sclerosis; cerebral edema associated with primary or metastatic brain tumor, or craniotomy.</p> <p>Ophthalmic diseases: Sympathetic ophthalmia, uveitis and ocular inflammatory conditions unresponsive to topical corticosteroids.</p> <p>Renal diseases: To induce diuresis or remission of proteinuria in idiopathic nephrotic syndrome or that due to lupus erythematosus.</p> <p>Respiratory diseases: Berylliosis, fulminating or disseminated pulmonary tuberculosis when used concurrently with appropriate antituberculous chemotherapy, idiopathic eosinophilic pneumonias, symptomatic sarcoidosis.</p> <p>Rheumatic disorders: As adjunctive therapy for short-term administration (to tide the patient over an acute episode or</p>	
--	--	--	--	--

			<p>exacerbation) in acute gouty arthritis; acute rheumatic carditis; ankylosing spondylitis; psoriatic arthritis; rheumatoid arthritis, including juvenile rheumatoid arthritis (selected cases may require low-dose maintenance therapy). For the treatment of dermatomyositis, temporal arteritis, polymyositis, and systemic lupus erythematosus.</p>	
68	<p>Saroglitazar Tablets 4mg</p> <p><b>(Additional Indication)</b></p>	<p>Each uncoated tablet contains: Saroglitazar 4 mg.</p>	<p>Non-Alcoholic Fatty Liver Disease (NAFLD) with comorbidities (Either Obesity, Type 2 Diabetes Mellitus, Dyslipidemia Or Metabolic Syndrome)</p>	28-12-2020