List of New Drugs approved in the year 2025 till date

S.No.	Name of New Drug	Indication	Date of Approval
1.	Tafamidis Bulk Drug	Not applicable as it is a bulk drug	16.01.2025
2.	Letermovir Bulk Drug &Letermovir Tablets 240mg and 480 mg	Letermovir is indicated for prophylaxis of cytomegalovirus (CMV) infection and disease in adult CMV-seropositive recipients [R+] of an allogeneic hematopoietic stem cell transplant (HSCT). It is also indicated for prophylaxis of CMV disease in adult kidney transplant recipients at high risk (Donor CMV seropositive/Recipient CMV seronegative[D+/R-])	17.01.2025
3.	Fexuprazan hydrochloride Bulk Drug and Fexuprazan hydrochloride Tablets 40mg	10.02.2025	
4.	Edoxaban Tosylate Monohydrate Bulk Drug	11.02.2025	
5.	Edoxaban Tablets 15mg, 30mg and 60mg	In prevention of stroke and systemic embolism in adult patients with non-valvular atrial fibrillation (NVAF) with one or more risk factors, such as congestive heart failure, hypertension, age ≥ 75 years, diabetes mellitus, prior stroke or transient ischaemic attack(TIA). For the treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE), and for the prevention of recurrent DVT and PE in adults.	20.02.2025
6.	Sodium Zirconium Cyclosilicate powder for Oral Suspension (LOKELMA) 5g/10g	05.03.2025	
7.	Rimegepant Oral disintegrating tablets (ODT) 75 mg	For Acute treatment of migraine with or without aura in adults with a previous insufficient response to triptans.	27.03.2025
8.	Doravirine Bulk Drug and Doravirine Tablets 100mg	patients weighing at least 35 kg with no prior antiretroviral treatment history only(treatment naïve)	28.03.2025
9.	Tucatinib hemiethanolate bulk drug & Tucatinib tablets 50 mg and 150 mg	Indicated in combination with trastuzumab and capecitabine for treatment of adult patients with advanced unresectable or metastatic HER2-positive breast cancer, including patients with brain metastases, who have received one or more prior anti-HER2-based regimens in the metastatic setting.	08.04.2025
10.	Zanubrutinib capsules 80 mg	It is indicated for the treatment of adult patients with: 1. Mantle cell lymphoma (MCL) who have received at least one prior therapy.	

		 Waldenstrom's macrogloubulinemia (WM) Relapsed or refractory marginal zone lymphoma(MZL) who have received at least one anti-CD20-based regimen. Chronic lymphocytic leukaemia (CLL) or small lymphocytic lymphoma(SLL). Relapsed or refractory follicular lymphoma (FL),in combination with obinutuzumab, after two or more lines of systemic therapy. 	08.04.2025
11.	Linaclotide Bulk Drug & Linaclotide Capsule 72 mcg & Linaclotide Capsule 145 mcg	Indicated in adults for the treatment of Chronic idiopathic constipation.	21.04.2025
12.	Siponimod Hemifumarate Bulk Drug & Siponimod Tablets 0.25 mg/1mg/2mg	,	09.05.2025
13.	Ivosidenib 250 mg film coated tablet	1. In combination with Azacitidine for the treatment of adult patients with newly diagnosed acute myeloid leukaemia(AML) with an isocitrate dehydrogenase-1(IDH1) R132 mutation who are not eligible to receive standard Induction chemotherapy. 2. As a monotherapy for the treatment of adult patients with locally advanced or metastatic cholangiocarcinoma with an IDH1 R132 mutation who were previously treated by at least one prior line of systemic therapy.	
14.	Tegoprazan Tablet 50 mg FDC of Relugolix, Estradiol and	 Erosive Gastroesophageal Reflux Disease Non-erosive Gastroesophageal Reflux Disease Gastric Ulcer 	28.05.2025 16.07.2025
	Norethindrone Acetate Tablets (40 mg+ 1 mg+ 0.5mg)	menstural bleeding associated with uterine Leiomyomas(Fibroids) in premenopausal women.	
16.	Lutetium Lu-177 Vipivotide Tetraxetan solution for injection or infusion 1000MBq/m L – reg.		23.07.2025

17.	Stamicis Radiopharma			pertect of tech indicate My de art my Ass full de EC ever fra mo or Lo pa rec pri hyll bo scl the	rocardial perfusion tection and localization and localization of general perfusion. First —patermination of ejector. General perfusion of left vection, volumes a strict on a suspected breat ammography is equindeterminate. Calization of rathyroid tissue current or persister mary and perparathyroidism, the primary he meduled to undergote of the parathyroid	n scintiging ation of ation pect second seco	raphy for coronary oris and entricular sique for on and/or ejection onal wall election er when adequate enctioning ents with e in both econdary ients with hyroidism urgery of	23.07.2025
18.	•	b Extend	Drug and ed Release and 45mg	severe had an	treatment of adults ly active ulcerative inadequate respon more TNF blockers	e colitis w se or intol	vho have	19.08.2025