



सत्यमेव जयते

GOVERNMENT OF INDIA
CENTRAL DRUGS STANDARD CONTROL
ORGANISATION (Headquarter)
(Directorate General of Health Services)
Ministry of Health & Family Welfare
FDA Bhavan
ITO, Kotla Road
New Delhi - 110002 (Delhi)
Phone No.: 91-11-23216367
Fax No.: 91-11-23236973
E-Mail : dci@nic.in

File No. CT/24/000102

To,

M/s B J Govt Medical College & Sassoon General Hospitals,
B J Medical College Clinical trial Unit, Jai Prakash Narayan Road,
Maharashtra (India) -411001.

Sir,

With reference to your application No. GCT/CT04/FF/2024/43733 dated 12-Aug-2024, please find enclosed herewith the permission in Form CT-06 for conduct of clinical trial titled, "**A Phase 2, Randomized, Adaptive, Dose-Ranging, Open-Label Trial of Novel Regimens for the Treatment of Pulmonary Tuberculosis (RAD-TB)**" Protocol no. **A5409** version no. **2.0** dated **21-MAR-2024** with a total of up-to 50 subjects from India under the provisions of New Drugs and Clinical Trial Rules, 2019

The permission granted by the Central Licensing Authority to conduct clinical trial shall be subject to following conditions, namely:-

- 1) **Cardiac evaluation at every visit.**
- 2) **Objective assessment of neuropathy nerve conduction studies in subject with comorbidities or moderate severe grade neuropathy.**
- 3) **Human biological samples i.e. Whole blood, Whole blood (PAXgene tube), Peripheral Blood Mononuclear Cells (PBMC), MTB Isolates, Plasma and Sputum related to clinical trial shall be permitted to be exported for analysis subject to the clearance by port offices of CDSCO. Further, ICMR/DHR permission shall be obtained for export of optional biological samples as per DGFT notification number 72/2023 dated 11.03.2024.**
- 4) Clinical trial at each site shall be initiated after approval of the clinical trial protocol and other related documents by the Ethics Committee of that site, registered with the Central Licencing Authority under rule 8;
- 5) where a clinical trial site does not have its own Ethics Committee, clinical trial at that site may be initiated after obtaining approval of the protocol from the Ethics Committee of another trial site; or an independent Ethics Committee for clinical trial constituted in accordance with the provisions of rule 7:

Provided that the approving Ethics Committee for clinical trial shall in such case be responsible for the study at the trial site or the centre, as the case may be:

Provided further that the approving Ethics Committee and the clinical trial site or the bioavailability and bioequivalence centre, as the case may be, shall be located within the same city or within a radius of 50 kms of the clinical trial site;

- 6) in case an ethics committee of a clinical trial site rejects the approval of the protocol, the details of the same shall be submitted to the Central Licensing Authority prior to seeking approval of another Ethics Committee for the protocol for conduct of the clinical trial at the same site;

- 7) the Central Licencing Authority shall be informed about the approval granted by the Ethics Committee within a period of fifteen working days of the grant of such approval;
- 8) clinical trial shall be registered with the Clinical Trial Registry of India maintained by the Indian Council of Medical Research before enrolling the first subject for the trial;
- 9) clinical trial shall be conducted in accordance with the approved clinical trial protocol and other related documents and as per requirements of Good Clinical Practices Guidelines and the provisions of these rules;
- 10) status of enrolment of the trial subjects shall be submitted to the Central Licencing Authority on quarterly basis or as appropriate as per the duration of treatment in accordance with the approved clinical trial protocol, whichever is earlier;
- 11) six monthly status report of each clinical trial, as to whether it is ongoing, completed or terminated, shall be submitted to the Central Licencing Authority electronically in the SUGAM portal;
- 12) in case of termination of any clinical trial the detailed reasons for such termination shall be communicated to the Central Licencing Authority within thirty working days of such termination;
- 13) any report of serious adverse event occurring during clinical trial to a subject of clinical trial, shall, after due analysis, be forwarded to the Central Licencing Authority, the chairperson of the Ethics Committee and the institute where the trial has been conducted within fourteen days of its occurrence as per Table 5 of the Third Schedule and in compliance with the procedures as specified in Chapter VI;
- 14) in case of injury during clinical trial to the subject of such trial, complete medical management and compensation shall be provided in accordance with Chapter VI and details of compensation provided in such cases shall be intimated to the Central Licencing Authority within thirty working days of the receipt of order issued by Central Licencing Authority in accordance with the provisions of the said Chapter;
- 15) in case of clinical trial related death or permanent disability of any subject of such trial during the trial, compensation shall be provided in accordance with Chapter VI and details of compensation provided in such cases shall be intimated to the Central Licencing Authority within thirty working days of receipt of the order issued by the Central Licencing Authority in accordance with the provisions of the said Chapter;
- 16) the premises of the sponsor including his representatives and clinical trial sites, shall be open for inspection by officers of the Central Licencing Authority who may be accompanied by officers of the State Licencing Authority or outside experts as authorised by the Central Licencing Authority, to verify compliance of the requirements of these rules and Good Clinical Practices Guidelines, to inspect, search and seize any record, result, document, investigational product, related to clinical trial and furnish reply to query raised by the said officer in relation to clinical trial;
- 17) where the new drug or investigational new drug is found to be useful in clinical development, the sponsor shall submit an application to the Central Licencing Authority for permission to import or manufacture for sale or for distribution of new drug in India, in accordance with Chapter X of these rules, unless otherwise justified;
- 18) the laboratory owned by any person or a company or any other legal entity and utilised by that person to whom permission for clinical trial has been granted used for research and development, shall be deemed to be registered with the Central Licencing Authority and may be used for test or analysis of any drug for and on behalf of Central Licencing Authority;
- 19) the Central Licencing Authority may, if considered necessary, impose any other condition in writing with justification, in respect of specific clinical trials, regarding the objective, design, subject population, subject eligibility, assessment, conduct and treatment of such specific clinical trial;
- 20) the sponsor and the investigator shall maintain the data integrity of the data generated during clinical trial.
- 21) Merely granting permission to conduct the clinical trial with the Investigational Drug Product does not convey or imply that, based on the clinical trial study data generated with the investigational drug, permission to market this drug in the country will automatically be granted to you;
- 22) The permission to initiate clinical trial granted under rule 22 in form CT-06 or automatic approval under rule 23 in Form CT 4A shall remain valid for a period of **two years** from the date of its issue, unless extended by the Central Licencing Authority.

Yours faithfully,

(Dr. Rajeev Singh Raghuvanshi)
Drugs Controller General (India) &
Central Licencing Authority
Stamp

FORM CT-06

(See rules 22,25,26,29 and 30)

**PERMISSION TO CONDUCT CLINICAL TRIAL OF NEW DRUG OR
INVESTIGATIONAL NEW DRUG**

1. The Central Licensing Authority hereby permits **M/s. B. J. Govt Medical College & Sassoon General Hospitals, B J Medical College Clinical trial Unit, Jai Prakash Narayan Road, Maharashtra (India) – 411001 Telephone No.: 912026052419 FAX: 912026125432** to conduct clinical trial of the new drug or investigational new drug as per **Protocol no. A5409 version no. 2.0 dated 21-MAR-2024** in the below mentioned clinical trial sites [As per Annexure].-
2. Details of new drug or investigational new drug and clinical trial site [As per Annexure].
3. This permission is subject to the conditions prescribed in part A of Chapter V of the New Drugs and Clinical Trials Rules, 2019 under the Drugs and Cosmetics Act, 1940.

Place: New Delhi

Date _____

(Dr. Rajeev Singh Raghuvanshi)
Drugs Controller General (India) &
Central Licencing Authority
Stamp

Note: The permission to initiate clinical trial granted under rule 22 in form CT-06 shall remain valid for a period of **two years** from the date of its issue, unless extended by the Central Licencing Authority.

Annexure:

Details of new drug or investigational new drug:

Names of the new drug or investigational new drug	Sutezolid
	TBI-223
	Pretomanid
	Linezolid
	Bedaquiline
	Isoniazid
	Rifampicin
	Pyrazinamide
	Ethambutol
Therapeutic class:	Antibacterial
	Antibacterial
	Antibacterial
	Antibacterial
	Antibacterial
	Antibacterial
	Antibacterial
	Antibacterial
	Antibacterial
Dosage form:	Tablets
	Tablets
	Tablets
	Tablets
	Tablets
	Tablets
	Tablets
	Capsule
	Tablets
Composition:	400 mg of Sutezolid, U.S.P. Active
	600 mg of TBI-223, Active
	200 mg of Pretomanid Active
	600 mg of Linezolid Active
	100 mg of Bedaquiline as the fumarate salt
	300 mg Isoniazid
	300 mg Rifampicin
	500 mg of Pyrazinamide
	400 mg of Ethambutol
Indications:	Drug Susceptible Pulmonary TB
	A novel oxazolidinone for tuberculosis, is designed to provide improved efficacy and safety compared to linezolid in combination with bedaquiline and pretomanid (BPAL)
	Treatment of active multi-drug-resistant tuberculosis (TB)
	Antibiotic, also used together with other medicines to treat tuberculosis caused by Mycobacterium tuberculosis in adults and adolescents
	used along with at least three other medications to treat multi-drug resistant tuberculosis
	to treat tuberculosis (TB) or prevent its return (reactivation)
	used in combination with other active anti-tuberculosis drugs, is indicated in the treatment of all forms of tuberculosis, including fresh, advanced, chronic and drug-resistant cases, also effective against most atypical strains of mycobacteria.
	used with other medications to treat tuberculosis (TB)
	Used to treat tuberculosis (TB). It is used with other medicines for TB

Annexure:

Details of clinical trial site:

Sr. No.	Names and address of clinical trial site	Ethics committee details	Name of investigator
1	BJ Govt. Medical College and Sassoon Government Hospital, Dept. of Pharmacology, BJ Govt. Medical College, Sassoon Road, Pune Maharashtra	Institutional Ethics Committee of BJ Govt. Medical College and Sassoon Government Hospital	Sanjay Gaikwad
2	BJ Govt. Medical College and Sassoon Government Hospital, Dept. of Pharmacology, BJ Govt. Medical College, Sassoon Road, Pune Maharashtra	Institutional Ethics Committee of BJ Govt. Medical College and Sassoon Government Hospital	Sandesh Patil
