

भारत सरकार
स्वास्थ्य एवं परिवार कल्याण मंत्रालय
(स्वास्थ्य सेवा महानिदेशालय)
केन्द्रीय औषध मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला
क्षेत्रीय अन्न व औषध प्रशासन भवन, जी.एम.एस.डी कंपाउंड,
बेलासीस रोड, मुंबई सेन्ट्रल, मुंबई - 400008.
दूरभाष : 022-23002309 /022-23002138
फैक्स : 022-23099240.
ईमेल- : cdtlmumbai@cdsco.nic.in



Government of India
Ministry of Health and Family Welfare
(Directorate General of Health Services)
Central Drugs Standard Control Organisation
Central Drugs Testing Laboratory
Zonal FDA Bhawan, GMSD Compound,
Bellasis Road, Mumbai Central, Mumbai - 400008.
Tel : 022-23002309 /022-23002138.
Fax : 022-23099240.
Email : cdtlmumbai@cdsco.nic.in

Accredited By : NABL (ISO/IEC-17025:2017 in Chemical & Biological Testing)
Certified For : IMS (ISO - 9001:2008; ISO - 14001:2015; ISO - 45001:2018)

No. 1(31)/CDTL-MUM/20-21/108

Date : 09/04/21

EXTENSION OF DUE DATE FOR TENDER


The following tender was uploaded on cdsco.gov.in website.

- No. 1(31)/CDTL-MUM/20-21/4010, Dst: 16.03.2021 for Supply and Installation of Vacuum Oven at CDTL-Mumbai.

The due date of same is extended for further period of 10 days due to non receipt of tenders.

Last Date of Submission of Tenders : 19/04/2021 by 4.30 PM
Date of Opening of Tender in presence of Tenderers if any : 20/04/2021 by 4.30 PM

Yours Sincerely,


(Dr. Raman Mohan Singh)
Director
CDTL - MUMBAI