

Annexure-I(b)
Details of Import Permissions of Human Vaccines

Year-2024				
S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1	M/s Urihk Pharmaceutical Private Limited ,602-603, Sai Samarth Business Park, Near Wasan Motors, Deonar Village Road, Deonar, Govandi (East) Mumbai (India)-400088.	Recombinant Hepatitis E Vaccine (E. Coli)	This vaccine is indicated for active immunization against infection caused by Hepatitis E Virus for age group of 18 years to 65 years	IMP/BIO/24/000060 dated 14-June-2024
2	M/s G.C. Chemie Pharmie Ltd. 5C Laxmi Industrial Estate New Link Road Andheri, Mumbai, India	Pneumococcal Polysaccharide Conjugate Vaccine I.P. (PCV13-TT) (Adsorbed)	For active immunization against disease caused by <i>Streptococcus pneumonia</i> serotypes 1,3,4,5,6A,6B,7F,9V,14,18C,19A,19F,23F in infants from 6 weeks of age group for 3 dose regimen (dosing schedule 6, 10 and 14 weeks).	IMP/BIO/24/000013 dated 31.01.2024
Year-2023				
S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1	M/s TechInvention Lifecare Pvt. Ltd, Mumbai, India	Choler Vaccine (Inactivated, Oral), I.P	For Prevention of Cholera in individuals from age 1 years and above caused by Vibrio cholerae.	IMP/BIO/23/000044 dated 17-Apr-2023
2	M/s Prosper Channel Life Science India Pvt., Ltd, New Delhi, India	Hepatitis A vaccine (Human Diploid Cell) Inactivated	for active immunization against Hepatitis A virus in 18-40 years of age group”.	IMP-30/2023, dated 21-April-.2023
3.	M/s Prosper Channel Life Science India Pvt., Ltd, New Delhi, India	Hepatitis A vaccine (Human Diploid Cell) Inactivated	for active immunization against Hepatitis A virus in 1-15 years	Additional Indication 27-July-.2023

Annexure-I(b)
Details of Import Permissions of Human Vaccines

Year 2022				
S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1.	M/s Dr Reddy's Laboratories Limited, Hyderabad, India	Recombinant adenoviral vector vaccine containing particles of serotype 26 containing the protein S gene of the SARS-CoV-2 virus	For the prevention of the Novel Coronavirus infection (COVID-19) in adults aged over 18 year, when administered in single dose of (0.5ml) for restricted use in emergency situation.	IMP/BIO/20/000067 dated 04-Feb-2022
2.	M/s GlaxoSmithKline Pharmaceuticals Limited, 252, Dr. Annie Besant Road Worli Mumbai, Maharashtra	Herpes Zoster Vaccine (Recombinant, Adjuvanted)	For prevention of Herpes Zoster (HZ) and Post-Herpetic Neuralgia (PHN), in adults 50 years of age or older when administered in two doses of 0.5 ml each two months apart	IMP/BIO/22/000014 dated 21-Feb-2022
3.	M/s Sanofi Healthcare India Private Limited, Mumbai, India	Inactivated Quadrivalent Influenza Vaccine (Split Virion) I.P. for 0.5ml dose	Inactivated Quadrivalent Influenza Vaccine (Split Virion) I.P. for 0.5ml dose in the age group of 6 to 35months.	22.04.2022
4.	M/s GlaxoSmithKline Pharmaceuticals Limited Dr. Annie Besant Road, Worli, Mumbai 400030, India.	Inactivated Quadrivalent Influenza Vaccine (Split Virion) I.P., 0.5ml, single dose, prefilled syringe (PFS).	For active immunization of adults and children from 6 months of age for the prevention of influenza disease caused by the two influenza A virus subtypes and the two influenza B virus types contained in the vaccine	Dated 06.05.2022 BIO/IMP/21/000021
5.	M/s G. C. Chemie Pharmie Ltd., 5/C, Shree Laxmi Industrial Estate, New Link Road, Andheri (West), Mumbai, India	Pneumococcal Polysaccharide Vaccine I.P.(23 valent)	For active immunization for the prevention of pneumococcal disease caused by the 23 serotype contained in the vaccine (1, 2, 3, 4, 5, 6B, 7F, 8, 9N, 9V, 10A, 11A, 12F, 14, 15B, 17F, 18C, 19F, 19A, 20, 22F, 23F and 33F) for use in adults aged 18 to 65 years when administered in single dose of 0.5 ml	IMP/BIO/22/000065 dated 03.10.2022
Year-2021				

Annexure-I(b)
Details of Import Permissions of Human Vaccines

S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1	M/s Dr Reddy's Laboratories Limited, 8-2-337, Road No. 3 Banjara Hills Hyderabad (India) – 500034.	Gam-COVID -Vac combined vector vaccine (Component I & Component II)	For Restricted use in emergency situation: For the prevention of the novel Coronavirus infection (COVID-19) in adults aged over 18, when given in two separate doses three weeks apart. Day 0: Component I (0.5 ml) & Day 21: Component II (0.5ml)	IMP/BIO/21/000011 dated 12-Apr-2021
2	M/s Pfizer Ltd., The Capital 1802/1901 Plot No. C-70, G Block Bandra-Kurla Complex, Bandra (E) Mumbai City (India) – 400051	Pneumococcal Polysaccharide Conjugate Vaccine (Adsorbed) I.P., 13 valent	For active immunization for the prevention of Pneumonia and invasive disease caused by Streptococcus pneumoniae serotypes 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in adults of 18 years to 49 years of age	Additional indication dated 17-May-2021
3	M/s Cipla Limited, Cipla House, Peninsula Business Park Ganpatrao Kadam Marg, Lower Parel, Mumbai Lower Parel (India) – 400013	mRNA-1273 COVID-19 vaccine (Moderna)	For Restricted use in emergency situation: For active immunization to prevent COVID-19 caused by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) in individuals 18 years of age and older when given in two doses. (0.5 mL each) 28 days apart.	IMP/BIO/21/000035 dated 29-Jun-2021
4	M/s. Johnson & Johnson Pvt. Ltd., L.B.S. Marg, Mulund (West) Mumbai, Maharashtra India Pincode : 400080	COVID-19 vaccine (Ad26.COVS-2 [recombinant])	For Restricted use in emergency situation: For active immunisation to prevent COVID-19 caused by SARS-CoV-2 in individuals 18 years of age and older when given in single dose (0.5 mL).	IMP/BIO/21/000048 dated 06-Aug-2021
5.	M/s Dr. Reddy's Laboratories Limited, 8-2-337, Road No. 3, Banjara Hills, Hyderabad, 500 034, Telangana, India.	Live Attenuated Hepatitis A Vaccine (Freeze-dried)	Active immunization against Hepatitis A in adults and children Above one year age.	IMP/BIO/21/000090 dated 25-OCT-2021

Annexure-I(b)

Details of Import Permissions of Human Vaccines

6.	M/s. Glaxosmithkline Pharmaceuticals Limited, 252, Dr. Annie Besant Road, Worli, Mumbai, Maharashtra – 400030, India	Rotavirus Vaccine (Live Attenuated, Oral) I.P.	For active immunization of infants from the age of 6 weeks for prevention of gastro-enteritis due to rotavirus infection (Dose schedule 0,1 month)	IMP/BIO/21/000099 dated 08-Dec-2021
----	--	--	--	-------------------------------------

Year-2020

S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1	M/s Sinopharm India Private Limited, Unit 403-404, 4th floor Southern Park, Saket District Centre, Tal Greater Kailash(50) Delhi-110017,India.	Hepatitis A (Live) vaccine, Freeze dried	For immunization against Hepatitis A virus to prevent Hepatitis A in age group of 1 to 12 years.	IMP/BIO/20/000067 dated 03.09.2020
2	M/s Zuventus HealthcareLtd., Office No. 5119, 5th Floor, “D” Wing, Oberoi Garden states, Chandivali, Andheri (E), Mumbai-400072, India.	Rabies Vaccine, Human, IP (Vero Cell), (Freeze Dried)	For Pre-exposure prophylaxis and post exposure prophylaxis of Rabies. As per following schedule Pre-exposure prophylaxis : Day0, Day7 & Day28 Post exposure prophylaxis : Day 0, Day 3, Day 7, Day 14 & Day 28	IMP/BIO/20/000002 dated 14.02.2020

Year-2019

S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1	M/s GlaxoSmithKline Pharmaceuticals Limited, 252, Dr. Annie Besant Road, Worli, Mumbai,	Inactivated Influenza Vaccine (Surface Antigen) I.P. (Quadrivalent)	For active immunisation of children from 6 to 35 months of age for the prevention of influenza disease caused by the two influenza A virus	IMP/BIO/19/000003 dated 04.04.2019

Annexure-I(b)

Details of Import Permissions of Human Vaccines

	Maharashtra – 400030, India.		subtypes and the two influenza B virus types contained in the vaccine .	
2	M/s. Abbott India Limited, 2nd floor, unit no 3, Corporate Park Sion Trombay road, Chembur, Mumbai 400071, Maharashtra, India	Inactivated Influenza Vaccine (Surface Antigen) I.P. (Quadrivalent)	Prophylaxis of influenza, especially those who run an increased risk of associated complications. Inactivated Influenza Vaccine (Surface Antigen) I.P. (Quadrivalent) is indicated in adults (18 years of age and older) and children from 6 months of age	IMP/BIO/19/000021 dated 16.07.2019

Year-2017

S. No	Name of Firm	Name of Formulation	Indication(s)	Permission No. & Date
1	M/s Zuventus Healthcare Ltd., Mumbai, India	Varicella Vaccine, Live, I.P. (Oka Strain)	For Active immunization against Varicella Zoster in adults & infants of the age group of 12 months & above.	IMP-46/2017, dated: 01.03.2017
2	M/s Sanofi Healthcare India Pvt. Ltd., Mumbai, India	Quadrivalent Inactivated Influenza Vaccine (Split Virion) I.P.	Inactivated Quadrivalent Influenza vaccine indicated for the prevention of influenza disease caused by Influenza types A and B viruses contained in the vaccine and use in persons 18 years of age and older.	IMP-119/2017, dated: 30.05.2017
3	M/s MSD Pharmaceuticals Pvt. Ltd., Gurgaon, India	Human Papillomavirus 9-valent Vaccine, Recombinant [Serotypes: [Type 6 L1, 11 L1, 16 L1, 18 L1, 31	1. Human Papillomavirus 9-valent Vaccine, Recombinant is a vaccine indicated in girls and women from 9 years to 26 years age at 03 dose regimen (schedule: 0, 2 & 6 months) for	IMP-121/2017, dated: 01.06.2017

Annexure-I(b)

Details of Import Permissions of Human Vaccines

		L1, 33 L1, 45 L1, 52 L1 & 58 L1]	<p>the prevention of cervical, vulvar, vaginal and anal cancer; precancerous or dysplastic lesions; genital warts and persistent infections caused by Human Papillomavirus (HPV).</p> <p>2. Human Papillomavirus 9-valent Vaccine, Recombinant is a vaccine indicated in boys from 9 years to 15 years at 03 dose regimen (schedule: 0, 2& 6 months) for the prevention of external genital lesions and persistent infections and the following diseases caused by HPV types included in the vaccine.</p> <ul style="list-style-type: none">• Anal Cancer caused by HPV Types caused by HPV types 16, 18, 31, 33, 45, 52 and 58.• Genital warts (Condyloma acuminata) caused by HPV types 6, 11.• And the following Precancerous or dysplastic lesions caused by HPV types 6, 11, 16, 18, 31, 33, 45, 52 and 58.• Anal intraepithelial neoplasia (AIN) grades 1,2 and 3 grades 1,2 and 3	
4	M/s GlaxoSmithKline Asia Private limited, Mumbai, India	Diphtheria, Tetanus, Pertussis (acellular component), Hepatitis B (rDNA), Inactivated	Diphtheria, Tetanus, Pertussis (acellular component), Hepatitis B (rDNA), Inactivated Poliomyelitis and Haemophilus influenza type b	IMP-122/2017, dated: 01.06.2017

Annexure-I(b)
Details of Import Permissions of Human Vaccines

		Poliomyelitis and Haemophilus influenza type b conjugate vaccine (adsorbed) [(DTaP-HBV-IPV) + Hib] Vaccine	conjugate (adsorbed) [(DTaP-HBV-IPV) + Hib] vaccine is indicated for primary and booster vaccination of infants against <i>diphtheria, tetanus, pertussis, hepatitis B, poliomyelitis</i> and disease caused by <i>Haemophilus influenza type b</i> .	
--	--	--	---	--

Year-2016				
S. No	Name of Firm	Name of Formulation	Indication	Permission No. & Date
1	M/s Sanofi Healthcare India Pvt., Ltd. ,Mumbai, India	DTaP-IPV-HepB-Hib-PRP-T vaccine	For primary and booster vaccination of infants and toddlers from 6 weeks to 24 months of age against Diphtheria, Tetanus, Pertussis, Hepatitis B, Poliomyelitis and invasive diseases caused by Haemophilus influenza type b (Hib).	IMP-53/2016,dated: 15.03.2016
2	M/s Man mill Chemicals Pvt. Ltd., Mumbai, India	Inactivated Influenza vaccine (Spilt Virion) I.P.	For active Immunization against Susceptible Influenza.	IMP-103/2016, dated: 30.06.2016
3	M/s MSD Pvt. Limited, 6th & 7th floor Tower B, Vartika tower, Sect-54, Gurgaon 122002, India.	Human Papillomavirus Quadrivalent (Type 6, 11, 16 & 18) Vaccine Recombinant (0.5 ml single dose vial and Pre-Filled Syringes)	Indicated in girls and women 9-26 years of age for prevention of Cervical cancer and Genital warts (condyloma acuminata) caused by HPV type 6, 11, 16 and 18 vide permission dated 04.07.2008.	08.08.2016

Annexure-I(b)**Details of Import Permissions of Human Vaccines**

			Further Post Approval Change for update in package insert for an alternative 2-dose regime for 9-13 years of age group to the existing approved 3 dose regimen for HPV vaccine	
4	M/s GlaxoSmithKline Pharmaceuticals Ltd., Mumbai, India	Meningococcal A, C, W-135 & Y Conjugate vaccine	For active immunization of children (from 2 years of age), adolescents and adults to prevent invasive meningococcal disease caused by Neisseria Meningitidis A, C, W-135 and Y.	IMP-221/2016, dated: 22.12.2016

Year-2015

S. No	Name of Firm	Name of Formulation	Indication	Permission No. & Date
1	M/s Prosper Channel Life Sciences, India	Rabies Vaccine	For active immunization against rabies virus for Human use only.	IMP-133/2015,dated: 27.05.2015
2	M/s Sinopharm India Private Limited, Unit 403-404, 4th floor Southern Park, Saket District Centre, Tal Greater Kailash(50) Delhi-110017,India	Varicella Vaccine	For active immunization against Varicella Zoster in adults & infants in the age group of 12 months & above.	IMP-145/2015,dated: 18.06.2015

Annexure-I(b)

Details of Import Permissions of Human Vaccines

3	M/s VHB Life Sciences Ltd. ,India	Varicella vaccine	For active immunization against Varicella zoster in adults & infants in the age group of 12 months and above	IMP-170/2015,dated: 04.08.2015
4	M/s Novo-Medi Sciences Pvt. Ltd. ,India	Live Varicella vaccine	The vaccine is indicated for the active immunization against varicella vaccine of healthy, varicella susceptible subjects from age of 12 months.	IMP-183/2015, dated: 14.08.2015
5	M/s Serum Institute of India Pvt. Ltd. ,India	Inactivated Polio Vaccine	Active Immunization against Poliomyelitis.	IMP-231/2015, dated: 27.11.2015

Annexure-I(b)
Details of Import Permissions of Human Vaccines

Year-2014				
S. No	Name of Firm	Name of Formulation	Indication	Permission No. & Date
1	M/s MSD Pvt. Limited, 6th & 7th floor Tower B, Vartika tower, Sect-54, Gurgaon 122002, India.	Varicella vaccine	For active immunization for the prevention of varicella in individuals from 12 months to 12 years of age.	IMP-148/14 , dated: 03.07.2014
2	M/s GlaxoSmithKline Pharmaceuticals Ltd., Mumbai, India	MMRV vaccine	For active immunization are subjects from the age of 1 year to 12 years of age inclusive against Measles, Mumps, Rubella and varicella.	IMP-163/2014, dated: 18.07.2014
3	M/s Pfizer India Limited, Pfizer Centre, Patel Estate, Jogeshwari (W), Mumbai-400102, India.	Pneumococcal Saccharine conjugate vaccine adsorbed 13-valent	For active immunization for the prevention of disease caused by Streptococcus Pneumoniae serotypes 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F (including species, Meningitis, Bacteraemia, pneumonia and acute Otitis media) in infants and children from 2 months to 5 years of age).	IMP-278, dated: 18.12.2014

Annexure-I(b)
Details of Import Permissions of Human Vaccines

Year-2013				
S. No.	Name of Firm	Name of Formulation	Indication	Permission No. & Date

Year-2012				
S. No.	Name of Firm	Name of Molecule Approved	Indication	Permission No. & Date
1	M/s Sanofi Healthcare India Pvt. Ltd.	Meningococcal A C Y and W-135 Polysaccharide Diphtheria Toxoid Conjugate	For active immunization of healthy 2 years to 55 years age group for prevention of invasive meningococcal disease caused by N.meningitides serogroups A, C, Y, and W-135.	IMP-134/2012 dated: 12.06.2012

Year-2011				
S. No.	Name of Firm	Name of Molecule Approved	Indication	Permission No. & Date
1	M/s HLL Life Care Ltd.(formerly Hindustan Latex Limited), HILL Bhavan, Poojappura, Thiruvananthapuram ,Kerala, India	Purified Rabies vaccine (Vero cell) for Human Use Freeze dried	For active immunization against Rabies for Human use only.	IMP-94/2011, dated: 22.03.2011
2	M/s GlaxoSmithKline Pharmaceuticals Ltd., Mumbai, India	Synflorix [Pneumococcal polysaccharide and Non-Typeable Haemophilus	Active immunization of all infants and children from 6 weeks up to 5 years of age against diseases caused by Streptococcus pneumonia serotypes 1, 4, 5,	IMP-102/2011, dated: 20.04.2011

Annexure-I(b)
Details of Import Permissions of Human Vaccines

		influenzae(NTHi) protein D conjugate vaccine, adsorbed (10 Pn-PD-DiT)]	6B, 7F, 9V, 14, 18C, 19F and 23f (including sepsis, meningitis, pneumonia, bacteremia and acute otitis media) and against acute otitis media caused by Non Typeable Haemophilus influenzae.
--	--	--	---

Year- 2010

S. No.	Name of Firm	Name of Molecule Approved	Indication	Permission No. & Date
1	M/s. Kiran Agencies, A/40, Kalayanji Morarji, Warehousing Co. Ltd. Prem Industrial estate, Santa Savta Marg, Mazgoan, Mumbai, India	Purified Rabies vaccine (Vero cell Freeze dried)	For active immunization against Rabies for Human use only.	IMP-205/10, dated: 09.03.2010
2	M/s Sanofi Healthcare India Pvt. Ltd., D-2, Fourth Floor, Southern Park, DDA Commercial Centre, Saket-Delhi, India.	Influenza Inactivated, Split Virion, Non-Adjuvanted H1N1 vaccine.	For active immunization for H1N1 Pandemic Influenza	IMP-222/10, dated: 12.03.2010
3	M/s Pfizer Ltd., Mumbai Level 6 & 7, Platina, Plot No. C-59, G-block, Bandra- Kurla Complex, Bandra (East), Mumbai-400098, India	Pneumococcal Saccharide conjugate vaccine (Adsorbed), 13 valent Suspension	For active immunization for the prevention of Pneumonia and invasive disease caused by streptococcus pneumonia serotypes 1,3,4,5,6A,6B,7F,9V,14,18C,19A,19F and 23F (including species, meningitis, bacteremia, pneumonia and acute otitis media) in infants and children from 2 months to 5 years of age).	IMP-237-2010 dated: 23.03. 2010

Annexure-I(b)

Details of Import Permissions of Human Vaccines

4	M/s. MSD Pvt. Ltd. 7th floor, Tower-B, Vatika Towers, Sector-54, Gurgaon, India	Rotavirus Vaccine Live (Oral)	Rota Teq is indicated for the prevention of rotavirus gastroenteritis in infants and children caused by the serotypes G1, G2, G3 and G4 when administered as a 3 dose series to infants between 6 to 32 weeks. The first dose of Rota Teq should be administered between 6 to 12 weeks of age.	IMP-339/10, dated: 28.04.2010
5	M/s Sun pharma Limited., Gurgaon ,India	Purified Rabies vaccine (Vero cell Freeze dried)	For active immunization against Rabies for Human use only.	IMP-647/2010, dated: 22.09. 2010

Year-2009

S. No.	Name of Firm	Name of Molecule Approved	Indication	Permission No. & Date
1	M/s. GC Chemie Pharma Ltd., 5/C, Shri Laxmi Indl. Estate, New Link Road, Andheri (west), Mumbai, India.	Influenza Vaccine Split	For active Immunization against susceptible Influenza.	Import-449/09, dated: 12.05. 2009
2	M/s Synergy Diagnostics Pvt. Ltd. 127/128, Laxmi Market, Vartak Nagar, Thane, India	Rabies Vaccine (Freeze Dried) (Vero Based)	For active immunization against Rabies, both as prophylaxis and post bite cases.	Import-810/09, dated: 21.10. 2009

Details of Human Vaccines approved by CDSCO (for import)
(Year 1998 to 2008)

S. No	Name of Firm	Name of Vaccine	Indication	Permission No. & Date
1998				
1	M/s SmithKline Beecham Asia, Devanhalli Road, Off-Old Madras Road, Banglore-560049	Hepatitis A Vaccine	The preparation shall be indicated for active immunization against infections caused by Hepatitis A Virus.	12-7/94-DC, Date: 05-02-1998
2	M/s SmithKline Beecham Asia, Devanhalli Road, Off-Old Madras Road, Banglore-560049	Varicella Vaccine	Active immunization against varicella of healthy subjects from the age of 12 months onwards.	12-70/96-DC Part (I), Date: 19-06-1998
1999				
1	M/s SmithKline Beecham Asia, Devanhalli Road, Off-Old Madras Road, Banglore-560049	Mumps, Measles, Rubella Vaccine	Active immunisation against measles, mumps and Rubella.	12-32/78-DC, Date: 24-03-1999
2002				
1	M/s Aventis Pasteur India Pvt. Ltd. Chaitanya 1, Chaman Farm Village, Bundh Road, Chattarpur, New Delhi-30	Yellow Fever Vaccine	Prevention of yellow fever.	12-55/01-DC, Date: 20-02-2002
2003				
1	M/s Aventis Pasteur India Pvt. Ltd. Chaitanya 1, Chaman Farm Village, Bundh Road, Chattarpur, New Delhi-30	Inactivated adsorbed Hepatitis A Vaccine 80 antigen unit	For prevention of infection caused by Hep.A virus in children in the age group of 12 months -15 years.	IMP-675/2003, Date: 17-06-2003
2005				
1	M/s GlaxoSmithKline Asia Pvt. Ltd., Bharat Yuvak Bhawan, 1 Jai Singh Road, New Delhi-110001	Combined Diphtheria, Tetanus and acellular Pertussis Vaccine.	For (active immunization) booster vaccination against diphtheria, tetanus and pertussis disease in children age 4 years and above, who had previously completed primary vaccination with DPT.	IMP-6056/2005, Date: 03-08-2005
2	M/s GlaxoSmithKline Asia Pvt. Ltd., Bharat Yuvak Bhawan, 1 Jai Singh Road, New Delhi-110001	Combined Diphtheria, Tetanus and acellular Pertussis Vaccine.	For active primary immunization against diphtheria, Tetanus & Pertussis, in children from the age of two years and above.	IMP-6175/2005, Date: 23-09-2005

S. No	Name of Firm	Name of Vaccine	Indication	Permission No. & Date
2007				
1	M/s GlaxoSmithKline Pharmaceuticals Ltd. Dr. Annie Besant Road, Worli, Mumbai-400030	Rotavirus Vaccine (RIX-4414) Live Attenuated. (From M/s. Glaxo SmithKline Biologicals, s.a, Belgium).	For the active immunization of infants from the age of 6 weeks for prevention of gastro-enteritis due to rotavirus infection.	IMP-8105/2007, Date: 19-11-2007
2	M/s MSD Pharmaceuticals Pvt. Ltd., 5 th Floor, Peninsula Chambers, Peninsula Corporate Park, Ganpatrao Kadam Marg, Lower Parel, Mumbai-400013	Pneumococcal Polysaccharide Vaccine	For active immunization against disease caused by the pneumococcal serotype included in the vaccine.	IMP-7399/2007, Date: 03-05-2007
2008				
1	M/s. GlaxoSmithKline Pharmaceuticals Asia Pvt. Ltd., Patiala Road, Nabha-147201. (Punjab)	Human Papillomavirus Vaccine. (M/s. GlaxoSmithKline (GSK) Biologicals S.A., Belgium)	It is indicated in females from 10-45 years of age for the prevention of cervical cancer by protecting against incident and persistent infections, cytological abnormalities including atypical squamous cells of undetermined significance (ASC-US) and cervical intraepithelial neoplasia (CIN), CIN 1 and pre-cancerous lesions (CIN 2 and CIN 3) caused by human papillomavirus type 16 and 18.	IMP-955/2008, Date: 10-09-2008
2	M/s Sanofi Pasteur India Pvt. Ltd., D-2, Fourth Floor, Southern Park, DDA Commercial Centre, Saket, New Delhi-11001	Combination of Tetanus Toxoids + Diphtheria Toxoids Component Pertussis Vaccine. (M/s Sanofi Pasture Ltd., Ontario Toronto Canada)	For active immunization against Tetanus Diphtheria and Pertussis	IMP-877/2008, Date: 21-08-2008
3	M/s Aventis Pasteur India Pvt. Ltd. Chaitanya 1, Chaman Farm Village, Bundh Road, Chattarpur, New Delhi-30	Diphtheria, Tetanus, Acellular Pertussis and inactivated poliomyelitis (DtaP-IPV) vaccine.	For the immunization of Diphtheria, Tetanus, Pertussis and Poliomyelitis in infants from 2 months of age.	IMP-370/2008, Date: 31-3-2008
4	M/s MSD Pharmaceuticals, 7 th Floor, Tower-B, Vatika Tower, Sertcor-54, Gurgaon – 122004	Human Papillomavirus Quadrivalent (Type 6, 11, 16 & 18) Vaccine Recombinant.	Indicated in girls and women 9-26 years of age form prevention of Cervical cancer and Genital warts (condyloma acuminata) caused by Human Papillomavirus (HPV) type 6, 11, 16 and 18.	IMP-722/2008, Date: 04-07-2008